

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	Intentional	Geese, Canada	32			
		Ducks, Mallards			1	
	Unintentional					
<b>Calling Device, Electronic</b>	Intentional	Coyotes	107			
		Foxes, Red	1			
		Wolves, Gray/Timber	2			
<b>Calling Device, Manual(Hand,Blown)</b>	Intentional	Coyotes	140			
		Foxes, Red	2			
<b>Car/Truck</b>	Intentional	Wolves, Gray/Timber				3
<b>Dog</b>	Intentional	Coyotes	236			
		Coyotes DEN		2		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		Foxes, Red	3			
		Lions, Mountain (Cougar)	1			
		Raccoons	24			
<b>DRC-1339 Meat</b>						
	<b>Intentional</b>					
		Crows, American	337			
		Ravens, Common	151			
	<b>UnIntentional</b>					
		Magpies, Black-Billed	2			
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		Starlings, European	16,468			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	220			
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		Grackles, Common	50			
		Ravens, Common	7			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		Starlings, European	1,650			
<b>DRC-1339-WY SLN (Staging/Feedlots)</b>						
	<b>Intentional</b>					
		Ravens, Common	131			
		Starlings, European	30			
<b>Firearms</b>						
	<b>Intentional</b>					
		Badgers	10			
		Beavers	4			
		Bobcats	1			
		Cats, Feral/Free Ranging	7			
		Coyotes	1,231			
		Flickers, Northern	4			
		Foxes, Red	54			
		Marmots/Woodchucks (All)	1			
		Pigeons, Feral (Rock)	127			
		Porcupines	9			
		Raccoons	22			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Ravens, Common	9			
		Skunks, Striped	56			
		Starlings, European	128			
		Vultures, Turkey	5			120
		Wolves, Gray/Timber	2			
<b>Fixed Wing</b>	<b>Intentional</b>	Coyotes	7,186			
		Foxes, Red	42			
		Wolves, Gray/Timber	11			
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	Coyotes	56			
		Coyotes DEN		204		
		Foxes, Red	8			
		Foxes, Red DEN		35		
		Skunks, Striped	3			
		Skunks, Striped DEN		1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Bats (All)	2			
		Geese, Canada	1			
		Pigeons, Feral (Rock)	27			
		Raccoons	1			
		Snakes, Non-Venomous (Other)			6	
		Snakes, Venomous (Other)	2			
<b>Helicopter</b>	<b>Intentional</b>	Coyotes	242			
		Foxes, Red	1			
		Wolves, Gray/Timber	19			
<b>Jabstick</b>	<b>Intentional</b>	Porcupines	1			
		Raccoons	2			
		Skunks, Striped	14			
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Coyotes	286			
		Foxes, Red	84			
	<b>UnIntentional</b>	Bears, Black	1			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Swift	5			
		Raccoons	1			
		Wolves, Gray/Timber	1			
<b>Nets, Other</b>	<b>Intentional</b>	Bats (All)	12			
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Bats (All)				1
<b>Pneumatics</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	1,015			
		Squirrels, Red	2			
		Starlings, European	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Pneumatics</b>	<b>Intentional</b>	Vultures, Turkey	5			30		
<b>Snares, Foot/Leg</b>	<b>Intentional</b>	Foxes, Red	1					
<b>Snares, Neck</b>	<b>Intentional</b>	Badgers	25					
		Beavers	27					
		Bobcats	14					
		Coyotes	1,065					
		Foxes, Red	168					
		Lions, Mountain (Cougar)	4					
		Porcupines	36					
		Raccoons	118					
		Skunks, Striped	26					
			<b>UnIntentional</b>	Badgers	8		1	
				Bobcats	8		3	
				Cattle, Feral			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Deer, Mule	21		1	
		Deer, White-Tailed (Wild)	2			
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Eagles, Golden	3			
		Hares, Jackrabbits (Other)	10			
		Porcupines	1			
		Pronghorns (Antelope)	5		2	
		Raccoons	4			
		Sheep, Feral, Free-Ranging And Exotics	1			
		<b>Traps, Body Grip</b>	<b>Intentional</b>	Badgers	1	
Beavers	22					
Muskrats	21					
Raccoons	5					
Skunks, Striped	3					
Starlings, European	3					
<b>Traps, Cage</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Badgers</b>	1			
		<b>Bobcats</b>			1	
		<b>Cats, Feral/Free Ranging</b>	292		35	
		<b>Coyotes</b>	4			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			7	
		<b>Foxes, Red</b>	13			
		<b>Magpies, Black-Billed</b>	1		1	
		<b>Opossums, Virginia</b>	3			
		<b>Pigeons, Feral (Rock)</b>	357			
		<b>Porcupines</b>	10			
		<b>Raccoons</b>	2,271			
		<b>Skunks, Spotted</b>	1			
		<b>Skunks, Striped</b>	476			
		<b>Squirrels, Fox</b>	24			30
		<b>UnIntentional</b>	<b>Beavers</b>			
	<b>Cats, Feral/Free Ranging</b>		2		11	
	<b>Foxes, Red</b>		2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>UnIntentional</b>	Rabbits, Cottontail			1	
		Rats, Kangaroo (All)	1			
	<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	21		
Beavers			3			
Bobcats			6			1
Cats, Feral/Free Ranging			10			
Coyotes			469			
Ducks, Mallards			1			
Foxes, Red			164			
Muskrats			2			
Porcupines			4			
Raccoons			131			
Rats, Kangaroo (All)			1			
Skunks, Striped			52			
Wolves, Gray/Timber			2			
			<b>UnIntentional</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	Badgers	5		21	
		Bears, Black			1	
		Bears, Grizzly			1	
		Beavers			1	
		Bobcats	2		22	
		Cats, Feral/Free Ranging			3	
		Deer, Mule	3			
		Dogs, Feral, Free-Ranging And Hybrids			3	
		Foxes, Red	1		2	
		Porcupines	2			
		Pronghorns (Antelope)			8	
		Raccoons	4			
		Sheep, Feral, Free-Ranging And Exotics				1
		<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	3	
<b>Traps, Other</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Wyoming - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Other</b>	<b>Intentional</b>	Ducks, Gadwall			2	
		Ducks, Mallards			27	
		Ducks, Northern Pintail			1	
		Ducks, Wigeon, American			2	
		Raccoons	2			
		Squirrels, Fox	1			
		Starlings, European	1			
	<b>UnIntentional</b>					
		Finches, House	1			
		<i>Total Take for WY</i>		36,247	242	200

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*