

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Ohio - FY2010**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Influenza		
	Ducks, American Black	27
	Ducks, Feral	13
	Ducks, Gadwall	80
	Ducks, Mallards	303
	Ducks, Northern Pintail	34
	Ducks, Northern Shoveler	20
	Ducks, Redhead	3
	Ducks, Scaup, Lesser	1
	Ducks, Teal, Blue-Winged	94
	Ducks, Teal, Green-Winged	120
	Ducks, Wigeon, American	13
	Ducks, Wood	73
	Geese, Canada	181
	Geese, Feral	2
	Gulls, Herring	5
	Gulls, Ring-Billed	33
	<i>Subtotal of # of Samples for Avian Influenza</i>	1,002
Bovine Tuberculosis		
	Deer, White-Tailed (Wild)	58
	<i>Subtotal of # of Samples for Bovine Tuberculosis</i>	58
Chronic Wasting Disease		
	Deer, White-Tailed (Wild)	58
	<i>Subtotal of # of Samples for Chronic Wasting Disease</i>	58
Classical Swine Fever		
	Swine, Feral	17
	<i>Subtotal of # of Samples for Classical Swine Fever</i>	17
Disease (Non-Specific)		
	Crows, American	6
	Ducks, Mallards	4
	Starlings, European	6
	<i>Subtotal of # of Samples for Disease (Non-Specific)</i>	16
Enteric Caliciviruses		
	Cats, Feral/Free Ranging	1
	Marmots/Woodchucks (All)	3
	Minks	1
	Opossums, Virginia	2
	Rabbits, Cottontail	1
	Raccoons	12
	Skunks, Striped	1

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Ohio - FY2010**

Disease/Condition	Species Sampled	# of Samples
Enteric Caliciviruses		
	<i>Subtotal of # of Samples for Enteric Caliciviruses</i>	21
Genetic		
	Coyotes	24
	<i>Subtotal of # of Samples for Genetic</i>	24
Pseudorabies		
	Swine, Feral	17
	<i>Subtotal of # of Samples for Pseudorabies</i>	17
Q Fever		
	Sparrows, House/English	2
	Starlings, European	147
	<i>Subtotal of # of Samples for Q Fever</i>	149
Rabies		
	Cats, Feral/Free Ranging	4
	Coyotes	3
	Dogs, Feral, Free-Ranging And H	1
	Foxes, Red	8
	Marmots/Woodchucks (All)	2
	Minks	3
	Muskrats	2
	Opossums, Virginia	12
	Raccoons	1,340
	Skunks, Striped	101
	Squirrels, Fox	2
	<i>Subtotal of # of Samples for Rabies</i>	1,478
Swine Brucellosis		
	Swine, Feral	17
	<i>Subtotal of # of Samples for Swine Brucellosis</i>	17
Toxoplasmosis		
	Swine, Feral	17
	<i>Subtotal of # of Samples for Toxoplasmosis</i>	17
Trichinellosis		
	Swine, Feral	17
	<i>Subtotal of # of Samples for Trichinellosis</i>	17
Tularemia		
	Beavers	2
	Coyotes	24

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

***Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Ohio - FY2010***

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Foxes, Red	3
	Minks	1
	Muskrats	3
	Opossums, Virginia	1
	Raccoons	37
	Skunks, Striped	2
	Swine, Feral	10
	<i>Subtotal of # of Samples for Tularemia</i>	83
	<i>Grand Total of Samples For All Diseases/Conditions</i>	2,974
	<i>Total # Diseases/Conditions Sampled In OH</i>	14