

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | |
|-------------------------------------|------------------------------------|------------------------|----------------------------|---------------------------|-------------------------------------|------------------|--|
| A/C Powder | Intentional | Coots, American | 20 | | | | |
| | | Ducks, Feral | 2 | | | | |
| | | Ducks, Mallards | 16 | | | | |
| | | Geese, Canada | 33 | | | | |
| | | Geese, Feral | | | 47 | | |
| | Unintentional | Grackles, Great-Tailed | 6 | | | | |
| | | Pigeons, Feral (Rock) | 15 | | | | |
| | Dog | Intentional | Lions, Mountain (Cougar) | | | 4 | |
| | | | | | | | |
| | Firearms | Intentional | Badgers | 1 | | | |
| Bears, Black | | | 5 | | | | |
| Blackbirds, Brewer`s | | | | | | 200 | |
| Bobcats | | | 1 | | | | |
| Cats, Feral/Free Ranging | | | 4 | | | | |
| Cattle, Feral | | | 1 | | | | |
| | | | | | | | |
| | | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Cormorants, Double-Crested | | | | 3 |
| | | Coyotes | 235 | | | 6 |
| | | Dogs, Feral, Free-Ranging And Hybrids | 91 | | | |
| | | Doves, Mourning | 2,200 | | | 5,635 |
| | | Doves, White-Winged | 48 | | | |
| | | Ducks, Mallards | 4 | | | 1 |
| | | Egrets, Great | 3 | | | 6 |
| | | Falcons, American Kestrels | 5 | | | 11 |
| | | Finches, House | | | | 140 |
| | | Flickers, Northern | 8 | | | |
| | | Foxes, Gray | 5 | | | |
| | | Frogs, American Bullfrog | 16 | | | |
| | | Geese, Canada | 52 | | | |
| | | Grackles, Great-Tailed | 17 | | | 246 |
| | | Hawks, Ferruginous | 3 | | | 10 |
| | | Hawks, Harrier, Northern (Marsh Hawks | 3 | | | 20 |
| | | Hawks, Harris | | | | 9 |
| | | Hawks, Red-Tailed | 8 | | | 18 |
| | | Hawks, Zone Tailed | | | | 2 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Herons, Great Blue | 4 | | | 3 |
| | | Jackrabbits, Black Tailed | 97 | | | |
| | | Killdeers | 15 | | | 92 |
| | | Larks, Horned | 110 | | | 1,200 |
| | | Lions, Mountain (Cougar) | 26 | | | |
| | | Meadowlarks, Western | 7 | | | 86 |
| | | Owls, Burrowing | 1 | | | |
| | | Peccaries, Collared (Javelina) | 1 | | | |
| | | Pigeons, Feral (Rock) | 158 | | | |
| | | Rabbits, Desert Cottontail | 11 | | | |
| | | Raccoons | 4 | | | |
| | | Ravens, Common | 1 | | | 4 |
| | | Skunks, Hooded | 2 | | | |
| | | Skunks, Striped | 11 | | | |
| | | Squirrels, Ground, Round-Tailed | 126 | | | |
| | | Swine, Feral | 3 | | | |
| | | Vultures, Turkey | 12 | | | 46 |
| | | Woodpeckers, Gila | 48 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|----------------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Fixed Wing | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 646 | | | |
| Handcaught/Gathered | | | | | | |
| | Intentional | | | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | 19 | |
| | | Ducks, Feral | 2 | | | |
| | | Ducks, Mallards | 28 | | | |
| | | Geese, Canada | 41 | | | |
| | | Pigeons, Feral (Rock) | 18 | | | |
| | | Snakes, Gopher | | | 2 | |
| M-44 Cyanide Capsule | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 5 | | | |
| Nets, Mist | | | | | | |
| | Intentional | | | | | |
| | | Bats (All) | | | 8 | |
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, (Mixed Species) | | | | 5,320 |
| | | Blackbirds, Brewer`s | | | | 6,430 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, Red-Winged | | | | 722 |
| | | Cormorants, Double-Crested | | | | 147 |
| | | Cowbirds, Brown-Headed | | | | 2,700 |
| | | Coyotes | | | | 5 |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | | 2 |
| | | Doves, Mourning | | | | 29,931 |
| | | Doves, White-Winged | | | | 300 |
| | | Ducks, Bufflehead | | | | 6 |
| | | Ducks, Canvasback | | | | 5 |
| | | Ducks, Mallards | | | | 56 |
| | | Ducks, Northern Shoveler | | | | 4 |
| | | Ducks, Ring-Necked | | | | 41 |
| | | Ducks, Scaup, Lesser | | | | 4 |
| | | Ducks, Wigeon, American | | | | 51 |
| | | Egrets, Great | | | | 109 |
| | | Egrets, Snowy | | | | 9 |
| | | Falcons, American Kestrels | | | | 63 |
| | | Falcons, Peregrine | | | | 1 |
| | | Falcons, Prairie | | | | 5 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Finches, House | | | | 390 |
| | | Geese, Canada | | | | 5 |
| | | Grackles, Great-Tailed | | | | 381 |
| | | Hawks, Ferruginous | | | | 17 |
| | | Hawks, Harrier, Northern (Marsh Hawks | | | | 63 |
| | | Hawks, Harris | | | | 35 |
| | | Hawks, Red-Tailed | | | | 60 |
| | | Hawks, Swainson`s | | | | 1 |
| | | Hawks, Zone Tailed | | | | 11 |
| | | Hérons, Great Blue | | | | 23 |
| | | Killdeers | | | | 263 |
| | | Larks, Horned | | | | 3,015 |
| | | Meadowlarks, Western | | | | 99 |
| | | Ospreys | | | | 2 |
| | | Ravens, Common | | | | 26 |
| | | Vultures, Turkey | | | | 180 |
| | | Yellowlegs, Greater | | | | 6 |
| Snares, Foot/Leg | | | | | | |
| | Intentional | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Snares, Foot/Leg | | | | | | |
| | Intentional | Lions, Mountain (Cougar) | | | 1 | |
| Snares, Neck | | | | | | |
| | Intentional | Coyotes | 10 | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | 1 | |
| | | Swine, Feral | 30 | | | |
| Spotlight | | | | | | |
| | Intentional | Badgers | 1 | | | |
| | | Coyotes | 62 | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | 4 | | | |
| | | Foxes, Gray | 1 | | | |
| | | Jackrabbits, Black Tailed | 88 | | | |
| | | Rabbits, Desert Cottontail | 25 | | | |
| Telazol | | | | | | |
| | Intentional | Lions, Mountain (Cougar) | | | 1 | |
| Traps, Bal-Chatrri | | | | | | |
| | Intentional | Hawks, Ferruginous | | | 1 | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Bal-Chatri | Intentional | Hawks, Harris | | | 1 | |
| | | Hawks, Red-Tailed | | | 2 | |
| | | | | | | |
| Traps, Body Grip | Intentional | Raccoons | 8 | | | |
| | | | | | | |
| Traps, Cage | Intentional | Bears, Black | 1 | | | |
| | | Bobcats | | | 3 | |
| | | Cats, Feral/Free Ranging | 3 | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | 6 | | | |
| | | Foxes, Gray | | | 2 | |
| | | Rabbits, Desert Cottontail | 119 | | | |
| | | Raccoons | | | 1 | |
| | | Ringtails | 1 | | | |
| | | Skunks, Hooded | 2 | | | |
| | | Skunks, Striped | 17 | | | 125 |
| | | Sparrows, House/English | 16 | | | |
| | | Squirrels, Ground, Round-Tailed | 5 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|----------------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Cage | Intentional | Squirrels, Rock | 56 | | | |
| | Unintentional | Cats, Feral/Free Ranging | | | 1 | |
| | | Ringtails | | | 4 | |
| | | Squirrels, Rock | | | 24 | |
| | | | | | | |
| Traps, Culvert | Intentional | Bears, Black | | | 1 | |
| | | | | | | |
| Traps, Foothold | Intentional | Coyotes | 65 | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | 2 | | | |
| | Unintentional | Bobcats | | | 11 | |
| | | Deer, Mule | | | 1 | |
| | | Foxes, Gray | | | 3 | |
| | | | | | | |
| Traps, Foothold (Padded) | Intentional | Badgers | 6 | | 1 | |
| | | Bobcats | 3 | | | |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|--|
| Traps, Foothold (Padded) | Intentional | Cats, Feral/Free Ranging | 3 | | | | |
| | | Coyotes | 218 | | | | |
| | | Dogs, Feral, Free-Ranging And Hybrids | 32 | | 5 | | |
| | | Foxes, Gray | 2 | | 5 | | |
| | | Foxes, Kit | 1 | | | | |
| | | Peccaries, Collared (Javelina) | | | | 3 | |
| | | Raccoons | 9 | | | 2 | |
| | | Skunks, Striped | 4 | | | 2 | |
| | Unintentional | Dogs, Feral, Free-Ranging And Hybrids | | | | 1 | |
| | | Peccaries, Collared (Javelina) | | | | 1 | |
| | | Raccoons | 1 | | | | |
| | | Skunks, Striped | 1 | | | | |
| | Traps, Harp | Intentional | Bats (All) | | | 29 | |
| | | | | | | | |
| Traps, Pole | Intentional | Falcons, American Kestrels | 2 | | 7 | | |
| | | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Arizona - FY 2010

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---------------------------------------|------------------------------------|----------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Pole | | | | | | |
| | Intentional | | | | | |
| | | Owls, Great Horned | | | 3 | |
| Traps, Snap (Rat, Mouse, Etc.) | | | | | | |
| | Intentional | | | | | |
| | | Squirrels, Ground, Round-Tailed | 464 | | | |
| Traps, Suitcase | | | | | | |
| | Intentional | | | | | |
| | | Beavers | | | 4 | |
| | | Total Take for AZ | 5,447 | | 326 | 58,226 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.