

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	Unintentional	Ducks, Mallards	1			
<b>Ammunition, Rubber (All)</b>	Intentional	Bears, Black				2
<b>Calling Device, Electronic</b>	Intentional	Blackbirds, Brewer`s				10
		Bobcats	6			
		Coyotes	781			
		Crows, American	20			116
		Foxes, Gray	3			
		Foxes, Red	2			
		Starlings, European				17
<b>Calling Device, Manual(Hand,Blown)</b>	Intentional	Bobcats	2			
		Coyotes	281			
		Foxes, Red	3			
		Owls, Common Barn	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Catch Pole</b>	<b>Intentional</b>	Coyotes	2				
		Dogs, Feral, Free-Ranging And Hybrids			1		
		Opossums, Virginia	21				
		Raccoons	17		1		
		Skunks, Striped	1				
		Snakes, Rattlesnakes, Southern Pacific				1	
		<b>Dog</b>	<b>Intentional</b>	Coots, American			
Curlews, Long-Billed						507	
Ducks, Gadwall						2	
Ducks, Mallards						47	
Ducks, Northern Pintail						260	
Ducks, Northern Shoveler						240	
Egrets, Snowy						6	
Geese, Canada						51	
Hawks, Red-Tailed						10	
Hérons, Great Blue						12	
Larks, Horned						450	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		Lions, Mountain (Cougar)				3
		Meadowlarks, Western				350
		Sandpipers, Western				1,000
		Swallows, Barn				500
	<b>Unintentional</b>					
		Bears, Black				1
<b>DRC-1339 Eggs</b>						
	<b>Intentional</b>					
		Crows, American	83			
		Ravens, Common	50			
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed	500			
		Starlings, European	38,500			
<b>Drug Delivery Devices (Other)</b>						
	<b>Intentional</b>					
		Bears, Black			2	
		Deer, Fallow			3	
		Deer, Mule	1		23	
		Lions, Mountain (Cougar)			3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Drug Delivery Devices (Other)</b>						
	<b>Intentional</b>					
		Raccoons	1			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		Egrets, Cattle				43
		Hawks, Red-Tailed				31
		Herons, Great Blue				1
		Starlings, European				100
<b>Firearms</b>						
	<b>Intentional</b>					
		Avocets, American	8			31
		Badgers	20			
		Bears, Black	30			
		Beavers	270			
		Blackbirds, (Mixed Species)	22			90
		Blackbirds, Brewer`s	82			746
		Blackbirds, Red-Winged	2,740			1,478
		Bobcats	12			
		Cats, Feral/Free Ranging	29			
		Chickens, Feral/Free Ranging	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Chukars	52			200
		Coots, American	280			20
		Cormorants, Double-Crested	168			929
		Cowbirds, Brown-Headed	8			105
		Coyotes	2,116			1
		Crows, American	406			316
		Curlews, Long-Billed	1			347
		Deer, Black-Tailed	4			
		Deer, Mule	4			
		Dogs, Feral, Free-Ranging And Hybrids	15			
		Doves, Collared, Eurasian	36			200
		Doves, Mourning	1,669			3,529
		Dowitchers, Long-Billed				20
		Ducks, Bufflehead	19			59
		Ducks, Gadwall	7			34
		Ducks, Goldeneye, Common	1			
		Ducks, Mallards	454			2,659
		Ducks, Northern Pintail	2			
		Ducks, Northern Shoveler	44			550

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Ducks, Redhead	4			31
		Ducks, Ruddy	6			44
		Ducks, Scaup, Greater	117			573
		Ducks, Scaup, Lesser				10
		Ducks, Teal, Blue-Winged	7			4
		Ducks, Teal, Cinnamon	9			30
		Ducks, Teal, Green-Winged	2			2
		Ducks, Wigeon, American	10			67
		Egrets, Great	35			227
		Egrets, Snowy	218			405
		Falcons, American Kestrels	12			17
		Finches, House	14			325
		Flamingos, Greater	1			
		Flickers, Northern	8			1
		Fowl, Pea	3			
		Foxes, Gray	12			
		Foxes, Red	21			
		Geese, Cackling	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Geese, Canada	166			597
		Geese, Snow, Lesser	1			
		Geese, White-Fronted, Greater	3			
		Goldfinches, American	3			500
		Goldfinches, Lesser	3			
		Gophers, Pocket (All)	1			
		Gulls, California	293			2,108
		Gulls, Glaucous-Winged	19			21
		Gulls, Heermann`s	2			
		Gulls, Herring	2			
		Gulls, Mew	14			39
		Gulls, Ring-Billed	16			151
		Gulls, Thayer`s	1			7
		Gulls, Western	320			490
		Hawks, Cooper`s	19			8
		Hawks, Ferruginous	1			5
		Hawks, Harrier, Northern (Marsh Hawks)	18			17
		Hawks, Red-Tailed	87			134
		Hawks, Swainson`s	3			22

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Herons, Great Blue	24			12
		Herons, Night, Black-Crowned	10			4
		Ibises, White-Faced				25
		Jackrabbits, Black Tailed	353			6
		Killdeers	56			99
		Kingbirds, Western	2			12
		Larks, Horned	26			1,378
		Lions, Mountain (Cougar)	75			
		Marmots/Woodchucks (All)	54			
		Meadowlarks, Western	152			2,307
		Muskrats	389			
		Opossums, Virginia	12			
		Otters, River	3			
		Pelicans, Brown	1			
		Pigeons, Feral (Rock)	4,624			373
		Pipits, American	1			800
		Rabbits, Cottontail	233			
		Rabbits, Desert Cottontail	41			9

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Raccoons	25				
		Ravens, Common	233			89	
		Sandpipers, Least	1			30	
		Sandpipers, Western	1			20	
		Skunks, Striped	62				
		Sparrows, House/English	2			169	
		Squirrels, Fox	102				
		Squirrels, Ground, California	2,079				
		Squirrels, Western Gray	18				
		Starlings, European	1,047			6,929	
		Stilts, Black-Necked	20			61	
		Swallows, Barn	18			1,248	
		Swallows, Cliff	17			1,345	
		Swallows, Tree				20	
		Swine, Feral	386				
		Turkeys, Wild	44			4	
		Vultures, Turkey	74			191	
		Yellowlegs, Greater	4			1	
		<b>Fixed Wing</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	293			
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		<b>Squirrels, Ground, California</b>	220			
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		<b>Foxes, Red</b>	3			
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		<b>Bats (All)</b>			1	
		<b>Cats, Feral/Free Ranging</b>	3		6	
		<b>Chickens, Feral/Free Ranging</b>			3	
		<b>Coots, American</b>	321			
		<b>Coyotes</b>	1			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			5	
		<b>Ducks, Gadwall</b>	1			
		<b>Ducks, Mallards</b>	13			
		<b>Finches, House</b>	3			
		<b>Geese, Canada</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Gulls, Western	4				
		Hawks, Red-Tailed			4		
		Hérons, Great Blue	1				
		Muskrats			1		
		Opossums, Virginia	24				
		Owls, Common Barn			1		
		Pelicans, Brown			3		
		Pigeons, Feral (Rock)	20				
		Raccoons	11				
		Skunks, Striped	11				
		Snakes, Gopher	4		1		
		Snakes, Rattlesnakes, Southern Pacific	3		1		
		Squirrels, Ground, California	1				
		Starlings, European	3				
		Swallows, Barn	3				
		Swallows, Cliff	2				
		<b>Unintentional</b>					
			Blackbirds, Brewer`s			1	
			Ducks, Mallards			2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Jabstick</b>						
	Intentional					
		Lions, Mountain (Cougar)			6	
		Skunks, Striped	13			
<b>M-44 Cyanide Capsule</b>						
	Intentional					
		Coyotes	10			
<b>Nets, Bow</b>						
	Intentional					
		Falcons, Peregrine			1	
<b>Nets, Other</b>						
	Intentional					
		Deer, Black-Tailed			5	
		Foxes, Gray	1			
		Hérons, Night, Black-Crowned	2			
<b>Night Vision/Infrared Equipment</b>						
	Intentional					
		Beavers	2			
		Coyotes	2			
<b>Physical Actions (Hand/Voice)</b>						
	Intentional					
		Bears, Black				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Ducks, Mallards				19
		Ducks, Northern Pintail				2
		Ducks, Northern Shoveler				4
		Egrets, Great				14
<b>Pneumatics</b>	<b>Intentional</b>	Blackbirds, Red-Winged	1			
		Cowbirds, Brown-Headed	7			10
		Crows, American	53			344
		Doves, Mourning	367			288
		Ducks, Mallards	17			24
		Egrets, Great	3			1
		Egrets, Snowy	1			
		Finches, House	1			8
		Flickers, Northern	1			
		Geese, Canada	2			
		Gulls, California	3			1
		Gulls, Western	21			29
		Hawks, Cooper`s	21			11

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed	28			15
		Hérons, Great Blue	4			5
		Killdeers	45			53
		Meadowlarks, Western	129			10
		Pigeons, Feral (Rock)	460			743
		Sparrows, House/English	2			
		Squirrels, Fox	1			
		Squirrels, Ground, California	11			
		Starlings, European	74			1,656
		Whimbrels				2
		Willets	2			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Avocets, American				1,278
		Blackbirds, (Mixed Species)				10,410
		Blackbirds, Brewer`s				18,425
		Blackbirds, Red-Winged				880
		Coots, American				7,559
		Cormorants, Double-Crested				2,470

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed				194
		Coyotes				1
		Crows, American				767
		Curlews, Long-Billed				2,218
		Doves, Collared, Eurasian				77
		Doves, Mourning				351
		Dowitchers, Long-Billed				253
		Dowitchers, Short-Billed				24
		Ducks, Bufflehead				65
		Ducks, Canvasback				350
		Ducks, Gadwall				2,413
		Ducks, Mallards				17,048
		Ducks, Northern Pintail				10,572
		Ducks, Northern Shoveler				17,557
		Ducks, Ring-Necked				110
		Ducks, Ruddy				1,744
		Ducks, Scaup, Greater				104
		Ducks, Scaup, Lesser				200
		Ducks, Teal, Blue-Winged				43

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Teal, Cinnamon				53
		Ducks, Teal, Green-Winged				12
		Ducks, Wigeon, American				5,415
		Egrets, Cattle				32
		Egrets, Great				1,807
		Egrets, Snowy				801
		Falcons, American Kestrels				36
		Falcons, Peregrine				2
		Falcons, Prairie				7
		Finches, House				109
		Geese, Brant, Black				11
		Geese, Cackling				2
		Geese, Canada				4,711
		Geese, Snow, Lesser				39,500
		Geese, White-Fronted, Greater				10,543
		Goldfinches, American				530
		Goldfinches, Lesser				160
		Gulls, California				5,215

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Gulls, Heermann`s				1,600
		Gulls, Herring				5
		Gulls, Ring-Billed				215
		Gulls, Western				710
		Hawks, Cooper`s				1
		Hawks, Ferruginous				31
		Hawks, Harrier, Northern (Marsh Hawks				68
		Hawks, Red-Tailed				902
		Hawks, Swainson`s				375
		Hérons, Great Blue				486
		Hérons, Night, Black-Crowned				43
		Ibises, White-Faced				361
		Killdeers				864
		Kingbirds, Western				6
		Kites, White-Tailed				5
		Larks, Horned				2,518
		Magpies, Yellow-Billed				15
		Meadowlarks, Western				5,274
		Ospreys				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Pelicans, American White				461
		Pelicans, Brown				417
		Pheasants, Ring-Necked				4
		Phoebes, Black				1
		Pigeons, Feral (Rock)				353
		Pipits, American				15,130
		Plovers, Black-Bellied				200
		Plovers, Semipalmated				24
		Ravens, Common				54
		Sanderlings				15
		Sandpipers, Western				5,791
		Shrikes, Loggerhead				1
		Snipes, Wilson`s				1
		Sparrows, House/English				216
		Sparrows, Savannah				452
		Starlings, European				16,959
		Stilts, Black-Necked				1,310
		Swallows, Barn				4,100

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Swallows, Cliff				15,707
		Swallows, Tree				158
		Swallows, Violet-Green				815
		Swans, Tundra				1,385
		Swifts (All)				14
		Terns, Forster`s				804
		Vultures, Turkey				1,452
		Whimbrels				1
		Willets				157
		Yellowlegs, Greater				4
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Badgers	7			
		Bears, Black	5			
		Bobcats	3			
		Coyotes	143			
		Dogs, Feral, Free-Ranging And Hybrids	1		1	
		Foxes, Gray	1			
		Lions, Mountain (Cougar)	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Foot/Leg</b>	<b>Intentional</b>	Raccoons	1			
		Swine, Feral	2			
	<b>Unintentional</b>	Bobcats	1			
		Raccoons				1
<b>Snares, Neck</b>	<b>Intentional</b>	Badgers	23			
		Beavers	349			
		Bobcats	9			
		Coyotes	1,485			
		Dogs, Feral, Free-Ranging And Hybrids	2			1
		Foxes, Gray	1			
		Foxes, Red	6			
		Jackrabbits, Black Tailed	4			
		Opossums, Virginia	1			
		Raccoons	24			
		Skunks, Striped	11			
		Swine, Feral	30			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Badgers			1	
		Deer, Black-Tailed			1	
		Dogs, Feral, Free-Ranging And Hybrids			4	
		Foxes, Gray			1	
		Otters, River			1	
		Raccoons	1		1	
		Skunks, Striped	1			
		Swine, Feral	1			
		<b>Snares, Neck Mechanical (Collarum)</b>	<b>Intentional</b>	Coyotes	194	
Dogs, Feral, Free-Ranging And Hybrids	2				2	
<b>Spotlight</b>	<b>Intentional</b>	Badgers	1			
		Bobcats	2			
		Cats, Feral/Free Ranging	55			
		Coyotes	223			
		Dogs, Feral, Free-Ranging And Hybrids	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Spotlight</b>	<b>Intentional</b>	Ducks, Mallards				2
		Foxes, Red	5			
		Geese, Canada				2
		Hérons, Night, Black-Crowned	2			
		Jackrabbits, Black Tailed	81			
		Opossums, Virginia	6			
		Owls, Common Barn	5			2
		Pigeons, Feral (Rock)	20			
		Rabbits, Desert Cottontail	36			
		Raccoons	101			
		Rats, Black (Roof)	1			
		Skunks, Striped	163			
		Swine, Feral	4			
		<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	Falcons, American Kestrels		
Hawks, Red-Shouldered					2	
Hawks, Red-Tailed					8	
<b>Traps, Body Grip</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	416				
		Cats, Feral/Free Ranging	2				
		Jackrabbits, Black Tailed	2				
		Meadowlarks, Western	1				
		Muskrats	14				
		Opossums, Virginia	8				
		Otters, River	4				
		Pigeons, Feral (Rock)	1				
		Rabbits, Desert Cottontail	4				
		Raccoons	2				
		Rats, Norway	5				
		Skunks, Striped	7				
		Squirrels, Fox	7				
		Squirrels, Ground, California	689				
		Starlings, European	3				
		<b>Unintentional</b>	Doves, Mourning	6			
			Foxes, Gray	1			
			Foxes, Red	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Otters, River	4			
		Raccoons	1			
	<b>Traps, Cage</b>	<b>Intentional</b>	Bears, Black	21		1
Beavers			7			
Blackbirds, Brewer`s			36			
Bobcats			24			
Cats, Feral/Free Ranging			221		53	
Cowbirds, Brown-Headed			25			
Coyotes			11			
Crows, American			4			
Dogs, Feral, Free-Ranging And Hybrids					5	
Doves, Collared, Eurasian			2			
Foxes, Gray			179		9	
Foxes, Red			21			
Jackrabbits, Black Tailed			3			
Lions, Mountain (Cougar)			31			
Meadowlarks, Western			1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>					
		Mice, Deer (All)	7			
		Mice, House	3			
		Mockingbirds, Northern	1			
		Muskrats	14			
		Opossums, Virginia	908		2	
		Otters, River	5			
		Owls, Burrowing			4	
		Pigeons, Feral (Rock)	1,734		3	
		Rabbits, Cottontail	8		1	
		Rabbits, Desert Cottontail	5			
		Raccoons	2,281		12	
		Rats, Black (Roof)	57			
		Rats, Norway	79			
		Skunks, Spotted	6			
		Skunks, Striped	4,307		2	
		Sparrows, House/English	3			
		Sparrows, White-Crowned	2			
		Squirrels, Fox	7			
		Squirrels, Ground, California	1,307			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Squirrels, Western Gray	90				
		Starlings, European	108				
		Swine, Feral	226		2		
		Turkeys, Wild	13				
		Weasels, Long-Tailed	10				
		Woodrats, Bushy Tailed	1				
		<b>Unintentional</b>	Blackbirds, Red-Winged				10
	Cats, Feral/Free Ranging					31	
	Dogs, Feral, Free-Ranging And Hybrids					1	
	Doves, Mourning					1	
	Foxes, Gray					87	
	Gulls, Western					1	
	Jackrabbits, Black Tailed					4	
	Killdeers					1	
	Mice, Deer (All)					9	
	Opossums, Virginia					36	
	Pigeons, Feral (Rock)					4	
	Rabbits, Cottontail					5	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	Unintentional	Raccoons			13		
		Ravens, Common			2		
		Sparrows, Savannah			1		
		Sparrows, Song			3		
		Squirrels, Douglas`			1		
		Squirrels, Ground, California			21		
		Squirrels, Western Gray			1		
		Voles (All)			1		
		Vultures, Turkey			5		
		Woodrats, Dusky Footed			7		
<b>Traps, Culvert</b>	Intentional	Bears, Black	113		2		
		Unintentional	Bears, Black			2	
			Foxes, Gray			2	
<b>Traps, Decoy</b>	Intentional	Blackbirds, Brewer`s	47		6		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Intentional</b>					
		Blackbirds, Red-Winged	100			
		Blackbirds, Yellow-Headed	4			
		Bluebirds, Western	3			
		Cats, Feral/Free Ranging	1			
		Cowbirds, Brown-Headed	586			
		Crows, American	1			
		Doves, Collared, Eurasian	27			
		Doves, Mourning	861			
		Falcons, American Kestrels	1		7	
		Finches, House	205			
		Gophers, Pocket (All)	1			
		Hawks, Cooper`s	6		21	
		Hawks, Red-Tailed			1	
		Kingbirds, Western	11			
		Meadowlarks, Western	3			
		Mockingbirds, Northern	18			
		Phoebes, Black	1			
		Pigeons, Feral (Rock)	514			
		Rats, Norway	7			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	Shrikes, Loggerhead	2		1		
		Sparrows, House/English	698				
		Sparrows, White-Crowned	177				
		Squirrels, Ground, California	24				
		Starlings, European	2,909				
		Towhees, Brown	19				
	<b>Unintentional</b>	Blackbirds, Yellow-Headed				1	
		Phoebes, Black				3	
		Shrikes, Loggerhead				3	
		Sparrows, House/English				3	
		Warblers, Yellow-Rumped	1				
	<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Swine, Feral	249			
Turkeys, Wild			14				
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	13				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold (Padded)</b>						
	<b>Intentional</b>					
		Coyotes	96			
		Falcons, Peregrine			1	
		Foxes, Red	12			
		Hawks, Red-Tailed			2	
		Jackrabbits, Black Tailed	5			
		Owls, Burrowing			1	
		Raccoons	14			
		Ravens, Common	1			
		Skunks, Striped	33			
		Squirrels, Ground, California	2			
	<b>Unintentional</b>					
		Bobcats			3	
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Foxes, Gray			4	
		Jackrabbits, Black Tailed			3	
		Opossums, Virginia			13	
		Raccoons			6	
		Rats, Norway	1			
<b>Traps, Gopher</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Gopher</b>						
	<b>Intentional</b>	<b>Gophers, Pocket (All)</b>	328			
<b>Traps, Other</b>						
	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>	1			
		<b>Crows, American</b>	11			
		<b>Doves, Collared, Eurasian</b>	1			
		<b>Doves, Mourning</b>	35			
		<b>Falcons, American Kestrels</b>			1	
		<b>Finches, House</b>	5			
		<b>Gulls, California</b>	5			
		<b>Gulls, Western</b>	12			
		<b>Hawks, Cooper`s</b>			7	
		<b>Kingbirds, Western</b>	14			
		<b>Opossums, Virginia</b>	2			
		<b>Pigeons, Feral (Rock)</b>	187			
		<b>Skunks, Striped</b>	2			
		<b>Sparrows, House/English</b>	4			
		<b>Squirrels, Ground, California</b>	1			
		<b>Starlings, European</b>	232			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Pole</b>	<b>Intentional</b>	Crows, American	1				
		Falcons, American Kestrels	3		32		
		Hawks, Cooper`s	1				
		Hawks, Harrier, Northern (Marsh Hawks				1	
		Owls, Burrowing				1	
		Owls, Common Barn	2			9	
		Owls, Great Horned				7	
	<b>Unintentional</b>	Falcons, American Kestrels	2				
		Finches, House	2				
		Mockingbirds, Northern				1	
	<b>Traps, Raptor (Swedish Goshawk)</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	2		1	
			Crows, American	7			
			Doves, Mourning	2			
Falcons, American Kestrels						1	
Hawks, Cooper`s						18	
Hawks, Harrier, Northern (Marsh Hawks						2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Swedish Goshawk)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed			50	
		Owls, Common Barn			3	
		Starlings, European	1			
	<b>Unintentional</b>					
		Doves, Collared, Eurasian			1	
		Foxes, Gray	1			
<b>Traps, Snap (Rat, Mouse, Etc.)</b>						
	<b>Intentional</b>					
		Mice, House	20			
		Rats, Black (Roof)	85			
		Rats, Norway	1			
	<b>Unintentional</b>					
		Larks, Horned	4			
		Mice, Deer (All)	3			
<b>Traps, Suitcase</b>						
	<b>Intentional</b>					
		Beavers	37			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Avocets, American				43

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Brewer`s				8,258
		Blackbirds, Red-Winged				2,377
		Bluebirds, Western				13
		Cats, Feral/Free Ranging				4
		Coots, American				178
		Cormorants, Double-Crested				887
		Cowbirds, Brown-Headed				117
		Coyotes				9
		Crows, American				2,014
		Curlews, Long-Billed				72
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				2,217
		Dowitchers, Long-Billed				1
		Ducks, Bufflehead				250
		Ducks, Gadwall				346
		Ducks, Goldeneye, Common				5
		Ducks, Mallards				2,319
		Ducks, Northern Pintail				1,260
		Ducks, Northern Shoveler				5,591

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Redhead				30
		Ducks, Ruddy				16
		Ducks, Scaup, Greater				1,753
		Ducks, Scaup, Lesser				16
		Ducks, Teal, Cinnamon				32
		Ducks, Teal, Green-Winged				4
		Ducks, Wigeon, American				1,307
		Egrets, Great				1,098
		Egrets, Snowy				1,642
		Falcons, American Kestrels				257
		Falcons, Peregrine				1
		Falcons, Prairie				1
		Finches, House				57
		Geese, Canada				2,403
		Geese, White-Fronted, Greater				11
		Grebes, Western				2
		Gulls, California				389
		Gulls, Glaucous-Winged				25

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Gulls, Heermann`s				50
		Gulls, Ring-Billed				355
		Gulls, Western				663
		Hawks, Cooper`s				10
		Hawks, Ferruginous				10
		Hawks, Harrier, Northern (Marsh Hawks				45
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				828
		Hawks, Sharp-Shinned				2
		Hawks, Swainson`s				24
		Hérons, Great Blue				492
		Hérons, Night, Black-Crowned				54
		Ibises, White-Faced				725
		Jackrabbits, Black Tailed				27
		Killdeers				889
		Kingbirds, Western				5
		Kites, White-Tailed				12
		Larks, Horned				400
		Magpies, Yellow-Billed				55

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Meadowlarks, Western				5,388
		Mockingbirds, Northern				84
		Opossums, Virginia				1
		Ospreys				3
		Owls, Common Barn				5
		Owls, Great Horned				1
		Pelicans, American White				34
		Pelicans, Brown				16
		Pheasants, Ring-Necked				4
		Phoebes, Black				5
		Pigeons, Feral (Rock)				14,324
		Plovers, Black-Bellied				20
		Ravens, Common				444
		Robins, American				15
		Sandpipers, Western				50
		Shrikes, Loggerhead				39
		Skunks, Striped				1
		Sparrows, House/English				5,055

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Sparrows, Savannah				147
		Sparrows, Song				10
		Starlings, European				14,019
		Stilts, Black-Necked				175
		Swallows, Barn				2,580
		Swallows, Cliff				528
		Vultures, Turkey				97
		Yellowlegs, Greater				2
<b>Water, High Pressure Spray</b>						
	<b>Intentional</b>					
		Raccoons				2
		<i>Total Take for CA</i>	86,407		683	365,533

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*