

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Avitrol:-6 Corn Chops</b>						
	<b>Intentional</b>					
		<b>Sparrows, House/English</b>	27			25
		<b>Starlings, European</b>	33			60,000
<b>Car/Truck</b>						
	<b>Intentional</b>					
		<b>Buntings, Snow</b>				47
		<b>Cormorants, Double-Crested</b>				11
		<b>Coyotes</b>				2
		<b>Crows, American</b>				295
		<b>Deer, White-Tailed (Wild)</b>				12
		<b>Doves, Mourning</b>				43
		<b>Dowitchers, Short-Billed</b>				8
		<b>Ducks, American Black</b>				302
		<b>Ducks, Gadwall</b>				343
		<b>Ducks, Mallards</b>				391
		<b>Ducks, Merganser, Hooded</b>				160
		<b>Ducks, Wood</b>				8
		<b>Egrets, Cattle</b>				10
		<b>Egrets, Great</b>				15

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Geese, Canada				778
		Gulls, Herring				35
		Gulls, Ring-Billed				596
		Hawks, Red-Shouldered				2
		Hawks, Red-Tailed				2
		Hérons, Great Blue				11
		Hérons, Night, Black-Crowned				1
		Ibises, Glossy				5
		Killdeers				94
		Larks, Horned				265
		Muskrats				2
		Rabbits, Cottontail				40
		Ravens, Common				4
		Swans, Mute				1
		Vultures, Turkey				20
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	Starlings, European	20,000			
<b>Exploders, Gas (All)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Crows, American				1,623
		Gulls, Herring				52
		Gulls, Ring-Billed				62
		Pigeons, Feral (Rock)				1,180
		Starlings, European				934,650
<b>Firearms</b>						
	<b>Intentional</b>					
		Beavers	1			
		Cowbirds, Brown-Headed	4			
		Coyotes	4			
		Crows, American	18			266
		Deer, White-Tailed (Wild)	15			7
		Doves, Mourning	8			25
		Ducks, American Black	22			662
		Ducks, Gadwall	2			182
		Ducks, Mallards	69			612
		Ducks, Merganser, Hooded	7			130
		Ducks, Teal, Green-Winged				35

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Egrets, Great	2			6
		Foxes, Red	2			2
		Geese, Canada	144			794
		Gulls, Black-Backed, Greater	6			17
		Gulls, Herring	36			350
		Gulls, Laughing	1			
		Gulls, Ring-Billed	24			364
		Hérons, Great Blue	1			2
		Hérons, Night, Black-Crowned	2			6
		Ibises, Glossy				2
		Killdeers	2			10
		Marmots/Woodchucks (All)	1			
		Muskrats	1			
		Ospreys	3			3
		Pheasants, Ring-Necked	1			
		Pigeons, Feral (Rock)	21			23
		Raccoons	2			
		Skunks, Striped	6			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Starlings, European	16			400
		Swans, Mute	4			2
		Turkeys, Wild	1			
		Vultures, Turkey	2			14
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Geese, Canada	18			
		Gulls, Black-Backed, Greater	2			
		Gulls, Herring	38			
		Hawks, Red-Shouldered			5	
		Killdeers	2			
		Mockingbirds, Northern			4	
		Pigeons, Feral (Rock)	17			
		Sparrows, House/English	18			
		Starlings, European	22			
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Starlings, European	4,945			42,000
<b>Nets, Gun</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Gun</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>	4			60
<b>Nets, Other</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>	1			
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>				2
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		<b>Cormorants, Double-Crested</b>				3
		<b>Crows, American</b>				3,905
		<b>Ducks, American Black</b>				10
		<b>Ducks, Mallards</b>				75
		<b>Egrets, Cattle</b>				3
		<b>Egrets, Great</b>				24
		<b>Geese, Canada</b>				95
		<b>Gulls, Black-Backed, Greater</b>				1
		<b>Gulls, Herring</b>				269
		<b>Gulls, Ring-Billed</b>				183

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Killdeers				10
		Ospreys				3
		Pigeons, Feral (Rock)				2,491
		Sparrows, House/English				21
		Starlings, European				809,335
		Vultures, Turkey				5
<b>Spotlight</b>						
	<b>Intentional</b>					
		Coyotes				8
		Ducks, American Black				100
		Ducks, Mallards				220
		Foxes, Red				1
		Geese, Canada				6
		Hérons, Night, Black-Crowned				4
		Rabbits, Cottontail				6
		Raccoons				1
		Skunks, Striped				2
<b>Traps, Cage</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>						
	<b>Intentional</b>	<b>Raccoons</b>	10			
<b>Traps, Decoy</b>						
	<b>Intentional</b>	<b>Starlings, European</b>	45			
<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Blackbirds, Red-Winged</b>				50
		<b>Cormorants, Double-Crested</b>				21
		<b>Coyotes</b>				6
		<b>Crows, American</b>				149
		<b>Deer, White-Tailed (Wild)</b>				7
		<b>Doves, Mourning</b>				57
		<b>Ducks, American Black</b>				3
		<b>Ducks, Mallards</b>				5
		<b>Egrets, Cattle</b>				4
		<b>Egrets, Great</b>				10
		<b>Geese, Canada</b>				224
		<b>Gulls, Ring-Billed</b>				95
		<b>Hawks, Red-Tailed</b>				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Connecticut - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Hérons, Great Blue				1
		Killdeers				12
		Muskrats				3
		Ospreys				2
		Pigeons, Feral (Rock)				145
		Sparrows, House/English				13
		Starlings, European				12,585
		Vultures, Black				2
		<i>Total Take for CT</i>	25,610		9	1,877,248

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*