

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Barriers, Exclusion (Other)						
	Intentional					
		Doves, Spotted				1
Dog						
	Intentional					
		Doves, Zebra				112
		Mannikins, Nutmeg				8
		Mynas (All)				68
		Plovers, Golden, Pacific				299
Firearms						
	Intentional					
		Avadavats, Red	1,499			3,346
		Bulbuls, Red-Vented	1,176			1,924
		Bulbuls, Red-Whiskered				2
		Cardinals, Northern	235			22
		Cardinals, Red Crested	2,351			1,623
		Cats, Feral/Free Ranging	87			2
		Chickens, Feral/Free Ranging	1,205			572
		Deer, Axis	196			29
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Doves, Mourning	153			180

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Doves, Spotted	6,721			11,480
		Doves, Zebra	22,127			26,328
		Ducks, Feral	2			
		Ducks, Mallards	12			
		Egrets, Cattle	2,042			3,679
		Finches, House	2,343			6,753
		Finches, Saffron	5			7
		Fowl, Pea	11			
		Francolins, Black	619			61
		Francolins, Erckel's	131			50
		Francolins, Gray	813			424
		Junglefowl, Red	610			119
		Mannikins, Chestnut	17,132			89,498
		Mannikins, Nutmeg	10,909			22,748
		Meadowlarks, Western	69			17
		Mice, House	1			
		Mockingbirds, Northern	3			
	Mongoose, Indian	80			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Mynas (All)	2,906			6,088
		Owls, Common Barn	181			52
		Parakeets, Rose-Ringed	831			5,213
		Pheasants, Ring-Necked	538			220
		Pigeons, Feral (Rock)	1,358			2,770
		Rats, Polynesian	1			
		Silverbills, Warbling	166			64
		Skylarks, Eurasian	834			2,481
		Sparrows, House/English	571			703
		Sparrows, Java	4,833			12,043
		Swine, Feral	146			34
		Turkeys, Wild	26			18
		Waxbills, Common	1,313			5,779
Handcaught/Gathered	Intentional	Albatrosses, Laysan			484	
		Cats, Feral/Free Ranging			8	
		Deer, Black-Tailed			1	
		Dogs, Feral, Free-Ranging And Hybrids			6	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Handcaught/Gathered	Intentional	Doves, Spotted	1			
		Owls, Common Barn	1			
		Shearwaters (Other)			10	
		Swine, Feral	7			
Lights (All)	Intentional	Doves, Spotted				14
Nets, Gun	Intentional	Dogs, Feral, Free-Ranging And Hybrids			1	
Nets, Mist	Intentional	Plovers, Golden, Pacific			1	
		Turnstones, Ruddy			1	
Nets, Other	Intentional	Cats, Feral/Free Ranging			1	
		Pheasants, Ring-Necked	1			
Pneumatics	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Cardinals, Red Crested	269			
		Doves, Spotted	808			
		Doves, Zebra	183			64
		Egrets, Cattle				4
		Finches, House	5			16
		Hérons, Night, Black-Crowned				1
		Mynas (All)	134			29
		Owls, Common Barn	1			
		Pigeons, Feral (Rock)	322			
		Skylarks, Eurasian	29			26
Pyrotechnics (All)						
	Intentional					
		Albatrosses, Laysan				220
		Avadavats, Red				40
		Birds, Unidentifiable				1
		Bulbuls, Red-Vented				13
		Cardinals, Red Crested				51
		Cats, Feral/Free Ranging				3
		Doves, Mourning				11

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Doves, Spotted				1,911
		Doves, Zebra				771
		Ducks, Feral				196
		Ducks, Hawaiian (T/E)				81
		Ducks, Mallards				1
		Egrets, Cattle				1,525
		Finches, House				816
		Francolins, Black				1
		Francolins, Gray				2
		Frigatebirds, Greater				1,462
		Geese, Hawaiian (T/E)				642
		Hérons, Night, Black-Crowned				85
		Mannikins, Chestnut				3,618
		Mannikins, Nutmeg				1,748
		Meadowlarks, Western				49
		Mynas (All)				1,219
		Owls, Common Barn				4
		Owls, Short-Eared				381

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Pigeons, Feral (Rock)				244
		Plovers, Golden, Pacific				54,897
		Skylarks, Eurasian				936
		Sparrows, House/English				3
		Sparrows, Java				238
		Stilts, Hawaiian (T/E)				472
		Terns, Common Fairy				3
		Turnstones, Ruddy				2,470
		Waxbills, Common				105
	Unintentional					
		Booby`s, Brown				2
Snares, Foot/Leg						
	Intentional					
		Cats, Feral/Free Ranging	1			
		Swine, Feral	108			
Snares, Neck						
	Intentional					
		Deer, Axis	2			
		Swine, Feral	282			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Spotlight	Intentional	Deer, Axis				617
		Herons, Night, Black-Crowned				5
		Owls, Common Barn				11
		Owls, Short-Eared				7
		Plovers, Golden, Pacific				46
		Skylarks, Eurasian				6
		Traps, Cage	Intentional	Cardinals, Northern	42	
Cardinals, Red Crested	1,105					
Cats, Feral/Free Ranging	140				258	
Chickens, Feral/Free Ranging	722					
Dogs, Feral, Free-Ranging And Hybrids	2					
Doves, Spotted	2,160					
Doves, Zebra	1,755					
Egrets, Cattle	1					
Finches, House	305					
Francolins, Black	126					2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Francolins, Erckel's	140			
		Francolins, Gray	225		31	
		Junglefowl, Red	588			
		Mice, House	254			
		Mongoose, Indian	1,625			
		Mynas (All)	34			
		Pheasants, Ring-Necked	9			
		Pigeons, Feral (Rock)	244			
		Rats, Black (Roof)	196			
		Rats, Norway	4			
		Rats, Polynesian	52			
		Sparrows, House/English	1,094			
		Sparrows, Java	2,400			
		Swine, Feral	46			
		Waxbills, Common	2			
	Unintentional	Cardinals, Red Crested				10
		Cats, Feral/Free Ranging				1
		Doves, Spotted	1			93

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Unintentional	Francolins, Gray			1	
		Mynas (All)	1		2	
		Plovers, Golden, Pacific			1	
Traps, Decoy	Intentional	Cardinals, Northern	51		1	
		Cardinals, Red Crested	289		13	
		Cats, Feral/Free Ranging			1	
		Chickens, Feral/Free Ranging	7			
		Doves, Spotted	386			
		Doves, Zebra	98			
		Finches, House	244		2	
		Francolins, Gray	19			
		Mockingbirds, Northern			1	
		Mongoose, Indian	1			
		Mynas (All)	22		2	
		Owls, Common Barn	2			
		Sparrows, House/English	593			
		Sparrows, Java	8,704			3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Drive/Corral						
	Intentional	Swine, Feral	78			
Traps, Foothold						
	Intentional	Cats, Feral/Free Ranging	15			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Mongoose, Indian	5			
Traps, Foothold (Padded)						
	Intentional	Cats, Feral/Free Ranging	8		1	
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Mongoose, Indian	3			
Traps, Other						
	Intentional	Chickens, Feral/Free Ranging	15			
		Fowl, Pea	7			
Traps, Snap (Rat, Mouse, Etc.)						
	Intentional	Mice, House	159			
		Rats, Black (Roof)	28			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Albatrosses, Laysan				1,054
		Avadavats, Red				9,781
		Birds, Unidentifiable				2
		Bulbuls, Red-Vented				4,768
		Cardinals, Northern				973
		Cardinals, Red Crested				12,335
		Cats, Feral/Free Ranging				177
		Chickens, Feral/Free Ranging				2,502
		Deer, Axis				755
		Dogs, Feral, Free-Ranging And Hybrids				7
		Doves, Mourning				1,005
		Doves, Spotted				44,117
		Doves, Zebra				72,229
		Ducks, Feral				271
		Ducks, Hawaiian (T/E)				84
		Ducks, Mallards				3
		Ducks, Northern Pintail				3
		Egrets, Cattle				12,051

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Finches, House				33,833
		Finches, Saffron				10
		Francolins, Black				953
		Francolins, Erckel`s				201
		Francolins, Gray				1,273
		Frigatebirds, Greater				23
		Geese, Hawaiian (T/E)				1,104
		Hérons, Night, Black-Crowned				434
		Junglefowl, Red				740
		Mannikins, Chestnut				73,008
		Mannikins, Nutmeg				50,349
		Meadowlarks, Western				1,468
		Mockingbirds, Northern				420
		Mongoose, Indian				17
		Mynas (All)				39,498
		Owls, Common Barn				361
		Owls, Short-Eared				623
		Parakeets, Rose-Ringed				1,057

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Pheasants, Ring-Necked				896
		Pigeons, Feral (Rock)				422
		Plovers, Golden, Pacific				147,769
		Silverbills, Warbling				1,924
		Skylarks, Eurasian				45,987
		Sparrows, House/English				2,220
		Sparrows, Java				8,030
		Stilts, Hawaiian (T/E)				513
		Swine, Feral				15
		Terns, Common Fairy				51
		Turkeys, Wild				16
		Turnstones, Ruddy				9,464
		Waxbills, Common				12,647
	Unintentional					
		Booby`s, Brown				2
		Bulbuls, Red-Vented				2
		Cardinals, Red Crested				2
		Curlews, Bristle-Thighed				2
		Falcons, Peregrine				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Unintentional					
		Frigatebirds (All)				1
		Mannikins, Nutmeg				2
		Ospreys				5
		Tattlers, Wandering				1
		Waxbills, Common				4
		<i>Total Take for HI</i>	110,400		938	877,350

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.