

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
A/C Powder	Intentional	Ducks, Mallards	73			
		Geese, Canada	54		5	
Avitrol:-5 Corn Chops (Dble)	Intentional	Grackles, Common	1			12
		Starlings, European				200
Avitrol:-6 Corn Chops	Intentional	Sparrows, House/English	22			20
Car/Truck	Intentional	Hawks, Cooper`s				1
Exploders, Gas (All)	Intentional	Starlings, European				39,000
Firearms	Intentional	Beavers	8			
		Blackbirds, Red-Winged	10			
		Cats, Feral/Free Ranging	9			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Firearms	Intentional	Coyotes	5			14	
		Crows, American	3			186	
		Deer, White-Tailed (Wild)	25				
		Dogs, Feral, Free-Ranging And Hybrids	1				
		Doves, Mourning	312				4,534
		Ducks, Mallards	23				123
		Falcons, American Kestrels	7				20
		Foxes, Red	1				
		Geese, Canada	42				134
		Grackles, Common	48				
		Gulls, Ring-Billed	1				50
		Hawks, Cooper`s	1				
		Hawks, Red-Shouldered	1				1
		Hawks, Red-Tailed	54				83
		Hérons, Great Blue	2				1
		Hérons, Green	1				
		Killdeers	27				20
		Marmots/Woodchucks (All)	10				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Meadowlarks, Eastern	5			
		Muskrats	18			
		Pigeons, Feral (Rock)	286			110
		Raccoons	4			
		Robins, American	8			95
		Starlings, European	1,414			120,840
		Swine, Feral	10			
		Turkeys, Wild	2			47
		Vultures, Black	134			1,593
		Vultures, Turkey	75			933
Gas Cartridge (Rodent)						
	Intentional					
		Marmots/Woodchucks (All) (Burrow/De		44		
Handcaught/Gathered						
	Intentional					
		Coyotes	1			
		Hawks, Red-Tailed	1			
		Owls, Common Barn	1			
		Raccoons			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered	Intentional	Skunks, Striped	1			
		Starlings, European	5			
Nets, Other	Intentional	Geese, Canada			2	
Pneumatics	Intentional	Blackbirds, Red-Winged	7			
		Cowbirds, Brown-Headed	1			
		Doves, Mourning	373			
		Grackles, Common	23			
		Killdeers	8			
		Pigeons, Feral (Rock)	442			
		Raccoons	1			
		Robins, American	22			
		Sparrows, House/English	10			
		Starlings, European	158			
		Swallows, Barn	13			
Pyrotechnics (All)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Blackbirds, (Mixed Species)				59,975
		Cats, Feral/Free Ranging				1
		Cowbirds, Brown-Headed				100
		Crows, American				518
		Doves, Mourning				4,533
		Ducks, Mallards				39
		Ducks, Teal, Green-Winged				23
		Egrets, Great				1
		Falcons, American Kestrels				1
		Foxes, Red				2
		Geese, Canada				513
		Grackles, Common				177
		Gulls, Ring-Billed				16
		Hawks, Cooper`s				10
		Hawks, Red-Shouldered				3
		Hawks, Red-Tailed				96
		Herons, Great Blue				5
		Killdeers				7

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Meadowlarks, Eastern				6
		Robins, American				760
		Sparrows, House/English				5,925
		Starlings, European				3,157,975
		Vultures, Black				3,181
		Vultures, Turkey				2,237
Snares, Neck						
	Intentional					
		Beavers	10			
		Cats, Feral/Free Ranging	2			
		Coyotes	18			
		Dogs, Feral, Free-Ranging And Hybrids	1		1	
		Marmots/Woodchucks (All)	1			
		Raccoons	1			
	Unintentional					
		Goats, Feral			2	
		Skunks, Striped	1			
Traps, Body Grip						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Body Grip	Intentional	Beavers	145				
		Foxes, Red	2				
		Marmots/Woodchucks (All)	20				
		Muskrats	5				
		Opossums, Virginia	3				
		Otters, River	2				
		Raccoons	2				
	Unintentional	Muskrats	1				
		Otters, River	1				
		Raccoons	1				
		Turtles, Common Snapping				15	
Traps, Cage	Intentional	Blackbirds, Red-Winged	2				
		Cats, Feral/Free Ranging	17			5	
		Doves, Mourning	9				
		Grackles, Common	13				
		Marmots/Woodchucks (All)	3				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Muskrats	2			
		Opossums, Virginia	33			
		Pigeons, Feral (Rock)	873			
		Rabbits, Cottontail	1			
		Raccoons	42			
		Skunks, Striped	14			
		Starlings, European	39			
		Unintentional				
		Mockingbirds, Northern			1	
		Opossums, Virginia			1	
Traps, Drive/Corral	Intentional	Ducks, Mallards	18		12	
		Geese, Canada	86		275	
Traps, Foothold	Intentional	Beavers	8			
		Coyotes	2			
		Foxes, Gray	1			
	Unintentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold						
	Unintentional	Raccoons	1			
Traps, Foothold (Padded)						
	Intentional	Coyotes	2			
		Foxes, Red	3			
		Skunks, Striped	1			
	Unintentional	Foxes, Red	1			
		Squirrels, Eastern Gray	1			
Traps, Other						
	Intentional	Geese, Canada			150	
		Starlings, European	10			
Traps, Raptor (Other)						
	Intentional	Hawks, Red-Tailed	1			
Vehicles (All)						
	Intentional	Coyotes				4
		Crows, American				6

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Deer, White-Tailed (Wild)				1
		Doves, Mourning				50
		Ducks, Mallards				2
		Falcons, American Kestrels				1
		Foxes, Red				1
		Geese, Canada				228
		Hawks, Cooper`s				2
		Hawks, Red-Tailed				2
		Herons, Great Blue				1
		Starlings, European				17,965
Water, High Pressure Spray						
	Intentional					
		Starlings, European				5,400
		<i>Total Take for KY</i>	5,163	44	470	3,427,784

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.