

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Catch Pole</b>							
	<b>Intentional</b>						
		Raccoons	1				
<b>Effigy, Vulture</b>							
	<b>Intentional</b>						
		Vultures, Turkey				160	
<b>Exploders, Gas (All)</b>							
	<b>Intentional</b>						
			Blackbirds, (Mixed Species)				100,000
			Doves, Mourning				12
			Ducks, Northern Pintail				200
			Egrets, Cattle				7
			Egrets, Great				1
			Geese, Canada				502
			Geese, Snow, Lesser				15,650
			Geese, White-Fronted, Greater				2,000
			Gulls, Franklin`s				20
			Gulls, Ring-Billed				40
			Hawks, Red-Tailed				25
			Hawks, Swainson`s				104
			Hérons, Great Blue				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Killdeers				80
		Larks, Horned				180
		Meadowlarks, Eastern				142
		Sanderlings				100
		Sandpipers, Semipalmated				100
		Sandpipers, Upland				25
		Starlings, European				17,650
		Swallows, Barn				175
		Turkeys, Wild				2
		Vultures, Turkey				271
		Yellowlegs, Greater				300
		<b>Firearms</b>	<b>Intentional</b>	Blackbirds, Red-Winged	224	
Cats, Feral/Free Ranging	2					
Cormorants, Double-Crested	1					4
Cowbirds, Brown-Headed	250					2,885
Coyotes	32					7
Crows, American	9					100

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Deer, White-Tailed (Wild)	16			7
		Doves, Mourning	190			668
		Ducks, Mallards	14			133
		Ducks, Teal, Blue-Winged	5			5
		Egrets, Cattle	2			2
		Falcons, American Kestrels	6			
		Flycatchers, Scissor-Tailed	4			
		Foxes, Red	1			5
		Geese, Canada	113			3,511
		Geese, Snow, Lesser	1			254
		Grackles, Common	6			312
		Gulls, Black-Backed, Greater				1
		Gulls, Bonaparte`s	10			100
		Gulls, Franklin`s	67			443
		Gulls, Ring-Billed	31			213
		Hawks, Red-Tailed	21			9
		Hawks, Swainson`s	3			
		Hérons, Great Blue	33			8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Hérons, Green	1			
		Killdeers	97			222
		Kingbirds, Eastern	1			5
		Kingbirds, Western	1			
		Larks, Horned	161			113
		Longspurs, Lapland	2			
		Marmots/Woodchucks (All)	5			
		Martins, Purple	7			
		Meadowlarks, Eastern	120			97
		Muskrats	13			
		Opossums, Virginia	13			3
		Pigeons, Feral (Rock)	20			56
		Rabbits, Cottontail	3			
		Raccoons	3			
		Sandpipers, Semipalmated	6			
		Sandpipers, Upland	1			
		Skunks, Striped	9			1
		Starlings, European	414			78,754

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Swallows, Barn	98			146
		Swallows, Tree	2			
		Swifts (All)	1			
		Swine, Feral	3			
		Terns, Common	7			30
		Vultures, Turkey	26			23
		Yellowlegs, Lesser	4			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Bats (All)	1			
		Ducks, Mallards			15	
		Geese, Canada	3			
		Gophers, Pocket (All)	1			
		Hawks, Red-Tailed	1			
		Killdeers	2			1
		Opossums, Virginia				1
		Owls, Short-Eared				1
		Raccoons				3
		Skunks, Striped	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Starlings, European	2			
		Swallows, Barn	11			
		Swallows, Cliff	6			
<b>Lasers (All) (Deterrent)</b>	<b>Intentional</b>	Crows, American				19,550
		Starlings, European				7,750
<b>Nets, Other</b>	<b>Intentional</b>	Geese, Canada	2		7	
		Opossums, Virginia	1		1	
		Raccoons	1			
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				200
		Doves, Mourning				145
		Ducks, Mallards				87
		Ducks, Wood				2
		Eagles, Bald				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Geese, Canada				89
		Hawks, Red-Tailed				1
		Hérons, Green				1
		Killdeers				30
		Pigeons, Feral (Rock)				9
		Starlings, European				22,875
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Doves, Mourning	3			
		Ducks, Mallards				6
		Falcons, American Kestrels	3			
		Finches, House	1			
		Finches, Purple	3			
		Geese, Canada	11			
		Killdeers	6			
		Larks, Horned	4			
		Pigeons, Feral (Rock)	1,141			5
		Rabbits, Cottontail	126			
		Skunks, Striped	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Sparrows, House/English	43			
		Starlings, European	235			111
		Swallows, Barn	45			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				5,470
		Blackbirds, Red-Winged				9,170
		Coots, American				1,490
		Cormorants, Double-Crested				553
		Cowbirds, Brown-Headed				3,725
		Coyotes				3
		Crows, American				8,653
		Deer, White-Tailed (Wild)				5
		Doves, Mourning				4,230
		Ducks, Bufflehead				211
		Ducks, Canvasback				10
		Ducks, Gadwall				168
		Ducks, Goldeneye, Common				1,114
		Ducks, Mallards				3,371

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Merganser, Hooded				96
		Ducks, Northern Shoveler				63
		Ducks, Ring-Necked				10
		Ducks, Ruddy				228
		Ducks, Scaup, Lesser				350
		Ducks, Teal, Blue-Winged				1,445
		Ducks, Wigeon, American				76
		Ducks, Wood				147
		Eagles, Bald				221
		Egrets, Cattle				18
		Egrets, Great				26
		Falcons, American Kestrels				23
		Flycatchers, Scissor-Tailed				57
		Geese, Canada				38,944
		Geese, Snow, Lesser				57,583
		Geese, White-Fronted, Greater				5,050
		Geese, White-Fronted, Lesser				1,500
		Grackles, Common				3,225

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Grebes, Pied-Billed				710
		Gulls, Franklin`s				1,395
		Gulls, Herring				28
		Gulls, Ring-Billed				761
		Hawks, Broad-Winged				1
		Hawks, Harrier, Northern (Marsh Hawks)				15
		Hawks, Red-Tailed				341
		Hawks, Swainson`s				329
		Hérons, Great Blue				66
		Killdeers				782
		Kingbirds, Eastern				14
		Kingbirds, Western				5
		Kites, Mississippi				7
		Larks, Horned				1,540
		Longspurs, Lapland				200
		Martins, Purple				142
		Meadowlarks, Eastern				780
		Owls, Short-Eared				5

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Pelicans, American White				201
		Pigeons, Feral (Rock)				97
		Plovers, Semipalmated				10
		Robins, American				68
		Sanderlings				215
		Sandpipers, Buff-Breasted				20
		Sandpipers, Semipalmated				325
		Sandpipers, Upland				102
		Snipes, Common				32
		Starlings, European				177,385
		Swallows, Barn				3,407
		Swallows, Tree				125
		Swans, Trumpeter				4
		Swifts (All)				100
		Terns, Common				65
		Turkeys, Wild				71
		Vultures, Turkey				982
		Yellowlegs, Greater				188

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Yellowlegs, Lesser				150
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Bobcats	1			
		Coyotes	4			
		Foxes, Red	1			
		Opossums, Virginia	8			
		Raccoons	2			
<b>Traps, Body Grip</b>						
	<b>Intentional</b>					
		Beavers	98			
		Muskrats	56			
		Nutrias	1			
		Opossums, Virginia	8			
		Raccoons	5			
		Skunks, Striped	5			
	<b>Unintentional</b>					
		Minks	1			
		Muskrats	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Otters, River	1				
		Raccoons	1				
		Turtles Other	2		2		
		Turtles, Common Snapping			2		
<b>Traps, Cage</b>	<b>Intentional</b>	Blackbirds, Red-Winged	26				
		Cowbirds, Brown-Headed	93				
		Doves, Mourning			224		
		Marmots/Woodchucks (All)			1		
		Muskrats	1				
		Opossums, Virginia	4				
		Pigeons, Feral (Rock)	593				
		Raccoons	22		1		
		Skunks, Striped	15				
		Starlings, European	11				
		Voles (All)			18		
		<b>Unintentional</b>	Rabbits, Cottontail			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	<b>Blackbirds, Red-Winged</b>	24				
		<b>Cowbirds, Brown-Headed</b>	1,103				
		<b>Doves, Mourning</b>	1		30		
		<b>Falcons, American Kestrels</b>			1		
		<b>Grackles, Common</b>	5				
		<b>Pigeons, Feral (Rock)</b>	1,701				
		<b>Starlings, European</b>	210				
		<b>Unintentional</b>					
			<b>Mockingbirds, Northern</b>	1			
		<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Swine, Feral</b>	9		
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Beavers</b>	9				
		<b>Bobcats</b>	1				
		<b>Muskrats</b>	57				
		<b>Opossums, Virginia</b>	8				
		<b>Raccoons</b>	2				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	Unintentional	Raccoons	1		2	
<b>Traps, Pole</b>	Intentional	Falcons, American Kestrels	1		25	
		Hawks, Cooper`s			1	
		Hawks, Red-Tailed			116	
		Owls, Great Horned			2	
<b>Traps, Raptor (Other)</b>	Intentional	Falcons, American Kestrels			6	
		Hawks, Cooper`s			19	
		Hawks, Red-Tailed	4		230	
		Owls, Great Horned			36	
	Unintentional	Crows, American	1			
		Grackles, Common	1			
		Opossums, Virginia			2	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	Intentional					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Mice, Deer (All)	12				
		Starlings, European	14				
		Voles (All)	41				
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	1				
		<b>Unintentional</b>	Raccoons			1	
<b>Vehicles (All)</b>	<b>Intentional</b>	Badgers				1	
		Blackbirds, (Mixed Species)				2,600	
		Blackbirds, Red-Winged				44,785	
		Coots, American				180	
		Cormorants, Double-Crested				379	
		Cowbirds, Brown-Headed				1,327	
		Coyotes				75	
		Crows, American				185	
		Deer, White-Tailed (Wild)				73	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Doves, Mourning				910
		Ducks, Bufflehead				12
		Ducks, Gadwall				22
		Ducks, Goldeneye, Common				293
		Ducks, Mallards				424
		Ducks, Merganser Common				7
		Ducks, Teal, Blue-Winged				359
		Ducks, Wood				153
		Eagles, Bald				41
		Egrets, Cattle				9
		Egrets, Great				12
		Falcons, American Kestrels				37
		Flycatchers, Scissor-Tailed				6
		Foxes, Red				1
		Geese, Canada				1,237
		Geese, Snow, Lesser				34
		Geese, White-Fronted, Greater				8
		Grackles, Common				437

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Grebes, Pied-Billed				19
		Gulls, Franklin`s				247
		Gulls, Herring				5
		Gulls, Ring-Billed				12
		Hawks, Harrier, Northern (Marsh Hawks				84
		Hawks, Red-Tailed				237
		Hawks, Swainson`s				10
		Hérons, Great Blue				131
		Hérons, Green				1
		Killdeers				287
		Kingbirds, Western				2
		Kites, Mississippi				3
		Larks, Horned				493
		Meadowlarks, Eastern				323
		Owls, Great Horned				1
		Pelicans, American White				3
		Pheasants, Ring-Necked				83
		Sandpipers, Buff-Breasted				20

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Sandpipers, Upland				15
		Sparrows, Field				152
		Starlings, European				3,565
		Swallows, Barn				645
		Turkeys, Wild				369
		Vultures, Turkey				45
		<i>Total Take for MO</i>	7,882		749	694,910

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*