

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>	32			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	154			
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Armadillos, Nine-Banded</b>	119			
		<b>Beavers</b>	318			
		<b>Blackbirds, Red-Winged</b>	15			
		<b>Cormorants, Double-Crested</b>	2,049			82,000
		<b>Coyotes</b>	21			8
		<b>Crows, American</b>	51			127
		<b>Deer, White-Tailed (Wild)</b>	170			3
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	2			
		<b>Doves, Mourning</b>	97			
		<b>Ducks, Mallards</b>	14			86
		<b>Ducks, Wood</b>	13			185
		<b>Egrets, Great</b>	15			26
		<b>Egrets, Snowy</b>	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Falcons, American Kestrels	1			
		Geese, Canada	132			62
		Grebes, Eared	3			
		Hawks, Harrier, Northern (Marsh Hawks)	3			8
		Hawks, Red-Tailed	2			2
		Hérons, Great Blue	10			4
		Killdeers	158			15
		Meadowlarks, Eastern	160			99
		Nutrias	94			
		Otters, River	1			
		Pelicans, American White	8			200
		Pigeons, Feral (Rock)	55			
		Rabbits, Cottontail	1			
		Robins, American	74			
		Sandpipers, Least	3			12
		Sandpipers, Upland	2			
		Sparrows, House/English	26			
		Starlings, European	22			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Swallows, Barn	76			
		Swallows, Cliff	194			900
		Swine, Feral	125			
		Turkeys, Wild	3			
		Vultures, Black	12			137
		Vultures, Turkey	4			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Birds, Unidentifiable			2	
		Dowitchers, Long-Billed			1	
		Gannets, Northern			6	
		Gulls, Herring			1	
		Gulls, Laughing			46	
		Hérons, Great Blue			1	
		Oystercatchers, American			1	
		Pelicans, Brown			1	
		Pigeons, Feral (Rock)			4	
		Skimmers, Black			3	
		Terns, Royal			4	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>	50			
<b>Nets, Other</b>						
	<b>Intentional</b>					
		<b>Birds, Unidentifiable</b>			2	
		<b>Dowitchers, Short-Billed</b>			1	
		<b>Ducks, Merganser Common</b>			1	
		<b>Gannets, Northern</b>			3	
		<b>Gulls, Laughing</b>			44	
		<b>Hérons, Great Blue</b>			1	
		<b>Hérons, Night, Yellow-Crowned</b>			1	
		<b>Ospreys</b>			1	
		<b>Oystercatchers, American</b>			1	
		<b>Pelicans, Brown</b>			2	
		<b>Terns, Royal</b>			1	
		<b>Terns, Sandwich</b>			1	
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-Winged</b>				190
		<b>Bluebirds, Eastern</b>				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed				7
		Crows, American				202
		Dogs, Feral, Free-Ranging And Hybrids				1
		Ducks, Wood				2
		Falcons, American Kestrels				1
		Geese, Canada				59
		Gulls, Ring-Billed				30
		Hawks, Red-Tailed				2
		Hérons, Great Blue				4
		Killdeers				291
		Kingbirds, Eastern				11
		Meadowlarks, Eastern				259
		Robins, American				1,620
		Shrikes (Other)				8
		Sparrows, Grasshopper				87
		Sparrows, Savannah				40
		Starlings, European				15
		Swallows, Cliff				465

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Vultures, Black				397
		Vultures, Turkey				114
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	330			
		Coyotes	1			
		Nutrias	6			
		Raccoons	1			
	<b>Unintentional</b>					
		Otters, River			1	
		Raccoons	1			
		Turtles, Common Snapping	1		1	
<b>Traps, Body Grip</b>						
	<b>Intentional</b>					
		Beavers	3,083			
		Muskrats	5			
		Nutrias	127			
	<b>Unintentional</b>					
		Alligators, American	4		1	
		Bobcats	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Opossums, Virginia	1			
		Otters, River	72		9	
		Raccoons	14			
		Turtles Other			1	
		Turtles, Common Snapping	27		88	
		Turtles, Painted	2			
		<b>Traps, Cage</b>	<b>Intentional</b>	Opossums, Virginia	4	
Raccoons	35					
Skunks, Striped	6					
Swine, Feral	24					
<b>Unintentional</b>	Cats, Feral/Free Ranging				2	
	Opossums, Virginia				1	
<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	2			
<b>Traps, Drive/Corral</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	814			
		Swine, Feral	11			
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	238			
		Bobcats	3			
		Coyotes	3			
		Foxes, Gray	2			
		Foxes, Red	2			
		Muskrats	1			
		Nutrias	6			
		Raccoons	5			
	<b>Unintentional</b>	Otters, River	1			
		Raccoons	5		3	
		Turtles, Common Snapping				1
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Raccoons	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Mississippi - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Other</b>	<b>Intentional</b>	<b>Fish (Other)</b>			83	
		<b>Swine, Feral</b>	1			
		<b>Crows, American</b>				26
<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Crows, American</b>				26
		<b>Total Take for MS</b>	9,131		320	87,707

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*