

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Barriers, Exclusion (Other)						
	Intentional					
		Crows, American				15
		Doves, Mourning				20
Catch Pole						
	Intentional					
		Coyotes	1			
Dog						
	Intentional					
		Geese, Canada				834
Effigy, Vulture						
	Intentional					
		Vultures, Turkey				31
Firearms						
	Intentional					
		Beavers	598			
		Bitterns, American	1			
		Blackbirds, (Mixed Species)	2			
		Bobcats	3			
		Cats, Feral/Free Ranging	3			
		Coots, American	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Cowbirds, Brown-Headed	108			150
		Coyotes	8			
		Crows, American	3			6
		Crows, Fish	5			12
		Deer, White-Tailed (Wild)	88			11
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Doves, Mourning	696			3,090
		Ducks, Mallards	1			
		Egrets, Cattle	5			
		Egrets, Great	3			
		Egrets, Snowy	1			
		Finches, House	1			
		Foxes, Gray	2			
		Geese, Canada	170			122
		Grackles, Common	12			
		Gulls, Black-Backed, Greater				7
		Gulls, Bonaparte`s				1
		Gulls, Herring	3			158

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Gulls, Laughing	81			1,003
		Gulls, Ring-Billed	63			419
		Hérons, Great Blue	22			
		Hérons, Little Blue	1			
		Killdeers	100			10
		Marmots/Woodchucks (All)	20			
		Muskrats	28			
		Nutrias	37			
		Opossums, Virginia	3			
		Pigeons, Feral (Rock)	460			6
		Plovers, Black-Bellied	3			
		Rabbits, Cottontail	3			
		Sandpipers, Upland	8			
		Sparrows, House/English	105			
		Starlings, European	299			94
		Swine, Feral	59			
		Terns, Forster`s	1			25
		Terns, Royal	1			17

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Terns, Sandwich	5			170
		Turkeys, Wild				6
		Vultures, Black	10			
		Vultures, Turkey	68			2
Handcaught/Gathered						
	Intentional					
		Alligators, American			1	
		Geese, Canada	14			
		Gulls, Black-Backed, Greater	1			
		Gulls, Laughing	1			
		Lizards, (Other)			1	
		Owls, Great Horned			1	
		Pigeons, Feral (Rock)	1			
		Snakes, Non-Venomous (Other)			2	
		Turtles Other			14	
Paint Balls						
	Intentional					
		Geese, Canada				1,758
Physical Actions (Hand/Voice)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Crows, American				4
		Doves, Mourning				2
		Geese, Canada				34
Pyrotechnics (All)						
	Intentional					
		Blackbirds, (Mixed Species)				2,950
		Cormorants, Double-Crested				56
		Cowbirds, Brown-Headed				4,860
		Crows, American				267
		Crows, Fish				392
		Doves, Mourning				4,121
		Ducks, Mallards				36
		Ducks, Merganser, Hooded				3
		Geese, Canada				498
		Grackles, Common				766
		Gulls, Black-Backed, Greater				110
		Gulls, Herring				830
		Gulls, Laughing				22,207

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Gulls, Ring-Billed				7,595
		Hawks, Red-Tailed				34
		Hérons, Great Blue				1
		Killdeers				99
		Meadowlarks, Eastern				3
		Ospreys				14
		Plovers, Black-Bellied				73
		Quail (All)				8
		Sandpipers, Upland				2
		Starlings, European				870
		Swallows, Northern Rough-Winged				60
		Terns, Forster`s				26
		Terns, Sandwich				250
		Turkeys, Wild				22
		Vultures, Black				12
		Vultures, Turkey				1,808
Snares, Neck						
	Intentional					
		Beavers	173			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed	
Snares, Neck	Intentional	Coyotes	9				
		Dogs, Feral, Free-Ranging And Hybrids			1		
		Foxes, Gray	3				
		Foxes, Red	1				
		Nutrias	2				
		Opossums, Virginia	2				
		Swine, Feral	6				
	Unintentional	Deer, White-Tailed (Wild)	1			1	
		Otters, River	1				
		Raccoons	2				
		Turtles, Common Snapping	3			1	
	Traps, Body Grip	Intentional	Beavers	3,145			
			Marmots/Woodchucks (All)	6			
Muskrats			238				
Nutrias			428				
Unintentional							

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Unintentional	Alligators, American	2			
		Bass, Largemouth			1	
		Ducks, Mallards	1			
		Ducks, Merganser, Hooded	1			
		Ducks, Wood	1			
		Fish (Other)	2			
		Frogs/Toads (Other)				1
		Geese, Canada				1
		Otters, River	57			
		Raccoons	12			
		Turtles Other	3			3
		Turtles, Common Snapping	55			108
		Turtles, Painted	3			4
Traps, Cage	Intentional	Beavers	3			
		Cats, Feral/Free Ranging			10	
		Foxes, Gray	1			
		Marmots/Woodchucks (All)			2	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Muskrats	6				
		Opossums, Virginia	2		94		
		Pigeons, Feral (Rock)	450				
		Rabbits, Cottontail			1		
		Raccoons	1		140		
		Skunks, Striped			1		
	Unintentional	Bears, Black			1		
		Fish (Other)			1		
		Opossums, Virginia			3		
		Rabbits, Cottontail			1		
		Turtles Other			3		
		Turtles, Common Snapping			1		
		Turtles, Painted			1		
	Traps, Drive/Corral	Intentional	Deer, White-Tailed (Wild)			1	
			Ducks, Feral	20			
Geese, Canada			1,448				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold	Intentional	Beavers	126			
		Bobcats	2			
		Coyotes	17			
		Foxes, Gray	10			
		Foxes, Red	4			
		Muskrats	5			
		Nutrias	4			
		Opossums, Virginia				7
		Raccoons	5			
	Unintentional	Bobcats	1			
		Coyotes	3			
		Foxes, Red				1
		Hérons, Great Blue				1
		Opossums, Virginia	1			
		Raccoons				2
		Turtles, Common Snapping				2
Traps, Foothold (Padded)	Unintentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold (Padded)	Unintentional	Opossums, Virginia			1	
Vehicles (All)	Intentional	Bitterns, American				1
		Blackbirds, Red-Winged				5
		Cats, Feral/Free Ranging				1
		Cowbirds, Brown-Headed				200
		Coyotes				1
		Crows, American				174
		Crows, Fish				209
		Deer, White-Tailed (Wild)				33
		Doves, Mourning				4,036
		Ducks, Merganser, Hooded				22
		Ducks, Ruddy				1
		Ducks, Teal, Blue-Winged				3
		Ducks, Teal, Green-Winged				2
		Ducks, Wood				3
		Falcons, American Kestrels				2
		Falcons, Merlin				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Geese, Canada				349
		Grackles, Common				7
		Gulls, Black-Backed, Greater				2
		Gulls, Bonaparte`s				1
		Gulls, Herring				14
		Gulls, Laughing				277
		Gulls, Ring-Billed				173
		Hawks, Harrier, Northern (Marsh Hawks				3
		Hawks, Red-Tailed				1
		Hérons, Great Blue				49
		Hérons, Little Blue				2
		Killdeers				315
		Meadowlarks, Eastern				58
		Pigeons, Feral (Rock)				2
		Plovers, Black-Bellied				326
		Snakes, Non-Venomous (Other)				1
		Starlings, European				405
		Swallows, Northern Rough-Winged				36

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Turkeys, Wild				7
		Vultures, Turkey				33
		Yellowlegs, Greater				1
		<i>Total Take for NC</i>	9,376		414	62,736

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.