

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Boat</b>							
	<b>Intentional</b>						
		Geese, Canada				230	
<b>Car/Truck</b>							
	<b>Intentional</b>						
			Blackbirds, Red-Winged				50
			Crows, American				1,260
			Crows, Fish				34
			Ducks, American Black				245
			Ducks, Mallards				1,252
			Geese, Brant, Atlantic				1,848
			Geese, Canada				6,383
			Gulls, Black-Backed, Greater				31
			Gulls, Herring				1,341
			Gulls, Laughing				11
			Gulls, Ring-Billed				13
			Pigeons, Feral (Rock)				197
		Starlings, European				4,165	
		Turkeys, Wild				17	
<b>Dog</b>							
	<b>Intentional</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>				2,233
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	69,058			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>				79,936
		<b>Geese, Canada</b>				973
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Beavers</b>	2			
		<b>Cormorants, Double-Crested</b>	218			
		<b>Coyotes</b>	3			3
		<b>Crows, American</b>	291			60
		<b>Deer, White-Tailed (Wild)</b>	85			
		<b>Doves, Mourning</b>	70			
		<b>Ducks, Mallards</b>	1			
		<b>Egrets, Great</b>	2			
		<b>Foxes, Red</b>	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Geese, Brant, Atlantic	248			
		Geese, Canada	88			84
		Grackles, Common	4			
		Gulls, Black-Backed, Greater	165			
		Gulls, Herring	998			1
		Gulls, Laughing	2,178			
		Gulls, Ring-Billed	953			4
		Hérons, Great Blue	2			
		Marmots/Woodchucks (All)	28			
		Muskrats	6			
		Pigeons, Feral (Rock)	2,806			
		Sparrows, House/English	30			
		Starlings, European	2,551			300
		Swans, Mute	2			
		Swine, Feral	6			
		Turkeys, Wild	7			5
		Vultures, Turkey	8			
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		<b>Marmots/Woodchucks (All) (Burrow/De</b>		87		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>			1	
		<b>Gulls, Black-Backed, Greater</b>	2			
		<b>Raccoons</b>	4			
		<b>Skunks, Striped</b>			1	
		<b>Swine, Feral</b>	1			
		<b>Vultures, Turkey</b>			2	
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>				46,552
		<b>Geese, Canada</b>				95
<b>Lights (All)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>				60,992
<b>Nets, Bow</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	11			
		<b>Starlings, European</b>	729			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Gulls, Black-Backed, Greater			1	
		Gulls, Herring			10	
		Gulls, Ring-Billed			52	
		Pigeons, Feral (Rock)	213			
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	13			
		Starlings, European	127			
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Crows, American				95
		Geese, Brant, Atlantic				102
		Geese, Canada				526
		Gulls, Black-Backed, Greater				2
		Gulls, Herring				2
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Crows, American				84
		Ducks, American Black				116

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Ducks, Mallards				284
		Geese, Brant, Atlantic				241
		Geese, Canada				1,095
		Gulls, Black-Backed, Greater				1
		Gulls, Herring				52
		Gulls, Laughing				1
		Gulls, Ring-Billed				3
		Pigeons, Feral (Rock)				23
		Starlings, European				155
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Crows, American				151,815
		Ducks, Mallards				61
		Geese, Canada				318
		Grackles, Common				937
		Gulls, Black-Backed, Greater				4,809
		Gulls, Herring				49,597
		Gulls, Ring-Billed				465,499
		Pigeons, Feral (Rock)				31

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Ravens, Common				104	
		Starlings, European				1,111,955	
		Vultures, Turkey				2,643	
<b>Snares, Neck</b>	<b>Intentional</b>	Coyotes	1				
		Fishers			1		
		Foxes, Red	8				
		Raccoons	2				
	<b>Unintentional</b>						
		Cats, Feral/Free Ranging				1	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	16				
		Marmots/Woodchucks (All)	12				
		Muskrats	6				
		Raccoons	5				
		Turtles, Common Snapping				2	
	<b>Unintentional</b>						
		Turtles, Common Snapping	1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging			14	
		Coyotes			1	
		Fishers			15	
		Foxes, Gray			8	
		Foxes, Red			19	
		Minks			1	
		Opossums, Virginia	4			
		Raccoons	75		3,622	
		Skunks, Striped	1		288	
		Squirrels, Eastern Gray			1	
		Squirrels, Red			3	
	<b>Unintentional</b>	Cats, Feral/Free Ranging			11	
		Fishers			6	
		Foxes, Gray			1	
		Marmots/Woodchucks (All)			10	
		Minks			4	
		Muskrats			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Unintentional</b>	Opossums, Virginia			94	
		Otters, River			1	
		Porcupines			7	
		Rabbits, Cottontail			5	
		Rats, Norway			4	
		Robins, American			2	
		Squirrels, Eastern Gray			32	
		Squirrels, Gray			1	
		Squirrels, Red			13	
		Turtles Other			1	
		Turtles, Common Snapping			3	
<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	456			
		Starlings, European	4,771		83	
	<b>Unintentional</b>	Hawks, Cooper`s			1	
		Hawks, Sharp-Shinned			1	
		Jays, Blue			6	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	Unintentional	Juncos, Dark-Eyed			22	
<b>Traps, Drive/Corral</b>	Intentional	Geese, Canada	3,187			
		Swine, Feral	21			
<b>Traps, Other</b>	Intentional	Cats, Feral/Free Ranging			8	
		Raccoons			3	
		Voles (All)	4		8	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	Intentional	Mice, Deer (All)	4			
		Squirrels, Eastern Gray			1	
		Squirrels, Flying (All)	1			
<i>Total Take for NY</i>			89,487	87	4,372	1,998,866

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*