

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Coyotes				5
		Crows, American				25
		Deer, White-Tailed (Wild)				2
		Geese, Canada				56
		Hawks, Cooper`s				1
		Hawks, Red-Tailed				1
		<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	Starlings, European	17,866	
<b>Firearms</b>	<b>Intentional</b>	Blackbirds, Red-Winged	236			7,811
		Cats, Feral/Free Ranging	3			
		Cormorants, Double-Crested	237			
		Cowbirds, Brown-Headed	6			
		Coyotes	8			3
		Crows, American	80			81
		Deer, White-Tailed (Wild)	2			
		Doves, Mourning	78			179

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Ducks, American Black				6
		Ducks, Mallards	52			264
		Ducks, Scaup, Greater				60
		Ducks, Scaup, Lesser				88
		Ducks, Teal, Blue-Winged				29
		Ducks, Wigeon, American				10
		Egrets, Great				2
		Falcons, American Kestrels	7			10
		Foxes, Red	1			
		Geese, Canada	71			255
		Grackles, Common				1
		Gulls, Herring	13			123
		Gulls, Ring-Billed	382			2,199
		Hawks, Red-Tailed	10			4
		Herons, Great Blue	3			6
		Killdeers	23			113
		Marmots/Woodchucks (All)	59			
		Pigeons, Feral (Rock)	361			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Rabbits, Cottontail	10			
		Raccoons	40			
		Skunks, Striped	4			
		Sparrows, House/English	122			
		Starlings, European	2,781			19,637
		Swans, Mute	6			1
		Vultures, Turkey	8			5
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All) (Burrow/De		79		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Ducks, Feral			2	
		Ducks, Mallards			3	
		Ducks, Wood			8	
		Geese, Canada			3	
		Hawks, Red-Tailed	1			
		Pigeons, Feral (Rock)	83			
		Raccoons	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	Intentional	Starlings, European	16			
<b>Lasers (All) (Deterrent)</b>						
	Intentional	Ducks, Mallards				12
		Geese, Canada				34
<b>Nets, Bow</b>						
	Intentional	Ducks, Feral			6	
<b>Nets, Other</b>						
	Intentional	Ducks, Feral			5	
		Ducks, Mallards			3	
		Geese, Feral			1	
<b>Pyrotechnics (All)</b>						
	Intentional	Avocets, American				1
		Birds, Unidentifiable				57
		Blackbirds, Red-Winged				4,484
		Cardinals, Northern				1
		Coots, American				104

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				944
		Cowbirds, Brown-Headed				1,142
		Crows, American				10,599
		Deer, White-Tailed (Wild)				4
		Doves, Mourning				2,946
		Dowitchers, Short-Billed				10
		Ducks, American Black				58
		Ducks, Bufflehead				362
		Ducks, Gadwall				55
		Ducks, Mallards				4,085
		Ducks, Merganser, Hooded				5
		Ducks, Merganser, Red-Breasted				9,500
		Ducks, Northern Pintail				4
		Ducks, Northern Shoveler				4
		Ducks, Redhead				231
		Ducks, Ring-Necked				20
		Ducks, Ruddy				180
		Ducks, Scaup, Greater				2,215

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Scaup, Lesser				4,909
		Ducks, Teal, Blue-Winged				703
		Ducks, Teal, Green-Winged				425
		Ducks, Wigeon, American				26
		Ducks, Wood				15
		Dunlins				18
		Eagles, Bald				7
		Egrets, Great				7
		Falcons, American Kestrels				19
		Falcons, Peregrine				23
		Geese, Canada				3,613
		Grebes, Pied-Billed				5
		Gulls, Black-Backed, Greater				49
		Gulls, Bonaparte`s				875
		Gulls, Herring				15,102
		Gulls, Ring-Billed				321,732
		Hawks, Cooper`s				4
		Hawks, Harrier, Northern (Marsh Hawks				4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed				362
		Hawks, Rough-Legged				4
		Hawks, Sharp-Shinned				2
		Hérons, Great Blue				127
		Hérons, Green				2
		Jays, Blue				1
		Killdeers				522
		Meadowlarks, Eastern				15
		Ospreys				5
		Owls, Snowy				1
		Pigeons, Feral (Rock)				7,491
		Plovers, Black-Bellied				5
		Robins, American				104
		Sandpipers, Upland				2
		Snipes, Common				21
		Sparrows, House/English				3,573
		Starlings, European				1,801,915
		Swallows, Bank				10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Swallows, Barn				377
		Swans, Mute				5
		Swans, Tundra				6
		Swifts (All)				50
		Terns, Caspian				55
		Turkeys, Wild				11
		Vultures, Black				444
		Vultures, Turkey				4,843
		Willets				12
		Yellowlegs, Lesser				40
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All)	2			
		Skunks, Striped	1			
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	2			
		Cats, Feral/Free Ranging	1			
		Coyotes	11			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Marmots/Woodchucks (All)	1			
		Raccoons	3			
	<b>Unintentional</b>	Foxes, Red	2			
		Raccoons	1			
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	Falcons, American Kestrels			5	
		Hawks, Red-Tailed			2	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Marmots/Woodchucks (All)	29			
		Opossums, Virginia	3			
		Rabbits, Cottontail	1			
		Skunks, Striped	3			
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging			9	
		Hawks, Cooper`s			1	
		Marmots/Woodchucks (All)	2		39	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Muskrats	1			
		Opossums, Virginia	2		135	
		Passerines (Other)			1	
		Pigeons, Feral (Rock)	47			
		Rabbits, Cottontail			11	
		Raccoons	122		3,759	
		Skunks, Striped	36			
		Squirrels, Eastern Gray			3	
		Squirrels, Fox			2	
		Squirrels, Red			1	
		Swine, Feral	10			
	<b>Unintentional</b>	Cats, Feral/Free Ranging			23	
		Marmots/Woodchucks (All)			48	
		Opossums, Virginia			189	
		Rabbits, Cottontail			8	
		Rats, Norway			1	
		Squirrels, Fox			8	
		Squirrels, Red			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	Blackbirds, Red-Winged	631				
		Cowbirds, Brown-Headed	140				
		Doves, Mourning	6				
		Falcons, American Kestrels	15		25		
		Grackles, Common	1				
		Hawks, Cooper`s			1		
		Mockingbirds, Northern			4		
		Sparrows, House/English	56				
		Starlings, European	4,007				
		<b>Unintentional</b>	Mockingbirds, Northern	3		10	
	Sparrows, Savannah		1		14		
	<b>Traps, Foothold</b>	<b>Intentional</b>	Coyotes	9			
			Marmots/Woodchucks (All)	2			
Minks			1				
Muskrats			4				
Opossums, Virginia			1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Foothold</b>	<b>Intentional</b>	Raccoons	12				
		Skunks, Striped	1				
	<b>Unintentional</b>	Bobcats				1	
		Skunks, Striped	1				
	<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Raccoons	7			
<b>Traps, Mole</b>	<b>Intentional</b>	Moles (All)	4				
<b>Traps, Other</b>	<b>Intentional</b>	Doves, Mourning	3				
		Ducks, Mallards			6		
		Raccoons	5				
		Sparrows, House/English	101				
		Starlings, European	30				
<b>Traps, Pole</b>	<b>Intentional</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Pole</b>	<b>Intentional</b>	Falcons, American Kestrels			3	
		Hawks, Red-Tailed			13	
<b>Traps, Raptor (Swedish Goshawk)</b>	<b>Intentional</b>	Falcons, Peregrine			1	
		Hawks, Cooper`s			1	
		Hawks, Red-Tailed			30	
<b>Vehicles (All)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				50
		Coyotes				2
		Crows, American				4
		Deer, White-Tailed (Wild)				9
		Doves, Mourning				18
		Ducks, Mallards				70
		Ducks, Merganser, Hooded				12
		Ducks, Teal, Blue-Winged				27
		Falcons, American Kestrels				13
		Falcons, Peregrine				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2010*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				42
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks				2
		Hawks, Red-Tailed				80
		Hérons, Great Blue				5
		Killdeers				61
		Pigeons, Feral (Rock)				7
		Starlings, European				130
		Turkeys, Wild				1
		<i>Total Take for OH</i>	27,892	79	4,386	2,236,112

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*