

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Avitrol:-6 Corn Chops	Intentional	Sparrows, House/English	100			
Calling Device, Electronic	Intentional	Bobcats	3			
		Coyotes	397			
		Crows, American	337			
		Swine, Feral	6			
Calling Device, Manual(Hand,Blown)	Intentional	Bobcats	3			
		Coyotes	468			
DRC-1339-Gulls	Intentional	Gulls, Ring-Billed	200			
DRC-1339-Ok SLN (Crows)	Intentional	Crows, American	3,197			
DRC-1339-Pigeons	Intentional	Pigeons, Feral (Rock)	1,811			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339-Staging Areas						
	Intentional					
		Blackbirds, (Mixed Species)	26,900			
		Grackles, Common	100			
		Grackles, Great-Tailed	25			
		Starlings, European	18,730			
Electronic Harassment Devices (Other)						
	Intentional					
		Falcons, American Kestrels				33
		Falcons, Merlin				1
		Hawks, Cooper`s				4
		Hawks, Harrier, Northern (Marsh Hawks				30
		Hawks, Red-Shouldered				3
		Hawks, Red-Tailed				91
		Hawks, Swainson`s				3
		Kites, Mississippi				14
		Vultures, Turkey				6
Exploders, Gas (All)						
	Intentional					
		Blackbirds, Red-Winged				316
		Cormorants, Double-Crested				31

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Cowbirds, Brown-Headed				830
		Crows, American				27
		Dogs, Feral, Free-Ranging And Hybrids				3
		Doves, Mourning				423
		Ducks, Gadwall				22
		Ducks, Mallards				422
		Ducks, Teal, Blue-Winged				8
		Ducks, Teal, Green-Winged				12
		Ducks, Wigeon, American				8
		Egrets, Cattle				50
		Falcons, American Kestrels				6
		Flycatchers, Scissor-Tailed				144
		Geese, Canada				1,836
		Grackles, Common				286
		Grackles, Great-Tailed				3,215
		Gulls, Franklin`s				25
		Gulls, Ring-Billed				560
		Hawks, Harrier, Northern (Marsh Hawks				15

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Hawks, Red-Tailed				47
		Hawks, Swainson`s				13
		Hérons, Great Blue				7
		Killdeers				211
		Kingbirds, Eastern				10
		Kingbirds, Western				225
		Kites, Mississippi				8
		Larks, Horned				28
		Meadowlarks, Eastern				3,041
		Nighthawks (All)				6
		Pigeons, Feral (Rock)				3,302
		Robins, American				285
		Sandpipers, Upland				910
		Starlings, European				1,451
		Swallows, Barn				917
		Vultures, Turkey				39
Fastrac Blox						
	Intentional					
		Mice, House		25		

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Fastrac Blox							
	Intentional						
		Rats, Norway	74				
Firearms							
	Intentional						
			Armadillos, Nine-Banded	8			
			Badgers	1			
			Beavers	360			
			Blackbirds, (Mixed Species)	100			12,340
			Blackbirds, Brewer`s	9			
			Blackbirds, Red-Winged	222			10
			Cats, Feral/Free Ranging	8			
			Coots, American				2
			Cormorants, Double-Crested				203
			Cowbirds, Brown-Headed	280			1,213
			Coyotes	99			3
			Crows, American	13			1,729
			Deer, White-Tailed (Wild)	13			
			Dogs, Feral, Free-Ranging And Hybrids	4			2
			Doves, Mourning	908			1,309
		Ducks, Bufflehead				317	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Ducks, Canvasback				170
		Ducks, Gadwall	6			86
		Ducks, Mallards	42			445
		Ducks, Merganser, Hooded				136
		Ducks, Northern Shoveler				17
		Ducks, Redhead				13
		Ducks, Ring-Necked				19
		Ducks, Scaup, Lesser				119
		Ducks, Teal, Blue-Winged	2			14
		Ducks, Teal, Green-Winged				1
		Ducks, Wigeon, American	3			
		Egrets, Cattle	10			152
		Egrets, Great				15
		Falcons, American Kestrels	19			25
		Flickers, Northern				1
		Flycatchers, Scissor-Tailed	68			193
		Geese, Canada	82			2,433
		Grackles, Common	105			70

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Grackles, Great-Tailed	820			12
		Grebes, Pied-Billed				7
		Gulls, Franklin`s	135			3,634
		Gulls, Herring	1			2
		Gulls, Ring-Billed	93			3,097
		Hares, Jackrabbits (Other)	27			
		Hawks, Cooper`s	3			3
		Hawks, Harrier, Northern (Marsh Hawks	3			6
		Hawks, Red-Tailed	15			78
		Hérons, Great Blue	6			4
		Hérons, Night, Yellow-Crowned				2
		Killdeers	190			196
		Kingbirds, Eastern	9			1
		Kingbirds, Western	112			178
		Kites, Mississippi	2			20
		Larks, Horned	56			232
		Marmots/Woodchucks (All)	1			
		Meadowlarks, Eastern	717			2,995

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Meadowlarks, Western	9			28
		Muskrats	10			
		Nighthawks (All)	27			2
		Pigeons, Feral (Rock)	1,329			1,362
		Rabbits, Cottontail	7			
		Raccoons	6			
		Robins, American	48			236
		Sandpipers, Least	17			578
		Sandpipers, Upland	109			103
		Skunks, Striped	39			
		Sparrows, House/English	7			1,622
		Squirrels, Fox	1			
		Starlings, European	695			18,406
		Swallows, Barn	13			1,088
		Swine, Feral	406			
		Vultures, Black	9			
		Vultures, Turkey	8			95
		Yellowlegs, Greater				26
		Fixed Wing				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional					
		Coyotes	600			
		Swine, Feral	440			
Handcaught/Gathered						
	Intentional					
		Armadillos, Nine-Banded			10	
		Badgers			1	
		Coyotes	5			
		Doves, Collared, Eurasian	2			
		Geese, Canada	113			
		Kites, Mississippi			3	
Helicopter						
	Intentional					
		Coyotes	496			
		Swine, Feral	1,506			
M-44 Cyanide Capsule						
	Intentional					
		Coyotes	1,822			
		Foxes, Gray	1			
	Unintentional					
		Dogs, Feral, Free-Ranging And Hybrids	27			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
M-44 Cyanide Capsule	Unintentional	Foxes, Gray	2			
		Foxes, Red	1			
		Opossums, Virginia	9			
		Raccoons	3			
		Skunks, Striped	9			
Pneumatics	Intentional	Doves, Mourning	52			
		Killdeers	11			
		Meadowlarks, Eastern	1			
		Pigeons, Feral (Rock)	96			
Pyrotechnics (All)	Intentional	Blackbirds, Brewer`s				1,500
		Blackbirds, Red-Winged				525
		Cormorants, Double-Crested				59
		Cowbirds, Brown-Headed				500
		Crows, American				12
		Doves, Mourning				380

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ducks, Bufflehead				18
		Ducks, Canvasback				10
		Ducks, Gadwall				151
		Ducks, Mallards				78
		Ducks, Northern Shoveler				80
		Ducks, Ring-Necked				1
		Egrets, Cattle				3,705
		Egrets, Great				2
		Falcons, American Kestrels				2
		Geese, Canada				3,598
		Grackles, Great-Tailed				96
		Gulls, Franklin`s				23,684
		Gulls, Ring-Billed				26,799
		Hawks, Harrier, Northern (Marsh Hawks				3
		Hawks, Red-Tailed				6
		Hérons, Great Blue				3
		Killdeers				75
		Kingbirds, Western				92

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Larks, Horned				300
		Meadowlarks, Eastern				15
		Meadowlarks, Western				30
		Pigeons, Feral (Rock)				200
		Sandpipers, Least				30
		Sandpipers, Upland				1
		Sparrows, House/English				50
		Starlings, European				11,960
		Vultures, Turkey				9
Snares, Neck						
	Intentional					
		Armadillos, Nine-Banded	3			
		Badgers	4			
		Beavers	384			
		Bobcats	7			
		Cats, Feral/Free Ranging	1			
		Coyotes	424			
		Deer, White-Tailed (Wild)	3			
		Dogs, Feral, Free-Ranging And Hybrids	2		3	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck	Intentional	Foxes, Gray	2			
		Foxes, Red	7			
		Hares, Jackrabbits (Other)	1			
		Marmots/Woodchucks (All)	1			
		Opossums, Virginia	10			
		Otters, River	2			
		Raccoons	27			
		Skunks, Striped	3			
		Swine, Feral	33			
		Unintentional	Armadillos, Nine-Banded	4		
	Badgers		1			
	Bobcats		1			
	Deer, White-Tailed (Wild)		6			
	Dogs, Feral, Free-Ranging And Hybrids		9			4
	Foxes, Gray		1			
	Opossums, Virginia		1			
	Porcupines		1			
	Rabbits, Cottontail		1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck	Unintentional	Raccoons	15			
		Skunks, Striped	2			
Spotlight	Intentional	Beavers	654			
		Cats, Feral/Free Ranging	6			
		Deer, White-Tailed (Wild)	23			
		Muskrats	2			
		Rabbits, Cottontail	20			
		Raccoons	2			
		Skunks, Striped	2			
		Swine, Feral	14			
Traps, Body Grip	Intentional	Beavers	3,772			
		Muskrats	29			
		Otters, River	29			
	Unintentional	Muskrats	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Body Grip	Unintentional	Otters, River	64				
		Raccoons	2				
		Turtles Other	20			10	
		Turtles, Common Snapping	29			21	
Traps, Cage	Intentional	Bobcats	4				
		Cats, Feral/Free Ranging	14				
		Opossums, Virginia	13				
		Pigeons, Feral (Rock)	375				
		Rabbits, Cottontail	2				
		Raccoons	40			4	
		Skunks, Striped	27			4	
		Swine, Feral	1,123				
			Unintentional				
			Opossums, Virginia				1
Traps, Decoy	Intentional	Doves, Collared, Eurasian	47				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Decoy	Intentional	Pigeons, Feral (Rock)	3,310				
	Unintentional	Hawks, Red-Tailed			1		
Traps, Foothold	Intentional	Badgers	14				
		Beavers	31				
		Bobcats	9				
		Coyotes	306				
		Foxes, Gray	1				
		Raccoons	9				
		Swine, Feral	1				
	Unintentional	Armadillos, Nine-Banded	1				
		Badgers	2			1	
		Cats, Feral/Free Ranging				1	
		Coyotes	2				
		Dogs, Feral, Free-Ranging And Hybrids				4	
		Porcupines	1				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold	Unintentional	Raccoons	7		2	
		Skunks, Striped	1			
		Vultures, Turkey			1	
Traps, Foothold (Padded)	Intentional	Egrets, Cattle			20	
Traps, Other	Intentional	Blackbirds, (Mixed Species)	50			
		Cowbirds, Brown-Headed	195			
		Doves, Mourning	5			
		Falcons, American Kestrels	1			
Traps, Pole	Intentional	Falcons, American Kestrels			2	
		Hawks, Cooper`s			2	
		Hawks, Harrier, Northern (Marsh Hawks			3	
		Hawks, Red-Tailed			4	
		Hawks, Swainson`s			5	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Raptor (Other)	Intentional	Falcons, American Kestrels			7	
		Grackles, Great-Tailed	2			
		Hawks, Cooper`s			7	
		Hawks, Red-Shouldered			1	
		Hawks, Red-Tailed			26	
		Hawks, Swainson`s			2	
		Owls, Great Horned	2		4	
Vehicles (All)	Intentional	Blackbirds, (Mixed Species)				250
		Blackbirds, Red-Winged				130
		Blackbirds, Yellow-Headed				42
		Cats, Feral/Free Ranging				1
		Cormorants, Double-Crested				16
		Cowbirds, Brown-Headed				2,030
		Coyotes				11
		Crows, American				60
		Deer, White-Tailed (Wild)				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Dogs, Feral, Free-Ranging And Hybrids				8
		Doves, Mourning				620
		Ducks, Bufflehead				436
		Ducks, Canvasback				51
		Ducks, Gadwall				403
		Ducks, Mallards				253
		Ducks, Merganser, Hooded				243
		Ducks, Northern Shoveler				41
		Ducks, Redhead				1
		Ducks, Ring-Necked				1
		Ducks, Scaup, Lesser				14
		Egrets, Cattle				34
		Falcons, American Kestrels				37
		Geese, Canada				467
		Grackles, Common				133
		Grackles, Great-Tailed				120
		Gulls, Franklin`s				200
		Gulls, Ring-Billed				64

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				26
		Hawks, Red-Shouldered				2
		Hawks, Red-Tailed				156
		Hérons, Great Blue				17
		Killdeers				90
		Kingbirds, Eastern				30
		Larks, Horned				5
		Meadowlarks, Eastern				593
		Meadowlarks, Western				39
		Owls, Great Horned				1
		Owls, Short-Eared				1
		Pigeons, Feral (Rock)				67
		Sandpipers, Upland				1
		Skunks, Striped				3
		Starlings, European				3,927
		Vultures, Turkey				10
		Yellowlegs, Greater				54

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
		<i>Total Take for OK</i>	76,085		154	158,640

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.