

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Calling Device, Electronic	Intentional	Coyotes	72			
Calling Device, Manual(Hand,Blown)	Intentional	Coyotes	13			
Car/Truck	Intentional	Ducks, Mallards				580
		Geese, Canada				12,632
		Hawks, Red-Tailed				5
		Hérons, Great Blue				6
Catch Pole	Intentional	Deer, Mule			1	
Dog	Intentional	Bobcats				2
		Ducks, Mallards				50
		Geese, Canada				3,598
		Lions, Mountain (Cougar)				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339 Eggs						
	Intentional					
		Crows, American	19			
		Ravens, Common	122			
DRC-1339 Meat						
	Intentional					
		Ravens, Common	34			
DRC-1339-Feedlots						
	Intentional					
		Starlings, European	230,050			
DRC-1339-Staging Areas						
	Intentional					
		Blackbirds, (Mixed Species)	5,100			
		Starlings, European	5,500			
Electronic Harassment Devices (Other)						
	Intentional					
		Geese, Canada				4
Exploders, Gas (All)						
	Intentional					
		Deer, Mule				4
		Geese, Canada				100
		Geese, White-Fronted, Greater				300

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Firearms	Intentional	Badgers	10				
		Bears, Black	36			1	
		Beavers	73				
		Blackbirds, (Mixed Species)	887				200
		Bobcats	1				
		Cormorants, Double-Crested	3				60
		Coyotes	351				
		Crows, American	155				100
		Deer, Mule	5				76
		Deer, White-Tailed (Wild)	2				
		Doves, Mourning	2				
		Ducks, Feral	2				
		Ducks, Mallards	78				794
		Ducks, Teal, Green-Winged	3				
		Foxes, Gray	1				
		Foxes, Red	10				
		Geese, Canada	66				9,307
		Geese, Snow, Lesser					375

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Geese, White-Fronted, Greater				2,275
		Gulls, California	6			110
		Gulls, Ring-Billed	4			250
		Hawks, Red-Tailed	2			
		Hawks, Swainson`s	2			
		Hérons, Great Blue	1			2
		Jays, Steller`s	147			
		Lions, Mountain (Cougar)	45			
		Magpies, Black-Billed	5			
		Marmots/Woodchucks (All)	171			
		Muskrats	4			
		Nutrias	179			
		Opossums, Virginia	2			
		Otters, River	1			
		Pigeons, Feral (Rock)	1,544			30
		Porcupines	4			
		Rabbits, Cottontail	1			
		Raccoons	8			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Ravens, Common	70			
		Skunks, Striped	142			
		Squirrels, Ground, California	49			
		Squirrels, Ground, Other	1,045			
		Starlings, European	2,690			600
		Swine, Feral	16			
		Turkeys, Wild	6			
	Unintentional					
		Swallows, Cliff	1			
Fixed Wing						
	Intentional					
		Coyotes	1,621			
Gas Cartridge (Rodent)						
	Intentional					
		Marmots/Woodchucks (All) (Burrow/Den)		6		
		Squirrels, Ground, California (Burrow/Den)		104		
		Squirrels, Ground, Other (Burrow/Den)		476		
Gas Cartridge, Large						
	Intentional					
		Coyotes (Burrow/Den)		27		

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Gas Cartridge, Large	Intentional	Foxes, Red (Burrow/Den)		5		
Handcaught/Gathered	Intentional	Bats (All)			1	
		Falcons, American Kestrels	1			
		Geese, Canada			1	
		Raccoons	1			
		Robins, American	3			
		Sparrows, House/English	16			
		Swallows, Barn	40			
		Swallows, Cliff	3			
		Swallows, Violet-Green	4			
M-44 Cyanide Capsule	Intentional	Coyotes	336			
		Foxes, Gray	4			
		Foxes, Red	4			
	Unintentional	Ravens, Common	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Paint Balls						
	Intentional					
		Blackbirds, (Mixed Species)				300
		Ducks, Mallards				286
		Geese, Canada				11,393
		Geese, Feral				1
		Gulls, California				100
		Hawks, Red-Tailed				12
		Hérons, Great Blue				7
		Starlings, European				24,925
	Unintentional					
		Pigeons, Feral (Rock)	7			
		Starlings, European	10			
		Swallows, Barn	1			
		Swallows, Cliff	1			
Physical Actions (Hand/Voice)						
	Intentional					
		Geese, Canada				3
		Starlings, European				130
Pyrotechnics (All)						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Geese, Canada				18
		Starlings, European				25,000
Snares, Foot/Leg						
	Intentional					
		Bears, Black	146			
		Coyotes	4			
		Lions, Mountain (Cougar)	2			
Snares, Neck						
	Intentional					
		Badgers	11			
		Bears, Black	12			
		Beavers	144			
		Bobcats	32			
		Coyotes	966			
		Foxes, Gray	5			
		Foxes, Red	13			
		Lions, Mountain (Cougar)	25			
		Marmots/Woodchucks (All)	36			
		Opossums, Virginia	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
Snares, Neck	Intentional	Porcupines	4					
		Raccoons	38		1			
		Skunks, Striped	8					
	Unintentional	Bears, Black	1					
		Bobcats	1					
		Coyotes	1					
		Deer, Black-Tailed	1					
		Deer, Mule	1		1			
		Dogs, Feral, Free-Ranging And Hybrids				3		
		Lions, Mountain (Cougar)	3					
		Porcupines	1					
		Raccoons	4					
		Skunks, Striped	1					
		Spotlight	Intentional	Beavers	2			
				Coyotes	2			
Nutrias	19							

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Intentional	Beavers	297			
		Beavers, Mountain	11			
		Foxes, Red	1			
		Marmots/Woodchucks (All)	70			
		Nutrias	54			
		Otters, River	1			
		Skunks, Striped	16			
		Unintentional				
		Otters, River	4			
	Traps, Cage	Intentional	Badgers	1		
Bears, Black			14		1	
Beavers			3			
Bobcats			4			
Cats, Feral/Free Ranging			26		4	
Coyotes			5			
Foxes, Gray			1		1	
Gophers, Pocket (All)			3			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Mice, Deer (All)	34				
		Nutrias	120				
		Opossums, Virginia	20				
		Pigeons, Feral (Rock)	103				
		Raccoons	178				
		Skunks, Spotted	7				
		Skunks, Striped	152				
		Sparrows, House/English	276				
		Squirrels, Ground, Other	4				
		Squirrels, Western Gray	11				
		Swine, Feral	43				
		Unintentional	Cats, Feral/Free Ranging				1
	Jays, Scrub					1	
	Minks					1	
	Raccoons		2				
	Skunks, Striped		1				
	Squirrels, Western Gray						2
	Traps, Culvert						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Culvert	Intentional					
		Bears, Black	11		1	
Traps, Drive/Corral	Intentional					
		Ducks, Feral			2	
		Geese, Canada	116		68	
		Geese, Feral			30	
Traps, Foothold	Intentional					
		Badgers	64		1	
		Bears, Black	14			
		Beavers	37			
		Bobcats	28		6	
		Coyotes	919			
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Foxes, Gray	3			
		Foxes, Red	22			
		Lions, Mountain (Cougar)	16			
		Marmots/Woodchucks (All)	63			
		Muskrats	3			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Foothold	Intentional	Opossums, Virginia	3				
		Porcupines	10				
		Raccoons	19				
		Skunks, Striped	21				
		Squirrels, Ground, Other	7				
	Unintentional	Badgers	9			1	
		Cats, Feral/Free Ranging	1				
		Foxes, Red	3				
		Porcupines	2				
		Raccoons	2				
		Skunks, Striped	5				
		Vultures, Turkey				1	
Traps, Foothold (Padded)	Intentional	Coyotes	1				
		Foxes, Red	4				
		Ravens, Common	15				
		Skunks, Striped	2				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2010

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Gopher						
	Intentional					
		Gophers, Pocket (All)	42			
Traps, Other						
	Intentional					
		Beavers	66			
		Nutrias	19			
Water, High Pressure Spray						
	Intentional					
		Starlings, European				1,600
Zinc Phosphide Wheat						
	Intentional					
		Voles (All)	4,500			
Total Take for OR			259,767	618	130	95,237

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.