

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed / Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Foxes, Red</b>	2			
<b>Car/Truck</b>	<b>Intentional</b>	<b>Geese, Canada</b>				10
		<b>Killdeers</b>				20
<b>Dog</b>	<b>Intentional</b>	<b>Geese, Canada</b>				741
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	<b>Starlings, European</b>	98,863			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	10			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	<b>Starlings, European</b>	4,500			
<b>Effigy, Vulture</b>	<b>Intentional</b>	<b>Vultures, Black</b>				340

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Effigy, Vulture</b>						
	<b>Intentional</b>	<b>Vultures, Turkey</b>				147
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>	<b>Geese, Canada</b>				1,566
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>	<b>Crows, American</b>				30
		<b>Vultures, Turkey</b>				5
<b>Firearms</b>						
	<b>Intentional</b>	<b>Beavers</b>	1			
		<b>Blackbirds, Red-Winged</b>	9			490
		<b>Cats, Feral/Free Ranging</b>	29			
		<b>Cormorants, Double-Crested</b>	35			160
		<b>Cowbirds, Brown-Headed</b>	7			450
		<b>Coyotes</b>	7			2
		<b>Crows, American</b>	35			165
		<b>Crows, Fish</b>				25
		<b>Deer, White-Tailed (Wild)</b>	47			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Doves, Mourning	209			115
		Ducks, American Black				10
		Ducks, Mallards	62			205
		Ducks, Teal, Green-Winged				8
		Falcons, American Kestrels	14			13
		Foxes, Red	24			2
		Geese, Canada	533			1,730
		Geese, Feral	4			
		Grackles, Common	6			1,000
		Gulls, Black-Backed, Greater	6			240
		Gulls, Herring	50			1,302
		Gulls, Laughing	24			1,330
		Gulls, Ring-Billed	16			393
		Hawks, Harrier, Northern (Marsh Hawks)	3			
		Hawks, Red-Tailed	35			33
		Hawks, Sharp-Shinned	1			
		Hérons, Great Blue	9			7
		Killdeers	86			54

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All)	265			
		Meadowlarks, Eastern	3			
		Mockingbirds, Northern	3			
		Opossums, Virginia	3			
		Pheasants, Ring-Necked	2			
		Pigeons, Feral (Rock)	49			25
		Rabbits, Cottontail	47			
		Raccoons	17			
		Ravens, Common				10
		Robins, American	35			115
		Skunks, Striped	12			
		Starlings, European	1,019			35,132
		Swallows, Barn	15			
		Swans, Mute	28			89
		Turkeys, Wild	41			74
		Vultures, Black	44			664
		Vultures, Turkey	10			106
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	<b>Marmots/Woodchucks (All) (Burrow/De</b>		150		
<b>Glue Boards</b>	<b>Intentional</b>	<b>Sparrows, House/English</b>	1			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	<b>Bats (All)</b>	1			
		<b>Cats, Feral/Free Ranging</b>	2			
		<b>Coyotes</b>	1			
		<b>Deer, White-Tailed (Wild)</b>			1	
		<b>Ducks, Feral</b>			2	
		<b>Ducks, Mallards</b>	1			
		<b>Foxes, Red</b>	2			
		<b>Geese, Canada</b>	607			
		<b>Hawks, Red-Tailed</b>	1		1	
		<b>Hérons, Great Blue</b>	1			1
		<b>Pigeons, Feral (Rock)</b>	6			
		<b>Raccoons</b>	7			
		<b>Robins, American</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Skunks, Striped	1			
		Sparrows, House/English	13			
		Starlings, European	24			
		Swallows, Barn	36			
	<b>Unintentional</b>					
		Hawks, Red-Tailed			1	
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Crows, American				113,000
		Geese, Canada				3,479
		Starlings, European				1,500
<b>Nets, Mist</b>						
	<b>Intentional</b>					
		Starlings, European	2			
		Swallows, Barn	2			
<b>Night Vision/Infrared Equipment</b>						
	<b>Intentional</b>					
		Deer, White-Tailed (Wild)	2			
		Foxes, Red	1			
		Swine, Feral	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>	<b>Intentional</b>	Geese, Canada				786
		Gulls, Ring-Billed				30
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Crows, American				20
		Geese, Canada				1,692
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)				60
		Blackbirds, Red-Winged				2,233
		Bobolinks				105
		Coots, American				4
		Cormorants, Double-Crested				23
		Cowbirds, Brown-Headed				13,436
		Coyotes				1
		Crows, American				111,249
		Crows, Fish				100
		Doves, Mourning				2,252
		Ducks, American Black				75

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Mallards				800
		Ducks, Northern Shoveler				65
		Ducks, Teal, Green-Winged				88
		Ducks, Wood				1
		Eagles, Bald				7
		Egrets, Cattle				8
		Egrets, Great				2
		Falcons, American Kestrels				55
		Foxes, Red				4
		Geese, Canada				24,845
		Geese, Feral				1
		Geese, Snow, Greater				3,575
		Grackles, Common				1,177
		Gulls, Black-Backed, Greater				758
		Gulls, Herring				1,874
		Gulls, Laughing				2,525
		Gulls, Ring-Billed				2,065
		Hawks, Broad-Winged				200

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				15
		Hawks, Red-Tailed				214
		Hérons, Great Blue				49
		Killdeers				254
		Larks, Horned				83
		Meadowlarks, Eastern				7
		Ospreys				5
		Pigeons, Feral (Rock)				102
		Robins, American				320
		Starlings, European				73,763
		Swallows, Barn				1,876
		Swallows, Tree				50
		Swans, Mute				7
		Swans, Tundra				1
		Swifts (All)				50
		Vultures, Black				92
		Vultures, Turkey				337
<b>Snares, Neck</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	<b>Intentional</b>					
		Coyotes	10			
		Foxes, Red	2			
		Marmots/Woodchucks (All)	1			
		Raccoons	2			
<b>Spotlight</b>	<b>Intentional</b>					
		Cats, Feral/Free Ranging	9			
		Coyotes	1			
		Deer, White-Tailed (Wild)	663			
		Foxes, Red	12			
		Geese, Canada	2			
		Opossums, Virginia	12			
		Rabbits, Cottontail	47			
		Raccoons	1			
		Skunks, Striped	1			
		Turkeys, Wild	1			
<b>Traps, Body Grip</b>	<b>Intentional</b>					
		Beavers	1			
		Marmots/Woodchucks (All)	111			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Opossums, Virginia	1				
		Rabbits, Cottontail	1				
		Raccoons	1				
		Skunks, Striped	1				
	<b>Unintentional</b>	Cats, Feral/Free Ranging	1				
		Coyotes	1				
		Opossums, Virginia	4				
		Rabbits, Cottontail	3				
		Raccoons	1				
		Skunks, Striped	3				
	<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	40		6	
			Crows, American	2			
			Deer, White-Tailed (Wild)	9			
Marmots/Woodchucks (All)			32				
Opossums, Virginia			4		3		
Pigeons, Feral (Rock)			50				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>					
		Raccoons	263		791	
		Skunks, Striped	11		3	
		Sparrows, House/English	40			
		Squirrels, Eastern Gray	3			
	<b>Unintentional</b>					
		Cardinals, Northern			1	
		Catbirds, Gray			1	
		Cats, Feral/Free Ranging			24	
		Jays, Blue			1	
		Marmots/Woodchucks (All)			47	
		Opossums, Virginia			151	
		Rabbits, Cottontail			6	
		Raccoons			1	
		Rats, Black (Roof)			1	
		Rats, Norway			10	
		Squirrels, Eastern Gray			4	
		Squirrels, Fox			1	
		Squirrels, Red	1			
		Turtles, Painted			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	<b>Blackbirds, Red-Winged</b>	102				
		<b>Cowbirds, Brown-Headed</b>	72				
		<b>Falcons, American Kestrels</b>	3				
		<b>Grackles, Common</b>	2				
		<b>Pigeons, Feral (Rock)</b>	71				
		<b>Starlings, European</b>	1,152				
	<b>Unintentional</b>	<b>Mockingbirds, Northern</b>				4	
		<b>Sparrows, Song</b>				2	
	<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Geese, Canada</b>	999			
			<b>Geese, Feral</b>	3			
<b>Swine, Feral</b>			1				
<b>Traps, Foothold</b>		<b>Intentional</b>	<b>Beavers</b>	1			
<b>Cats, Feral/Free Ranging</b>	1						
<b>Coyotes</b>	4						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Foxes, Red	4			
		Opossums, Virginia	2			
		Raccoons	3			
	<b>Unintentional</b>					
		Foxes, Gray			2	
		Foxes, Red			4	
		Opossums, Virginia			1	
		Raccoons	1			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Doves, Mourning			24	
		Raccoons	12			
		Starlings, European	37			
		Swallows, Tree	5			
	<b>Unintentional</b>					
		Doves, Mourning	2			
<b>Traps, Pole</b>						
	<b>Intentional</b>					
		Falcons, American Kestrels	1			
		Hawks, Red-Tailed	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Swedish Goshawk)</b>						
	<b>Intentional</b>					
		Hawks, Cooper`s	1			
		Hawks, Red-Tailed	2			
<b>Traps, Suitcase</b>						
	<b>Intentional</b>					
		Woodpeckers, Downy	2			
	<b>Unintentional</b>					
		Titmouse, Tufted	1			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				117
		Cats, Feral/Free Ranging				30
		Cormorants, Double-Crested				3
		Cowbirds, Brown-Headed				1,077
		Coyotes				2
		Crows, American				1,167
		Deer, White-Tailed (Wild)				12
		Doves, Mourning				2,264
		Ducks, American Black				11
		Ducks, Mallards				326

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Northern Shoveler				8
		Ducks, Teal, Green-Winged				10
		Ducks, Wood				6
		Egrets, Great				2
		Falcons, American Kestrels				113
		Falcons, Merlin				1
		Foxes, Red				69
		Geese, Canada				8,882
		Geese, Snow, Greater				2,220
		Grackles, Common				6
		Grebes, Pied-Billed				1
		Gulls, Black-Backed, Greater				95
		Gulls, Herring				288
		Gulls, Laughing				50
		Gulls, Ring-Billed				294
		Hawks, Cooper`s				2
		Hawks, Goshawk, Northern				1
		Hawks, Harrier, Northern (Marsh Hawks				16

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed				398
		Hawks, Sharp-Shinned				2
		Hérons, Great Blue				43
		Hérons, Green				4
		Killdeers				363
		Larks, Horned				184
		Marmots/Woodchucks (All)				38
		Meadowlarks, Eastern				4
		Pigeons, Feral (Rock)				112
		Rabbits, Cottontail				9
		Ravens, Common				13
		Robins, American				188
		Skunks, Striped				2
		Starlings, European				10,262
		Swallows, Barn				122
		Swans, Mute				2
		Swifts (All)				4
		Turkeys, Wild				12

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		<b>Vultures, Black</b>				7
		<b>Vultures, Turkey</b>				135
		<b>Total Take for PA</b>	110,766	150	1,094	441,107

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*