

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Tablets: 20 Mg</b>	Unintentional	Geese, Canada	1			
<b>A/C Tablets: 40 Mg</b>	Intentional	Ducks, Feral	30			
		Ducks, Mallards			11	
	Unintentional	Geese, Canada	1			
		Ducks, Mallards	1			
<b>A/C Tablets: 60 Mg</b>	Intentional	Ducks, Feral	17			
	Unintentional	Geese, Canada			38	
		Geese, Canada	1			
<b>Avitrol:-4 Mixed Grains</b>	Intentional	Sparrows, House/English	30			
<b>Calling Device, Electronic</b>	Intentional	Bobcats	20			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	Coyotes	181			
		Crows, American	13			
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Foxes, Gray	166			
		Foxes, Red	3			
		Raccoons	39			
		Swine, Feral	9			
		<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	Bobcats	22	
Coyotes	444					
Dogs, Feral, Free-Ranging And Hybrids	4					
Foxes, Gray	35					
Foxes, Red	6					
Raccoons	5					
Skunks, Striped	1					
Swine, Feral	2					
<b>Car/Truck</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Coyotes				7
		Cranes, Sandhill				27
		Deer, White-Tailed (Wild)				11
		Dogs, Feral, Free-Ranging And Hybrids				6
		Hawks, Red-Tailed				2
<b>Compound 1080 Lp Collar (Tx)</b>	<b>Intentional</b>	Coyotes	25			
<b>DRC-1339 Eggs</b>	<b>Intentional</b>	Crows, American	1			
		Ravens, Common	208			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	Starlings, European	40,000			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	Blackbirds, Red-Winged	139,627			
		Cowbirds, Brown-Headed	535,907			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Grackles, Common</b>	30,932			
		<b>Grackles, Great-Tailed</b>	7,345			
		<b>Starlings, European</b>	2,414			
	<b>Unintentional</b>					
		<b>Doves, Mourning</b>	7			
<b>DRC-1339-Tx SLN (Birds)</b>						
	<b>Intentional</b>					
		<b>Grackles, Great-Tailed</b>	2,520			
		<b>Starlings, European</b>	1,596			
<b>DRC-1339-Tx SLN (Feedlot)</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	40,000			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				500
		<b>Caracaras</b>				5
		<b>Coyotes</b>				1
		<b>Doves, Mourning</b>				49
		<b>Doves, White-Winged</b>				325

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		Egrets, Cattle				37
		Falcons, American Kestrels				5
		Grackles, Great-Tailed				100
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-Tailed				1
		Meadowlarks, Western				30
		Starlings, European				105
		Vultures, Black				16
		Vultures, Turkey				10
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				27,050
		Blackbirds, Red-Winged				1,000
		Doves, Mourning				165
		Ducks, Northern Pintail				1,150
		Flycatchers, Scissor-Tailed				12
		Grackles, Boat-Tailed				80
		Grackles, Common				585
		Gulls, Laughing				215

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Herons, Great Blue				14
		Larks, Horned				445
		Meadowlarks, Eastern				130
		Ospreys				3
		Starlings, European				120
		Swallows, Barn				127
		Swallows, Cliff				240
		Terns, Least				30
		Vultures, Black				16
		Vultures, Turkey				10
<b>Firearms</b>						
	<b>Intentional</b>					
		Badgers	1			
		Beavers	473			
		Blackbirds, (Mixed Species)				4,000
		Blackbirds, Red-Winged	242			3,104
		Bobcats	77			
		Caracaras	20			16

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging	5			
		Cormorants, Double-Crested				42
		Cowbirds, Brown-Headed				20
		Coyotes	596			5
		Cranes, Sandhill				30
		Crows, American	5			
		Curlews, Long-Billed	4			49
		Deer, White-Tailed (Captive)	20			
		Deer, White-Tailed (Wild)	5			1
		Dogs, Feral, Free-Ranging And Hybrids	21			
		Doves, Mourning	743			1,283
		Doves, White-Winged	120			1,055
		Ducks, Gadwall				4
		Ducks, Mallards	4			45
		Ducks, Mottled	4			
		Ducks, Northern Pintail	15			1,430
		Ducks, Northern Shoveler				100
		Ducks, Ring-Necked	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Ducks, Ruddy	5			
		Ducks, Whistling, Black-Bellied	5			5
		Ducks, Wigeon, American	8			15
		Egrets, Cattle	43			29
		Egrets, Great	3			12
		Egrets, Snowy	1			10
		Falcons, American Kestrels	49			418
		Flycatchers, Scissor-Tailed	58			81
		Foxes, Gray	53			
		Foxes, Red	10			
		Geese, Canada	2			
		Geese, Snow, Lesser	7			
		Grackles, Boat-Tailed	42			
		Grackles, Common	113			228
		Grackles, Great-Tailed	846			320
		Grebes, Eared	1			
		Gulls, Herring	8			215
		Gulls, Laughing	175			1,542

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Hares, Jackrabbits (Other)	96			
		Hawks, Red-Tailed	2			8
		Hawks, Swainson`s	58			804
		Hérons, Great Blue	31			193
		Jackrabbits, Black Tailed	4			
		Killdeers	69			34
		Kingbirds, Western	173			
		Kites, Mississippi	36			
		Larks, Horned	36			96
		Lions, Mountain (Cougar)	25			
		Meadowlarks, Eastern	384			894
		Meadowlarks, Western	83			560
		Nighthawks (All)	25			
		Nutrias	44			
		Opossums, Virginia	3			
		Peccaries, Collared (Javelina)	1			
		Pigeons, Feral (Rock)	477			36
		Rabbits, Cottontail	8			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Raccoons	94			
		Ravens, Common	1			
		Sandpipers, Upland	175			144
		Sheep, Feral, Free-Ranging And Exotics	1			
		Skunks, Striped	74			
		Sparrows, House/English	26			
		Squirrels, Eastern Gray	1			
		Squirrels, Ground, Other	138			
		Starlings, European	69			113
		Swallows, Barn	19			1,153
		Swallows, Cliff	2			170
		Swine, Feral	1,945			
		Terns, Least	3			80
		Turkeys, Wild	1			
		Vultures, Black	579			396
		Vultures, Turkey	208			1,772
		Woodpeckers, Golden-Fronted	2			
<b>Fixed Wing</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Fixed Wing</b>	<b>Intentional</b>	<b>Bobcats</b>	3			
		<b>Coyotes</b>	1,059			
		<b>Swine, Feral</b>	1,184			
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	<b>Coyotes</b>	6			
		<b>Foxes, Red</b>	9			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>	1			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			1	
<b>Helicopter</b>	<b>Intentional</b>	<b>Bobcats</b>	91			
		<b>Coyotes</b>	1,313			
		<b>Foxes, Gray</b>	10			
		<b>Foxes, Red</b>	7			
		<b>Sheep, Feral, Free-Ranging And Exotics</b>	2			
		<b>Swine, Feral</b>	8,808			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Lights (All)</b>						
	<b>Intentional</b>					
		<b>Swallows, Barn</b>				100
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	5,892			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	39			
		<b>Foxes, Gray</b>	410			
		<b>Foxes, Red</b>	112			
	<b>Unintentional</b>					
		<b>Bobcats</b>	2			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	1			
		<b>Opossums, Virginia</b>	8			
		<b>Peccaries, Collared (Javelina)</b>	1			
		<b>Raccoons</b>	112			
		<b>Ravens, Common</b>	1			
		<b>Ringtails</b>	4			
		<b>Skunks, Hog-Nosed</b>	1			
		<b>Skunks, Striped</b>	5			
		<b>Swine, Feral</b>	4			
		<b>Vultures, Turkey</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Cannon/Rocket</b>	<b>Intentional</b>	Ducks, Teal, Blue-Winged			18	
		Ducks, Teal, Green-Winged			22	
<b>Nets, Mist</b>	<b>Intentional</b>	Grackles, Great-Tailed	2			
		Starlings, European	4			
<b>Nets, Other</b>	<b>Intentional</b>	Ducks, Feral	60			
<b>Night Vision/Infrared Equipment</b>	<b>Intentional</b>	Beavers	97			
		Coyotes	38			
		Skunks, Striped	1			
		Swine, Feral	752			
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)				1,185
		Caracaras				13

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Coyotes				2
		Cranes, Sandhill				100
		Curlews, Long-Billed				50
		Doves, Mourning				320
		Doves, White-Winged				12,626
		Ducks, Gadwall				2
		Ducks, Mallards				36
		Ducks, Northern Pintail				1,030
		Ducks, Wigeon, American				202
		Egrets, Cattle				316
		Egrets, Great				5
		Falcons, American Kestrels				72
		Flycatchers, Scissor-Tailed				20
		Grackles, Boat-Tailed				500
		Grackles, Common				385
		Grackles, Great-Tailed				1,130
		Gulls, Laughing				3,762
		Gulls, Ring-Billed				30

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				19
		Hawks, Swainson`s				564
		Hérons, Great Blue				205
		Ibises, White				125
		Killdeers				5
		Meadowlarks, Eastern				120
		Meadowlarks, Western				157
		Ospreys				8
		Starlings, European				1,245
		Swallows, Barn				2,625
		Swallows, Cliff				1,950
		Terns, Least				90
		Vultures, Black				413
		Vultures, Turkey				1,667
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	9			
		Beavers	154			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Bobcats</b>	547			
		<b>Coyotes</b>	8,879		10	
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	99			
		<b>Foxes, Gray</b>	289			
		<b>Foxes, Red</b>	105			
		<b>Lions, Mountain (Cougar)</b>	1			
		<b>Nutrias</b>	20			
		<b>Otters, River</b>	1			
		<b>Porcupines</b>	5			
		<b>Raccoons</b>	654			
		<b>Sheep, Feral, Free-Ranging And Exotics</b>	2			
		<b>Skunks, Striped</b>	14			
		<b>Swine, Feral</b>	4,077			
		<b>Vultures, Turkey</b>	2			
	<b>Unintentional</b>	<b>Armadillos, Nine-Banded</b>	10			
		<b>Badgers</b>	72		5	
		<b>Beavers</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Unintentional</b>	Bobcats	5				
		Deer, Axis	1				
		Deer, Fallow				1	
		Deer, Mule	1				
		Deer, White-Tailed (Captive)	1				
		Deer, White-Tailed (Wild)	66			10	
		Dogs, Feral, Free-Ranging And Hybrids	7			3	
		Foxes, Gray	5				
		Foxes, Red	3				
		Goats, Feral	2				
		Hares, Jackrabbits (Other)	1				
		Jackrabbits, Black Tailed	4				
		Nutrias	1				
		Opossums, Virginia	1				
		Otters, River	1				
		Peccaries, Collared (Javelina)	149			2	
		Porcupines	120			2	
		Rabbits, Cottontail	4				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Raccoons	58			
		Skunks, Gulf Coast Hog-Nosed	1			
		Skunks, Hog-Nosed	1			
		Skunks, Striped	3			
		Swine, Feral	3			
		Turkeys, Wild	2			
		Turtles, Common Snapping	2			
		Vultures, Black	3			
		<b>Sodium Pentobarbital (390 Mg/MI)</b>	<b>Intentional</b>	Opossums, Virginia	1	
Raccoons	2					
Skunks, Striped	3					
<b>Spotlight</b>	<b>Intentional</b>	Beavers	387			
		Bobcats	1			
		Cormorants, Double-Crested	2			
		Coyotes	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Spotlight</b>	<b>Intentional</b>	Hares, Jackrabbits (Other)	10			
		Hérons, Night, Yellow-Crowned	4			
		Nutrias	22			
		Opossums, Virginia	4			
		Pigeons, Feral (Rock)	277			
		Raccoons	47			
		Skunks, Striped	90			
		Sparrows, House/English	25			
		Swine, Feral	37			
		<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	1,347	
Nutrias	91					
Otters, River	41					
Raccoons	2					
Squirrels, Fox	2					
<b>Unintentional</b>	Nutrias		5			
	Otters, River		48			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Raccoons	4			
		Turtles Other	61		3	
		Turtles, Common Snapping	36		3	
<b>Traps, Cage</b>	<b>Intentional</b>	Armadillos, Nine-Banded	8			
		Bobcats	10			
		Caracaras	2			
		Cats, Feral/Free Ranging	5		2	
		Coyotes	4			
		Dogs, Feral, Free-Ranging And Hybrids				1
		Foxes, Gray	5			
		Foxes, Red	1			
		Opossums, Virginia	41			
		Peccaries, Collared (Javelina)	17			
		Pigeons, Feral (Rock)	5			
		Raccoons	350			
		Skunks, Striped	55			
		Squirrels, Fox	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Squirrels, Rock	5				
		Swine, Feral	3,838				
		Vultures, Black	1,969				
		Vultures, Turkey	18			1	
	<b>Unintentional</b>	Caracaras	1			2	
		Cats, Feral/Free Ranging	1			2	
		Deer, White-Tailed (Wild)	1			4	
		Opossums, Virginia	6				
		Peccaries, Collared (Javelina)	4				
		Raccoons	20			1	
		Skunks, Striped	1				
		Squirrels, Fox				1	
		Vultures, Black	1				
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	62				
		Bobcats	300				
		Coyotes	728				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Dogs, Feral, Free-Ranging And Hybrids</b>	10			
		<b>Foxes, Gray</b>	419			
		<b>Foxes, Red</b>	21			
		<b>Lions, Mountain (Cougar)</b>	6			
		<b>Nutrias</b>	4			
		<b>Opossums, Virginia</b>	15			
		<b>Raccoons</b>	585			
		<b>Sheep, Feral, Free-Ranging And Exotics</b>	5			
		<b>Skunks, Striped</b>	61			
		<b>Swine, Feral</b>	38			
	<b>Unintentional</b>	<b>Badgers</b>	13			
		<b>Bobcats</b>	1			
		<b>Cats, Feral/Free Ranging</b>	1			
		<b>Deer, Mule</b>				1
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	1			
		<b>Goats, Feral</b>				1
		<b>Opossums, Virginia</b>	12			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Unintentional</b>					
		Peccaries, Collared (Javelina)	10			
		Porcupines	13			
		Rabbits, Cottontail	1			
		Raccoons	34			
		Skunks, Striped	4			
		Swine, Feral	1			
		Vultures, Black	1			
<b>Traps, Foothold (Padded)</b>						
	<b>Intentional</b>					
		Bobcats			11	
		Coyotes	17		14	
		Foxes, Gray	15		19	
		Raccoons	18			
		Skunks, Striped	9			
		Swine, Feral	2			
<b>Traps, Gopher</b>						
	<b>Intentional</b>					
		Gophers, Pocket (All)	336			
<b>Traps, Raptor (Other)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Hawks, Swainson`s			2	
		Ospreys			1	
<b>Vehicles (All)</b>	<b>Intentional</b>	Caracaras				2
		Cormorants, Double-Crested				8
		Cowbirds, Brown-Headed				500
		Coyotes				4
		Dogs, Feral, Free-Ranging And Hybrids				2
		Doves, Mourning				1,065
		Ducks, Bufflehead				18
		Ducks, Gadwall				35
		Ducks, Mallards				18
		Ducks, Northern Shoveler				241
		Ducks, Ring-Necked				10
		Ducks, Ruddy				60
		Ducks, Scaup, Lesser				80
		Ducks, Teal, Blue-Winged				10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Wigeon, American				22
		Egrets, Great				1
		Egrets, Snowy				10
		Falcons, American Kestrels				141
		Flycatchers, Scissor-Tailed				66
		Grackles, Great-Tailed				350
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				3
		Hawks, Red-Tailed				1
		Hawks, Swainson`s				15
		Hérons, Great Blue				3
		Larks, Horned				383
		Meadowlarks, Eastern				229
		Pigeons, Feral (Rock)				4
		Starlings, European				115
		Swallows, Barn				20
		Turkeys, Wild				6
		Vultures, Turkey				10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2010**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Zinc Phosphide Conc. (Rodents/Lago.)</b>						
	<b>Intentional</b>					
		<b>Mice, Deer (All)</b>	115			
		<b>Nutrias</b>	52			
		<b>Squirrels, Ground, Other</b>	20			
		<b>Total Take for TX</b>	857,571		192	87,658

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*