

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
A/C Powder	Intentional	Coots, American	805				
		Ducks, Mallards	17				
	Unintentional	Ducks, Mallards	5		18		
		Ducks, Wigeon, American			3		
	A/C Tablets: 20 Mg	Intentional	Ducks, Feral	29			
A/C Tablets: 40 Mg	Intentional	Ducks, Feral	20				
Bombs/Bangers	Intentional	Avocets, American				431	
		Blackbirds, (Mixed Species)				2,145	
		Blackbirds, Brewer`s				1,018	
		Blackbirds, Red-Winged				78	
		Coots, American				1,683	
		Cormorants, Double-Crested				159	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Cowbirds, Brown-Headed				52
		Coyotes				4
		Crows, American				23
		Curlews, Long-Billed				1,172
		Doves, Mourning				318
		Dowitchers, Short-Billed				947
		Ducks, Bufflehead				4
		Ducks, Gadwall				379
		Ducks, Mallards				1,573
		Ducks, Merganser Common				3
		Ducks, Northern Pintail				3,295
		Ducks, Northern Shoveler				5,066
		Ducks, Ruddy				53
		Ducks, Scaup, Greater				30
		Ducks, Scaup, Lesser				12
		Ducks, Teal, Blue-Winged				24
		Ducks, Teal, Cinnamon				50
		Ducks, Teal, Green-Winged				336
		Ducks, Wigeon, American				462

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Egrets, Great				605
		Egrets, Snowy				439
		Falcons, American Kestrels				53
		Falcons, Peregrine				1
		Falcons, Prairie				1
		Finches, House				20
		Geese, Canada				1,063
		Geese, Ross`s				6
		Geese, Snow, Lesser				7,112
		Geese, White-Fronted, Greater				77
		Godwits, Marbled				1,707
		Gulls, California				558
		Gulls, Heermann`s				70
		Gulls, Herring				31
		Gulls, Mew				65
		Gulls, Ring-Billed				86
		Gulls, Western				349
		Hawks, Ferruginous				5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers	Intentional	Hawks, Harrier, Northern (Marsh Hawks)				52
		Hawks, Red-Tailed				244
		Hawks, Swainson`s				82
		Hérons, Great Blue				119
		Hérons, Night, Black-Crowned				45
		Ibises, White-Faced				255
		Killdeers				864
		Kingbirds, Western				3
		Kites, White-Tailed				18
		Larks, Horned				1,816
		Meadowlarks, Western				4,671
		Mockingbirds, Northern				2
		Ospreys				6
		Owls, Great Horned				3
		Pelicans, American White				19
		Pelicans, Brown				5
		Pheasants, Ring-Necked				3
		Pigeons, Feral (Rock)				24
		Pipits, American				5,563

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Plovers, Semipalmated				17
		Ravens, Common				35
		Sandpipers, Least				60
		Sandpipers, Western				687
		Shrikes, Loggerhead				6
		Sparrows, House/English				220
		Sparrows, Savannah				60
		Starlings, European				13,330
		Stilts, Black-Necked				312
		Swallows, Barn				859
		Swallows, Cliff				4,411
		Swallows, Tree				4,173
		Swallows, Violet-Green				1,934
		Terns, Caspian				23
		Terns, Forster`s				223
		Vultures, Turkey				470
		Willetts				195
		Yellowlegs, Greater				13

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Calling Device, Electronic	Intentional	Bobcats	6			
		Coyotes	742			
		Crows, American	14			
		Foxes, Gray	2			
		Ravens, Common				2
		Vultures, Turkey				1
Calling Device, Manual(Hand,Blown)	Intentional	Bobcats	3			
		Coyotes	275			
		Foxes, Red	1			
Capa Cartridges	Intentional	Cormorants, Double-Crested				3
		Ducks, Mallards				111
		Ducks, Northern Pintail				26
		Ducks, Northern Shoveler				320
		Ducks, Teal, Cinnamon				50
		Ducks, Wigeon, American				50

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Capa Cartridges	Intentional	Egrets, Great				74
		Egrets, Snowy				1
		Geese, Canada				142
		Gulls, California				435
		Gulls, Western				19
		Hawks, Red-Tailed				16
		Hérons, Great Blue				5
		Pelicans, American White				62
		Vultures, Turkey				35
		Catch Pole	Intentional	Cats, Feral/Free Ranging	2	
Deer, Black-Tailed	1					
Dogs, Feral, Free-Ranging And Hybrids						1
Foxes, Gray	2					2
Opossums, Virginia	8					
Porcupines						1
Raccoons	16					2
Skunks, Striped	8					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Avocets, American				1,023
		Birds, Unidentifiable				100
		Blackbirds, (Mixed Species)				3,150
		Blackbirds, Brewer`s				25,605
		Bluebirds, Mountain				2
		Coots, American				4,157
		Cormorants, Double-Crested				151
		Coyotes				4
		Cranes, Sandhill				50
		Crows, American				136
		Curlews, Long-Billed				46
		Doves, Mourning				8
		Ducks, Bufflehead				29
		Ducks, Gadwall				679
		Ducks, Mallards				1,069
		Ducks, Northern Pintail				6,489
		Ducks, Northern Shoveler				5,562
		Ducks, Ruddy				195

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Ducks, Scaup, Greater				25
		Ducks, Teal, Cinnamon				110
		Ducks, Teal, Green-Winged				38
		Ducks, Wigeon, American				3,263
		Ducks, Wood				5
		Eagles, Bald				3
		Egrets, Great				738
		Egrets, Snowy				1,091
		Falcons, American Kestrels				23
		Falcons, Merlin				1
		Falcons, Prairie				3
		Geese, Cackling				8
		Geese, Canada				680
		Geese, Snow, Lesser				140
		Geese, White-Fronted, Greater				30,666
		Godwits, Marbled				39
		Grebes, Pied-Billed				1
		Gulls, California				2,795
		Gulls, Glaucous-Winged				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Gulls, Herring				100
		Gulls, Ring-Billed				1,266
		Gulls, Western				435
		Hawks, Cooper`s				1
		Hawks, Ferruginous				11
		Hawks, Harrier, Northern (Marsh Hawks)				24
		Hawks, Red-Tailed				526
		Hawks, Swainson`s				114
		Hérons, Great Blue				129
		Hérons, Night, Black-Crowned				7
		Ibises, White-Faced				1,065
		Killdeers				93
		Kingbirds, Western				6
		Kites, White-Tailed				7
		Larks, Horned				260
		Meadowlarks, Western				884
		Ospreys				10
		Pelicans, American White				480

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Pelicans, Brown				22
		Phoebes, Say`s				1
		Pigeons, Feral (Rock)				867
		Pipits, American				1,300
		Ravens, Common				12
		Sandpipers, Western				5,715
		Sparrows, Savannah				40
		Starlings, European				28,040
		Stilts, Black-Necked				2,404
		Swallows, Barn				20
		Swallows, Cliff				675
		Swallows, Tree				455
		Swallows, Violet-Green				30
		Swans, Tundra				301
		Terns, Forster`s				133
		Vultures, Turkey				1,052
		Willetts				105
		Yellowlegs, Greater				176
Dog						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Dog						
	Intentional					
		Avocets, American				4
		Bears, Black				3
		Blackbirds, Brewer`s				233
		Blackbirds, Red-Winged				43
		Cats, Feral/Free Ranging				1
		Coots, American				623
		Curlews, Long-Billed				755
		Doves, Mourning				34
		Ducks, Gadwall				8
		Ducks, Mallards				114
		Ducks, Teal, Cinnamon				15
		Egrets, Great				22
		Egrets, Snowy				30
		Falcons, American Kestrels				2
		Geese, Canada				55
		Geese, Snow, Lesser				1
		Geese, White-Fronted, Greater				7
		Godwits, Marbled				200

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Dog						
	Intentional					
		Hawks, Red-Tailed				1
		Hérons, Great Blue				6
		Hérons, Night, Black-Crowned				10
		Ibises, White-Faced				909
		Killdeers				9
		Larks, Horned				169
		Lions, Mountain (Cougar)				3
		Meadowlarks, Western				28
		Sandpipers, Western				82
		Starlings, European				772
		Stilts, Black-Necked				6
	Unintentional					
		Coots, American	2			
		Lions, Mountain (Cougar)	2			
DRC-1339 Eggs						
	Intentional					
		Crows, American	82			
		Ravens, Common	114			
DRC-1339-Feedlots						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339-Feedlots						
	Intentional					
		Blackbirds, Brewer`s	850			
		Blackbirds, Red-Winged	300			
		Cowbirds, Brown-Headed	450			
		Starlings, European	11,100			
DRC-1339-Livestock/Nest/Fodder						
	Intentional					
		Crows, American	3			
		Ravens, Common	2			
Drug Delivery Devices (Other)						
	Intentional					
		Coyotes	1			
		Deer, Mule			34	
		Lions, Mountain (Cougar)			8	
		Raccoons	6			
Electronic Harassment Devices (Other)						
	Intentional					
		Blackbirds, Brewer`s				250
		Coots, American				150
		Ducks, Bufflehead				93

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Electronic Harassment Devices (Other)						
	Intentional					
		Ducks, Mallards				4
		Ducks, Redhead				61
		Ducks, Ruddy				20
		Ducks, Teal, Cinnamon				4
		Ducks, Wigeon, American				16
		Egrets, Great				5
		Hawks, Red-Tailed				3
Exploders, Gas (All)						
	Intentional					
		Blackbirds, Red-Winged				10,000
		Curlews, Long-Billed				175
		Godwits, Marbled				450
		Ibises, White-Faced				315
		Meadowlarks, Western				150
Firearms						
	Intentional					
		Alligators, American	1			
		Avocets, American	3			58
		Badgers	8			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Bears, Black	25			
		Beavers	222			
		Blackbirds, (Mixed Species)	2			81
		Blackbirds, Brewer`s	51			316
		Blackbirds, Red-Winged	3,470			61,448
		Bluebirds, Western	1			
		Bobcats	12			
		Cats, Feral/Free Ranging	31			
		Chukars	20			60
		Coots, American	214			523
		Cormorants, Double-Crested	15			46
		Cormorants, Pelagic	2			
		Cowbirds, Brown-Headed	2			53
		Coyotes	2,487			2
		Crows, American	602			540
		Curlews, Long-Billed	5			546
		Deer, Black-Tailed	1			
		Dogs, Feral, Free-Ranging And Hybrids	26			
		Doves, Collared, Eurasian	42			30

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Doves, Mourning	1,293			1,317
		Ducks, Bufflehead	2			10
		Ducks, Gadwall	3			20
		Ducks, Mallards	537			967
		Ducks, Northern Pintail	2			111
		Ducks, Northern Shoveler	29			2,666
		Ducks, Redhead	2			20
		Ducks, Ruddy	19			40
		Ducks, Scaup, Greater	15			65
		Ducks, Scaup, Lesser	1			29
		Ducks, Teal, Blue-Winged				45
		Ducks, Teal, Cinnamon	27			23
		Ducks, Teal, Green-Winged	4			172
		Ducks, Wigeon, American	1			8
		Egrets, Cattle	1			1
		Egrets, Great	27			396
		Egrets, Snowy	183			492
		Falcons, American Kestrels	14			9

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Falcons, Merlin				1
		Finches, House	4			400
		Fowl, Pea	1			
		Foxes, Gray	9			
		Foxes, Red	13			
		Geese, Cackling	1			
		Geese, Canada	154			505
		Geese, Ross`s	4			
		Geese, Snow, Lesser				32
		Geese, White-Fronted, Greater	4			59
		Godwits, Marbled	1			448
		Gulls, California	232			1,515
		Gulls, Glaucous-Winged	5			7
		Gulls, Heermann`s	6			
		Gulls, Herring	5			10
		Gulls, Mew	37			133
		Gulls, Ring-Billed	3			
		Gulls, Western	425			1,287
		Hawks, Cooper`s	10			5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Hawks, Ferruginous	2			
		Hawks, Harrier, Northern (Marsh Hawks)	11			11
		Hawks, Red-Tailed	76			372
		Hawks, Swainson`s	17			8
		Hérons, Great Blue	18			134
		Hérons, Green				1
		Hérons, Night, Black-Crowned	12			120
		Ibises, White-Faced	17			120
		Jackrabbits, Black Tailed	451			6
		Killdeers	43			390
		Kites, White-Tailed	1			
		Larks, Horned	10			592
		Lions, Mountain (Cougar)	65			
		Marmots/Woodchucks (All)	134			
		Meadowlarks, Western	188			1,922
		Muskrats	119			
		Opossums, Virginia	3			
		Owls, Common Barn	10			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Owls, Great Horned	1			
		Pelicans, American White				210
		Pelicans, Brown				20
		Pigeons, Feral (Rock)	5,609			364
		Pipits, American	1			30
		Rabbits, Cottontail	49			
		Rabbits, Desert Cottontail	99			38
		Raccoons	46			
		Ravens, Common	278			72
		Sandpipers, Least				140
		Skunks, Striped	146			1
		Sparrows, House/English	1			165
		Squirrels, Fox	1			
		Squirrels, Ground, California	2,181			
		Squirrels, Western Gray	2			
		Starlings, European	985			11,807
		Stilts, Black-Necked	51			103
		Swallows, Barn				15
		Swallows, Cliff	6			738

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Firearms						
	Intentional					
		Swallows, Tree	12			630
		Swine, Feral	306			
		Terns, Forster`s				30
		Turkeys, Wild	72			
		Vultures, Turkey	51			223
		Yellowlegs, Greater	1			
Fixed Wing						
	Intentional					
		Coyotes	151			
Flaming Whistlers						
	Intentional					
		Ducks, Bufflehead				8
		Ducks, Mallards				2
		Ducks, Northern Shoveler				22
		Ducks, Scaup, Greater				25
		Egrets, Great				8
		Egrets, Snowy				2
		Geese, Canada				16
		Gulls, Western				25

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Flaming Whistlers						
	Intentional					
		Hawks, Red-Tailed				1
Gas Cartridge (Rodent)						
	Intentional					
		Squirrels, Ground, California (Burrow/De		334		
Gas Cartridge, Large						
	Intentional					
		Foxes, Red (Burrow/Den)		6		
Handcaught/Gathered						
	Intentional					
		Cats, Feral/Free Ranging	7		8	
		Coyotes	9			
		Crows, American	1			
		Deer, Mule			1	
		Dogs, Feral, Free-Ranging And Hybrids	1		3	
		Doves, Mourning	1			
		Foxes, Gray	1		1	
		Geese, Canada	2		4	
		Hawks, Harrier, Northern (Marsh Hawks)			4	
		Mice, House	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Opossums, Virginia	21		1	
		Owls, Common Barn			4	
		Owls, Great Horned			4	
		Pigeons, Feral (Rock)	2			
		Raccoons	8		6	
		Rats, Black (Roof)	1			
		Skunks, Striped	4			
		Snakes, Garter (All)	1			
		Snakes, Gopher	14		1	
		Snakes, Rattlesnakes, Southern Pacific	2			
		Snakes, Rattlesnakes, Western Diamond	1			
		Squirrels, Ground, California	1		1	
		Squirrels, Western Gray			2	
		Swallows, Cliff	18			
		Turkeys, Wild			2	
Harness, Pigeon						
	Intentional					
		Hawks, Cooper`s			2	
Jabstick						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Jabstick	Intentional	Lions, Mountain (Cougar)			3	
		Opossums, Virginia	2			
		Raccoons	2			
		Skunks, Striped	24			
M-44 Cyanide Capsule	Intentional	Coyotes	19			
Nets, Mist	Intentional	Starlings, European	75			
Nets, Other	Intentional	Ducks, Mallards			4	
		Owls, Common Barn			1	
		Owls, Great Horned			1	
Night Vision/Infrared Equipment	Intentional	Beavers	1			
Physical Actions (Hand/Voice)	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Curlews, Long-Billed				18
		Deer, Mule				1
		Ducks, Gadwall				11
		Ducks, Mallards				31
		Egrets, Great				8
		Egrets, Snowy				38
		Herons, Great Blue				1
		Starlings, European				20
Pneumatics						
	Intentional					
		Blackbirds, Red-Winged	2			
		Coots, American	2			
		Cowbirds, Brown-Headed	5			
		Crows, American	53			885
		Doves, Collared, Eurasian	3			3
		Doves, Mourning	237			234
		Ducks, Mallards	11			
		Ducks, Teal, Blue-Winged	1			
		Ducks, Teal, Cinnamon				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Egrets, Great	2			
		Flickers, Northern				1
		Gulls, California	9			61
		Gulls, Western	32			80
		Hawks, Cooper`s	15			7
		Hawks, Red-Tailed	11			25
		Hérons, Great Blue	5			4
		Killdeers	7			56
		Meadowlarks, Western	23			2
		Pigeons, Feral (Rock)	354			1,481
		Sparrows, House/English				6
		Squirrels, Fox	1			
		Squirrels, Ground, California	10			
		Starlings, European	125			1,806
		Whimbrels	1			
		Willetts	1			
Screamer Banger Rockets						
	Intentional					
		Coyotes				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Screamer Banger Rockets						
	Intentional					
		Curlews, Long-Billed				2
		Ducks, Gadwall				54
		Ducks, Mallards				29
		Egrets, Great				15
		Egrets, Snowy				2
		Falcons, Peregrine				1
		Geese, Canada				17
		Gulls, California				1
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				2
		Hawks, Red-Tailed				20
		Hawks, Swainson`s				15
		Hérons, Great Blue				6
		Hérons, Night, Black-Crowned				4
		Ibises, White-Faced				100
		Jackrabbits, Black Tailed				1
		Killdeers				6
		Larks, Horned				30
		Starlings, European				7,400

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Screamer Banger Rockets						
	Intentional					
		Swallows, Cliff				20
		Terns, Forster`s				2
		Vultures, Turkey				27
Snares, Foot/Leg						
	Intentional					
		Badgers	9			
		Bears, Black	4			
		Bobcats	1			
		Coyotes	112			
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Swine, Feral	2			
	Unintentional					
		Deer, Mule			1	
		Dogs, Feral, Free-Ranging And Hybrids			1	
Snares, Neck						
	Intentional					
		Badgers	35			
		Beavers	287			
		Bobcats	1		3	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck						
	Intentional					
		Coyotes	1,281			
		Dogs, Feral, Free-Ranging And Hybrids	6			
		Foxes, Gray	2			
		Opossums, Virginia	3			
		Raccoons	7			
		Skunks, Striped	4			
		Squirrels, Western Gray	1			
		Swine, Feral	21			
	Unintentional					
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Foxes, Gray	2			
		Otters, River			1	
		Raccoons	1		1	
Snares, Neck Mechanical (Collarum)						
	Intentional					
		Coyotes	79			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Gray	2			
	Unintentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Snares, Neck Mechanical (Collarum)	Unintentional	Dogs, Feral, Free-Ranging And Hybrids			1		
Spotlight	Intentional	Badgers	2				
		Bears, Black	1				
		Bobcats	2				
		Cats, Feral/Free Ranging	62				
		Coyotes	189				
		Deer, Black-Tailed	11				
		Deer, Mule	1				
		Foxes, Gray	3				
		Foxes, Red	10				
		Jackrabbits, Black Tailed	61				
		Killdeers					25
		Opossums, Virginia	17				
		Owls, Great Horned	1				
		Pigeons, Feral (Rock)	8				
		Rabbits, Desert Cottontail	18				
		Raccoons	21				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
Spotlight	Intentional	Skunks, Striped	165					
		Swine, Feral	14					
Traps, Bal-Chatri	Intentional	Falcons, American Kestrels			43			
		Hawks, Cooper`s			1			
		Hawks, Red-Shouldered			3			
		Hawks, Red-Tailed			13			
		Shrikes, Loggerhead			4			
		Unintentional	Shrikes, Loggerhead				1	
Traps, Body Grip	Intentional	Beavers	308					
		Cats, Feral/Free Ranging	3					
		Crows, American	1					
		Foxes, Gray	1					
		Foxes, Red	2					
		Gophers, Pocket (All)	2					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Body Grip	Intentional	Muskrats	63				
		Opossums, Virginia	8				
		Otters, River	8				
		Rabbits, Desert Cottontail	51				
		Raccoons	2				
		Rats, Norway	10				
		Skunks, Striped	22				
		Squirrels, Fox	5				
		Squirrels, Ground, California	1,173				
		Towhees, California	1				
		Weasels (Other)	4				
		Unintentional	Crows, American	1			
			Mice, Deer (All)	1			
	Opossums, Virginia		3				
	Owls, Burrowing					1	
	Ravens, Common		1				
	Traps, Cage	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Bears, Black	20		2	
		Beavers	12			
		Blackbirds, (Mixed Species)	221			
		Blackbirds, Brewer`s	30			
		Blackbirds, Red-Winged	1			
		Bobcats	26			
		Cats, Feral/Free Ranging	216			76
		Cowbirds, Brown-Headed	2			
		Crows, American	10			
		Dogs, Feral, Free-Ranging And Hybrids	1			13
		Foxes, Gray	176			12
		Foxes, Red	14			
		Gulls, Western	3			
		Lions, Mountain (Cougar)	37			
		Opossums, Virginia	1,190			2
		Otters, River	1			
		Owls, Burrowing				1
		Pigeons, Feral (Rock)	541			10
		Rabbits, Cottontail	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Rabbits, Desert Cottontail	11				
		Rabbits, Feral	1				
		Raccoons	2,391		2		
		Rats, Black (Roof)	132				
		Rats, Norway	103				
		Skunks, Spotted	3				
		Skunks, Striped	3,701		1		
		Sparrows, House/English	5				
		Sparrows, White-Crowned	4				
		Squirrels, Fox	2				
		Squirrels, Ground, California	1,161				
		Squirrels, Western Gray	16		1		
		Starlings, European	2,318				
		Swine, Feral	292		5		
		Towhees, California	3				
		Turkeys, Wild	68				
		Weasels, Long-Tailed	7				
		Woodrats, Dusky Footed	1				
			Unintentional				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Unintentional	Bobcats	1			
		Cats, Feral/Free Ranging			34	
		Deer, Black-Tailed			1	
		Dogs, Feral, Free-Ranging And Hybrids			3	
		Foxes, Gray			54	
		Jackrabbits, Black Tailed			3	
		Opossums, Virginia			32	
		Rabbits, Cottontail			8	
		Raccoons			5	
		Skunks, Striped			2	
		Squirrels, Ground, California			59	
		Starlings, European			1	
		Vultures, Turkey			2	
Traps, Culvert	Intentional	Bears, Black	88		3	
		Unintentional				
		Bears, Black			1	
		Dogs, Feral, Free-Ranging And Hybrids			3	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Decoy	Intentional	Blackbirds, (Mixed Species)	6				
		Blackbirds, Brewer`s	77				
		Blackbirds, Red-Winged	156				
		Blackbirds, Yellow-Headed	9				
		Cats, Feral/Free Ranging	1				
		Cowbirds, Brown-Headed	427				
		Doves, Collared, Eurasian	3				
		Doves, Mourning	657				4
		Falcons, American Kestrels				2	
		Finches, House	127				
		Gophers, Pocket (All)	1				
		Hawks, Cooper`s				7	
		Hawks, Sharp-Shinned				1	
		Jays, Scrub	2			1	
		Kingbirds, Western	16			1	
		Meadowlarks, Western	1				
		Mockingbirds, Northern	10				
		Phoebes, Say`s	1				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
Traps, Decoy	Intentional	Pigeons, Feral (Rock)	689					
		Rats, Norway	1					
		Shrikes, Loggerhead				3		
		Sparrows, House/English	374					
		Sparrows, White-Crowned	270					
		Squirrels, Fox	2					
		Squirrels, Ground, California	7					
		Starlings, European	3,878					
		Towhees, California	15					
		Unintentional	Shrikes, Loggerhead	1				
		Traps, Drive/Corral	Intentional	Swine, Feral	221			1
Turkeys, Wild	13							
Unintentional	Bears, Black						2	
	Deer, Mule						1	
Traps, Foothold (Padded)	Intentional							

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Foothold (Padded)	Intentional	Bobcats	1				
		Cats, Feral/Free Ranging	1				
		Coyotes	39				
		Foxes, Gray	2				
		Foxes, Red	7				
		Opossums, Virginia	5				
		Raccoons	11				
		Skunks, Striped	17				
	Unintentional	Badgers				1	
		Coyotes	1			4	
		Opossums, Virginia				8	
		Raccoons				1	
	Traps, Gopher	Intentional	Gophers, Pocket (All)	334			
Traps, Other	Intentional	Blackbirds, Red-Winged	9		11		

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Other	Intentional	Bobcats	1			
		Cats, Feral/Free Ranging	1			
		Cowbirds, Brown-Headed	9			
		Coyotes	9			
		Crows, American	8			
		Doves, Collared, Eurasian	3			
		Doves, Mourning	42			
		Falcons, American Kestrels	1			7
		Finches, House	10			
		Gulls, California	7			
		Gulls, Western	7			
		Hawks, Cooper`s	1			5
		Jays, Scrub	1			3
		Kingbirds, Western	2			
		Pigeons, Feral (Rock)	185			
		Ravens, Common	1			
		Skunks, Striped	1			
		Sparrows, House/English	1			
		Sparrows, White-Crowned	3			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Other	Intentional	Squirrels, Fox	1			
		Starlings, European	374			
	Unintentional	Hawks, Cooper`s	1			
		Opossums, Virginia	1			
Traps, Pole	Intentional	Falcons, American Kestrels	2		35	
		Hawks, Red-Shouldered			1	
		Hawks, Red-Tailed			6	
		Owls, Common Barn	1		13	
		Owls, Great Horned	1		11	
	Unintentional	Falcons, Merlin			1	
Traps, Raptor (Swedish Goshawk)	Intentional	Crows, American	6			
		Falcons, American Kestrels			3	
		Falcons, Merlin			1	
		Foxes, Red	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Raptor (Swedish Goshawk)						
	Intentional					
		Hawks, Cooper`s			38	
		Hawks, Red-Tailed			29	
		Hawks, Sharp-Shinned			1	
		Opossums, Virginia	2			
		Owls, Common Barn			9	
		Owls, Great Horned			3	
Traps, Snap (Rat, Mouse, Etc.)						
	Intentional					
		Mice, Deer (All)	8			
		Mice, House	49			
		Rats, Black (Roof)	182			
		Rats, Norway	1			
		Starlings, European	2			
Traps, Suitcase						
	Intentional					
		Beavers	11			
		Falcons, American Kestrels			1	
		Shrikes, Loggerhead			1	
Vehicles (All)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Avocets, American				56
		Blackbirds, Brewer`s				9,521
		Blackbirds, Red-Winged				1,351
		Blackbirds, Yellow-Headed				1
		Bluebirds, Western				3
		Cats, Feral/Free Ranging				9
		Coots, American				1,798
		Cormorants, Double-Crested				97
		Cowbirds, Brown-Headed				4
		Coyotes				1
		Crows, American				1,701
		Curlews, Long-Billed				1,221
		Deer, Black-Tailed				1
		Dogs, Feral, Free-Ranging And Hybrids				3
		Doves, Collared, Eurasian				5
		Doves, Mourning				1,870
		Dowitchers, Short-Billed				1
		Ducks, Bufflehead				290

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Ducks, Gadwall				223
		Ducks, Goldeneye, Common				9
		Ducks, Mallards				2,747
		Ducks, Northern Pintail				826
		Ducks, Northern Shoveler				3,112
		Ducks, Ruddy				39
		Ducks, Scaup, Greater				804
		Ducks, Teal, Cinnamon				191
		Ducks, Teal, Green-Winged				66
		Ducks, Wigeon, American				712
		Egrets, Cattle				36
		Egrets, Great				1,220
		Egrets, Snowy				1,327
		Falcons, American Kestrels				333
		Falcons, Peregrine				3
		Falcons, Prairie				2
		Finches, House				35
		Geese, Canada				976
		Geese, Snow, Lesser				7

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Geese, White-Fronted, Greater				36
		Godwits, Marbled				16
		Gulls, California				143
		Gulls, Heermann`s				80
		Gulls, Herring				31
		Gulls, Mew				6
		Gulls, Ring-Billed				2
		Gulls, Western				626
		Hawks, Cooper`s				9
		Hawks, Ferruginous				4
		Hawks, Harrier, Northern (Marsh Hawks)				33
		Hawks, Red-Tailed				1,053
		Hawks, Sharp-Shinned				3
		Hawks, Swainson`s				445
		Hérons, Great Blue				1,296
		Hérons, Night, Black-Crowned				62
		Ibises, White-Faced				140
		Jackrabbits, Black Tailed				26

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Killdeers				1,779
		Kingbirds, Western				14
		Kites, White-Tailed				110
		Larks, Horned				1,157
		Meadowlarks, Western				8,251
		Mockingbirds, Northern				103
		Ospreys				27
		Owls, Burrowing				1
		Owls, Common Barn				6
		Pelicans, American White				35
		Pelicans, Brown				5
		Pheasants, Ring-Necked				5
		Pigeons, Feral (Rock)				1,757
		Pipits, American				13
		Plovers, Semipalmated				31
		Ravens, Common				416
		Robins, American				2
		Sandpipers, Western				150
		Shrikes, Loggerhead				173

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Snipes, Wilson`s				1
		Sparrows, House/English				38
		Sparrows, White-Crowned				15
		Starlings, European				9,518
		Stilts, Black-Necked				467
		Swallows, Barn				10
		Swallows, Cliff				223
		Swallows, Tree				100
		Swans, Tundra				25
		Swifts (All)				25
		Terns, Caspian				4
		Vultures, Turkey				120
		Whimbrels				2
		Willetts				40
		Yellowlegs, Greater				13
Whistlers/Screamers						
	Intentional					
		Avocets, American				414
		Blackbirds, (Mixed Species)				1,015

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Blackbirds, Brewer`s				485
		Blackbirds, Red-Winged				635
		Coots, American				1,479
		Cormorants, Double-Crested				90
		Coyotes				2
		Crows, American				23
		Curlews, Long-Billed				1,712
		Doves, Mourning				7
		Dowitchers, Long-Billed				55
		Dowitchers, Short-Billed				590
		Ducks, Gadwall				167
		Ducks, Mallards				1,152
		Ducks, Northern Pintail				569
		Ducks, Northern Shoveler				2,326
		Ducks, Ruddy				349
		Ducks, Scaup, Lesser				98
		Ducks, Teal, Blue-Winged				134
		Ducks, Teal, Cinnamon				16

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Ducks, Teal, Green-Winged				149
		Ducks, Wigeon, American				122
		Egrets, Great				611
		Egrets, Snowy				569
		Falcons, American Kestrels				38
		Falcons, Peregrine				2
		Falcons, Prairie				3
		Geese, Canada				314
		Geese, Snow, Lesser				34,421
		Geese, White-Fronted, Greater				631
		Godwits, Marbled				1,712
		Gulls, California				1,596
		Gulls, Herring				1
		Gulls, Western				235
		Hawks, Cooper`s				4
		Hawks, Ferruginous				4
		Hawks, Harrier, Northern (Marsh Hawks)				48
		Hawks, Red-Tailed				322
		Hérons, Great Blue				153

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Herons, Night, Black-Crowned				35
		Ibises, White-Faced				882
		Killdeers				411
		Kites, White-Tailed				14
		Larks, Horned				1,278
		Meadowlarks, Western				2,744
		Pelicans, American White				159
		Pelicans, Brown				47
		Pigeons, Feral (Rock)				2
		Pipits, American				1,265
		Ravens, Common				39
		Sandpipers, Western				413
		Sparrows, House/English				120
		Sparrows, Savannah				100
		Starlings, European				3,018
		Stilts, Black-Necked				219
		Swallows, Barn				494
		Swallows, Cliff				3,966

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Swallows, Tree				1,711
		Swallows, Violet-Green				1,785
		Terns, Forster`s				227
		Vultures, Turkey				474
		Willets				47
		Yellowlegs, Greater				17
		<i>Total Take for CA</i>	62,797	340	745	460,835

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.