

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Avocets, American				2
		Blackbirds, Red-Winged				22
		Buntings, Lark				10
		Coyotes				7
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				103
		Ducks, Mallards				1
		Eagles, Bald				10
		Eagles, Golden				4
		Egrets, Cattle				2
		Falcons, American Kestrels				4
		Falcons, Prairie				2
		Geese, Canada				395
		Hawks, Ferruginous				2
		Hawks, Harrier, Northern (Marsh Hawks)				6
		Hawks, Red-Tailed				1
		Hawks, Swainson`s				2
		Hérons, Night, Black-Crowned				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Killdeers				66
		Kingbirds, Western				58
		Larks, Horned				276
		Magpies, Black-Billed				8
		Meadowlarks, Western				274
		Owls, Great Horned				2
		Pigeons, Feral (Rock)				412
		Ravens, Common				3
		Robins, American				138
		Shrikes, Loggerhead				3
		Sparrows, House/English				39
		Squirrels, Fox				1
		Starlings, European				12
		Swallows, Barn				28
Swallows, Cliff				311		
<b>Dog</b>	<b>Intentional</b>	Ducks, Mallards				2
		Geese, Canada				364

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		<b>Quail (All)</b>				52
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-Winged</b>	140			
		<b>Starlings, European</b>	36,008			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	104			
<b>Drex-Ph3 Alumn Phosd Tablets</b>						
	<b>Intentional</b>					
		<b>Prairie Dogs, Black-Tailed (Burrow/Den)</b>		370		
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Avocets, American</b>				11
		<b>Badgers</b>	8			
		<b>Bears, Black</b>	69			
		<b>Beavers</b>	56			
		<b>Blackbirds, Brewer`s</b>	1			
		<b>Blackbirds, Red-Winged</b>	10,025			203,048
		<b>Bobcats</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Buntings, Lark</b>	948			25,564
		<b>Cats, Feral/Free Ranging</b>	3			
		<b>Coots, American</b>	4			28
		<b>Cormorants, Double-Crested</b>	4			23
		<b>Coyotes</b>	785			65
		<b>Cranes, Sandhill</b>				12
		<b>Crows, American</b>	15			35
		<b>Deer, Mule</b>	1			49
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	1			
		<b>Doves, Collared, Eurasian</b>	219			1,102
		<b>Doves, Mourning</b>	3,486			51,718
		<b>Ducks, Bufflehead</b>	2			26
		<b>Ducks, Gadwall</b>	1			39
		<b>Ducks, Mallards</b>	319			27,803
		<b>Ducks, Merganser Common</b>				3
		<b>Ducks, Northern Pintail</b>	3			4,790
		<b>Ducks, Northern Shoveler</b>				67
		<b>Ducks, Ring-Necked</b>	1			95

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Ducks, Scaup, Lesser				16
		Ducks, Teal, Blue-Winged	7			471
		Ducks, Teal, Green-Winged				27
		Ducks, Wigeon, American				11
		Ducks, Wood				4
		Eagles, Bald				149
		Eagles, Golden				26
		Falcons, American Kestrels	17			378
		Falcons, Prairie				5
		Flickers, Northern	1			
		Foxes, Red	72			
		Geese, Canada	520			276,987
		Geese, Snow, Lesser	6			26
		Goats, Feral	1			
		Grackles, Common	43			477
		Gulls, California	3			18
		Gulls, Ring-Billed	8			263
		Hares, Jackrabbits (Other)	711			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Hawks, Cooper`s				1
		Hawks, Ferruginous	36			1,577
		Hawks, Harrier, Northern (Marsh Hawks)	32			2,084
		Hawks, Red-Tailed	203			3,991
		Hawks, Rough-Legged	34			754
		Hawks, Sharp-Shinned				4
		Hawks, Swainson`s	27			1,561
		Hérons, Great Blue	18			37
		Ibises, White-Faced				54
		Jackrabbits, Black Tailed	10			
		Killdeers	56			2,350
		Kingbirds, Western	292			9,711
		Larks, Horned	3,216			90,160
		Lions, Mountain (Cougar)	16			
		Magpies, Black-Billed	30			174
		Meadowlarks, Western	897			25,115
		Muskrats	29			
		Owls, Burrowing				11

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Owls, Common Barn	8			28
		Owls, Great Horned	27			74
		Pelicans, American White	4			62
		Pigeons, Feral (Rock)	4,688			53,640
		Porcupines	14			
		Prairie Dogs, Black-Tailed	8,900			
		Prairie Dogs, White-Tailed	4			
		Pronghorns (Antelope)	1			14
		Quail (All)				35
		Rabbits, Cottontail	6,749			
		Raccoons	43			
		Ravens, Common	75			30
		Robins, American				149
		Shrikes, Loggerhead				21
		Skunks, Striped	33			
		Snakes, Venomous (Other)	4			
		Sparrows, House/English	77			1,650
		Squirrels, Rock	18			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Starlings, European	1,364			17,938
		Swallows, Barn	3			278
		Swallows, Cliff	3,499			35,047
		Vultures, Turkey	15			53
		Willets	21			41
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	2,099			
		Foxes, Red	21			
<b>Fumitoxin Tablets</b>						
	<b>Intentional</b>					
		Prairie Dogs, Black-Tailed (Burrow/Den)		14,704		
		Prairie Dogs, Gunnison`s (Burrow/Den)		4,675		
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Prairie Dogs, Black-Tailed (Burrow/Den)		146		
		Prairie Dogs, Gunnison`s (Burrow/Den)		100		
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		2		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Bats (All)			1	
		Hawks, Red-Tailed			2	
		Snakes, Non-Venomous (Other)	1			
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		Coyotes	11			
<b>Nets, Gun</b>						
	<b>Intentional</b>					
		Eagles, Golden				1
		Hawks, Red-Tailed				5
		Hawks, Swainson`s			3	27
<b>Nets, Mist</b>						
	<b>Intentional</b>					
		Sparrows, House/English			128	
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Crows, American	6			
		Doves, Collared, Eurasian	9			
		Doves, Mourning	113			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Falcons, American Kestrels	1			11
		Geese, Canada	5			
		Hares, Jackrabbits (Other)	4			
		Hawks, Red-Tailed	1			
		Magpies, Black-Billed	21			
		Meadowlarks, Western	12			
		Pigeons, Feral (Rock)	1,765			
		Prairie Dogs, Black-Tailed	6			
		Rabbits, Cottontail	1,009			
		Raccoons	1			
		Skunks, Striped	9			
		Sparrows, House/English	13			
		Starlings, European	19			
		Swallows, Cliff	22			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Avocets, American				6
		Blackbirds, Red-Winged				232
		Coots, American				9

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				2
		Curlews, Long-Billed				2
		Doves, Mourning				16
		Ducks, Mallards				50
		Ducks, Northern Shoveler				4
		Ducks, Ring-Necked				11
		Ducks, Ruddy				1
		Ducks, Teal, Green-Winged				1
		Ducks, Wood				2
		Eagles, Bald				41
		Eagles, Golden				39
		Falcons, American Kestrels				21
		Geese, Canada				16,626
		Gulls, California				54
		Gulls, Ring-Billed				5
		Hawks, Cooper`s				1
		Hawks, Ferruginous				108
		Hawks, Harrier, Northern (Marsh Hawks)				47

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed				65
		Hawks, Sharp-Shinned				3
		Hawks, Swainson`s				3
		Herons, Great Blue				6
		Ibises, White-Faced				2
		Killdeers				76
		Larks, Horned				372
		Magpies, Black-Billed				77
		Owls, Great Horned				3
		Pelicans, American White				18
		Pigeons, Feral (Rock)				337
		Starlings, European				554
		Swallows, Barn				6
		Swallows, Cliff				58
		Vultures, Turkey				3
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	5			
		Coyotes	122			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	Foxes, Red	2				
		Raccoons	5				
	<b>Unintentional</b>	Lions, Mountain (Cougar)				1	
		Rabbits, Cottontail	1				
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	Hawks, Red-Tailed			16		
		Hawks, Swainson`s			20		
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	11				
		Raccoons	7				
<b>Traps, Cage</b>	<b>Intentional</b>	Bears, Black	5				
		Beavers	3				
		Bobcats	1				
		Magpies, Black-Billed	4				
		Pigeons, Feral (Rock)	104				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Rabbits, Cottontail	203				
		Raccoons	67				
		Skunks, Striped	98				
		Squirrels, Ground, Other	31				
		Squirrels, Rock	18				
	<b>Unintentional</b>	Cats, Feral/Free Ranging	1			1	
		Magpies, Black-Billed				11	
	<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	1,177			
	<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Badgers	5			
Bobcats			1				
Coyotes			163				
Foxes, Red			9				
Raccoons			11				
Skunks, Striped			2				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold (Padded)</b>	Unintentional	Raccoons	1			
<b>Traps, Pole</b>	Intentional	Hawks, Red-Tailed			2	
<b>Traps, Suitcase</b>	Intentional	Beavers	129		9	
		Muskrats	1			
	Unintentional	Raccoons	1		1	
<b>Vehicles (All)</b>	Intentional	Deer, Mule				44
		Dogs, Feral, Free-Ranging And Hybrids				1
		Eagles, Bald				5
		Eagles, Golden				2
<i>Total Take for CO</i>			91,372	19,997	195	861,561

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*