

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| A/C Powder | Intentional | Ducks, Mallards | 9 | | | |
| | | Geese, Canada | 81 | | | |
| | | | | | | |
| Avitrol:-6 Corn Chops | Intentional | Starlings, European | | | | 1,050 |
| | | | | | | |
| Car/Truck | Intentional | Crows, American | | | | 3 |
| | | Doves, Mourning | | | | 30 |
| | | Geese, Canada | | | | 67 |
| | | Hawks, Cooper`s | | | | 1 |
| | | Hawks, Red-Tailed | | | | 2 |
| | | Vultures, Turkey | | | | 1 |
| | | | | | | |
| Catch Pole | Intentional | Raccoons | 1 | | | |
| | | | | | | |
| Effigy, Vulture | Intentional | Vultures, Black | | | | 45 |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Effigy, Vulture | Intentional | Vultures, Turkey | | | | 30 |
| | | | | | | |
| Exploders, Gas (All) | Intentional | Blackbirds, (Mixed Species) | | | 172,045 | |
| | | Starlings, European | | | 100,434 | |
| | | Vultures, Black | | | | 65 |
| | | Vultures, Turkey | | | | 130 |
| | | | | | | |
| Firearms | Intentional | Beavers | 1 | | | |
| | | Blackbirds, Red-Winged | 5 | | | |
| | | Cats, Feral/Free Ranging | 2 | | | |
| | | Cowbirds, Brown-Headed | 1 | | | |
| | | Coyotes | 8 | | | 2 |
| | | Crows, American | 3 | | | 508 |
| | | Deer, White-Tailed (Wild) | 4 | | | |
| | | Doves, Mourning | 322 | | | 5,706 |
| | | Ducks, Mallards | 54 | | | 255 |
| | | Falcons, American Kestrels | 4 | | | 12 |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Finches, House | 9 | | | 20 |
| | | Foxes, Red | | | | 1 |
| | | Geese, Canada | 55 | | | 178 |
| | | Grackles, Common | 102 | | | 50 |
| | | Hawks, Red-Shouldered | 2 | | | |
| | | Hawks, Red-Tailed | 17 | | | 30 |
| | | Hérons, Great Blue | 5 | | | 3 |
| | | Killdeers | 12 | | | 35 |
| | | Marmots/Woodchucks (All) | 6 | | | |
| | | Meadowlarks, Eastern | 5 | | | |
| | | Muskrats | 2 | | | |
| | | Owls, Barred | | | | 6 |
| | | Pigeons, Feral (Rock) | 229 | | | 10 |
| | | Robins, American | 14 | | | |
| | | Starlings, European | 1,151 | | | 164,315 |
| | | Swallows, Barn | | | | 235 |
| | | Swine, Feral | 4 | | | |
| Turkeys, Wild | | | | 30 | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--------------------------------------|------------------------------------|-----------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Vultures, Black | 141 | | | 2,245 |
| | | Vultures, Turkey | 33 | | | 756 |
| Hand Tools | | | | | | |
| | Intentional | | | | | |
| | | Crows, American | | | | 1 |
| Handcaught/Gathered | | | | | | |
| | Intentional | | | | | |
| | | Opossums, Virginia | 1 | | | |
| | | Raccoons | | | 1 | |
| | | Starlings, European | 1 | | | |
| Helicopter | | | | | | |
| | Intentional | | | | | |
| | | Swine, Feral | 237 | | | |
| Lasers (All) (Deterrent) | | | | | | |
| | Intentional | | | | | |
| | | Starlings, European | | | | 750 |
| Nets, Other | | | | | | |
| | Intentional | | | | | |
| | | Pigeons, Feral (Rock) | 2 | | | |
| Physical Actions (Hand/Voice) | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--------------------------------------|------------------------------------|-----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Physical Actions (Hand/Voice) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Mallards | | | | 2 |
| | | Finches, House | | | | 20 |
| Pneumatics | | | | | | |
| | Intentional | | | | | |
| | | Pigeons, Feral (Rock) | 204 | | | |
| | | Starlings, European | 104 | | | |
| | | Swallows, Barn | 83 | | | |
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, (Mixed Species) | | | 3,399,845 | |
| | | Cowbirds, Brown-Headed | | | 250 | |
| | | Crows, American | | | 201 | |
| | | Doves, Mourning | | | 215 | |
| | | Ducks, Mallards | | | 20 | |
| | | Falcons, American Kestrels | | | 4 | |
| | | Foxes, Red | | | 1 | |
| | | Geese, Canada | | | 33 | |
| | | Hawks, Cooper`s | | | 1 | |
| | | Hawks, Red-Tailed | | | 47 | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Killdeers | | | | 5 |
| | | Starlings, European | | | 3,626,730 | |
| | | Vultures, Black | | | 1,730 | |
| | | Vultures, Turkey | | | 1,046 | |
| Snares, Neck | | | | | | |
| | Intentional | | | | | |
| | | Beavers | 8 | | | |
| | | Coyotes | 7 | | | |
| | | Foxes, Red | 4 | | | |
| | | Opossums, Virginia | 1 | | | |
| Traps, Body Grip | | | | | | |
| | Intentional | | | | | |
| | | Beavers | 41 | | | |
| | | Foxes, Red | 3 | | | |
| | | Marmots/Woodchucks (All) | 19 | | | |
| | | Otters, River | 1 | | | |
| | | Raccoons | 3 | | | |
| | Unintentional | | | | | |
| | | Otters, River | 1 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | | |
|-------------------------------------|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|---|--|
| Traps, Body Grip | Unintentional | Turtles, Common Snapping | | | 7 | | | |
| | | | | | | | | |
| Traps, Cage | Intentional | Cats, Feral/Free Ranging | 15 | | 4 | | | |
| | | Doves, Mourning | 62 | | | | | |
| | | Opossums, Virginia | 18 | | | | | |
| | | Pigeons, Feral (Rock) | 898 | | | | | |
| | | Raccoons | 38 | | 2 | | | |
| | | Skunks, Striped | 5 | | | | | |
| | | | Unintentional | Opossums, Virginia | | | 1 | |
| | | | | | | | | |
| Traps, Drive/Corral | Intentional | Ducks, Mallards | 10 | | 13 | | | |
| | | Geese, Canada | 52 | | 201 | | | |
| Traps, Foothold | Intentional | Beavers | 7 | | | | | |
| | | Marmots/Woodchucks (All) | 1 | | | | | |
| | | Opossums, Virginia | 1 | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Kentucky - FY 2011

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Foothold (Padded) | Intentional | Coyotes | 1 | | | |
| | | | | | | |
| Traps, Other | Intentional | Starlings, European | 27 | | | |
| | | | | | | |
| Traps, Raptor (Other) | Intentional | Hawks, Red-Tailed | 1 | | | |
| | | | | | | |
| Vehicles (All) | Intentional | Coyotes | | | | 1 |
| | | Ducks, Mallards | | | | 2 |
| | | Foxes, Red | | | | 2 |
| | | Hawks, Red-Tailed | | | | 13 |
| | | Hérons, Great Blue | | | | 1 |
| | | Starlings, European | | | | 25,240 |
| | | | | | | |
| Water, High Pressure Spray | Intentional | Swallows, Barn | | | | 25 |
| | | | | | | |
| Total Take for KY | | | 4,138 | | 229 | 7,504,485 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.