

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Livestock/Nest/Fodder</b>						
	<b>Intentional</b>					
		<b>Ravens, Common</b>	105			
<b>Drug Delivery Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Wolves, Gray/Timber</b>			1	
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		<b>Ducks, Mallards</b>				6
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Bears, Black</b>	6			
		<b>Coyotes</b>	1,264			
		<b>Doves, Mourning</b>	7			785
		<b>Ducks, Mallards</b>	2			6
		<b>Falcons, American Kestrels</b>				1
		<b>Foxes, Red</b>	27			1
		<b>Gulls, California</b>				1
		<b>Hares, Jackrabbits (Other)</b>	18			
		<b>Hawks, Ferruginous</b>				1
		<b>Hawks, Harrier, Northern (Marsh Hawks)</b>				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed	2			12
		Hawks, Swainson`s	1			3
		Lions, Mountain (Cougar)	8			
		Marmots/Woodchucks (All)	28			
		Partridge, Gray	12			
		Pigeons, Feral (Rock)	148			
		Rabbits, Cottontail	8			
		Squirrels, Ground, Richardson`s	30			
		Starlings, European	4			600
		Wolves, Gray/Timber	12			
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	1,695			
		Foxes, Red	2			
		Wolves, Gray/Timber	9			
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		30		
		Foxes, Red (Burrow/Den)		12		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Helicopter</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	2,753			
		<b>Foxes, Red</b>	14			
		<b>Wolves, Gray/Timber</b>	27		2	
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	564			
		<b>Foxes, Red</b>	35			
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>			1	
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		<b>Ducks, Mallards</b>				4
		<b>Foxes, Red</b>				1
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		<b>Bears, Grizzly</b>				1
		<b>Crows, American</b>				1
		<b>Deer, Mule</b>				10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Doves, Mourning				2
		Ducks, Mallards				28
		Ducks, Northern Pintail				2
		Eagles, Bald				3
		Geese, Canada				7,136
		Geese, Snow, Lesser				7
		Gulls, Franklin`s				34
		Gulls, Ring-Billed				5
		Hawks, Ferruginous				1
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				40
		Hawks, Rough-Legged				3
		Hawks, Swainson`s				21
		Hérons, Great Blue				2
		Killdeers				2
		Larks, Horned				4
		Pelicans, American White				14
		Pigeons, Feral (Rock)				6

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	Intentional					
		Vultures, Turkey				2
<b>Rozol-Mt SLN (Ground Squirrels)</b>						
	Intentional					
		Squirrels, Ground, Richardson`s	1,164			
	Unintentional					
		Voles (All)	5			
<b>Snares, Foot/Leg</b>						
	Intentional					
		Bears, Black	11			
		Bears, Grizzly			3	
		Coyotes	1			
<b>Snares, Neck</b>						
	Intentional					
		Badgers	2			
		Bears, Black	1			
		Coyotes	476			
		Foxes, Red	86			
		Hares, Jackrabbits (Other)	3			
		Porcupines	7			
		Rabbits, Cottontail	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	Raccoons	5				
		Skunks, Striped	14				
		<b>Unintentional</b>					
			Deer, Mule	1			
			Deer, White-Tailed (Wild)	1		1	
			Dogs, Feral, Free-Ranging And Hybrids			1	
			Porcupines	1			
			Raccoons	3			
	<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	3			
<b>Unintentional</b>							
			Raccoons	1			
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	1				
		Coyotes	1				
		Foxes, Red	1				
		Lions, Mountain (Cougar)	1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	17			
		Skunks, Striped	1			
		Squirrels, Fox	1			
<b>Traps, Culvert</b>	<b>Intentional</b>	Bears, Black	2			
		Bears, Grizzly			1	
	<b>Unintentional</b>	Bears, Black			1	
<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	15			
		Vultures, Turkey	19			
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	1			
		Coyotes	123			
		Foxes, Red	25			
		Lions, Mountain (Cougar)	8			
		Porcupines	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Traps, Foothold</b>	<b>Intentional</b>	Raccoons	8					
		Skunks, Striped	11					
		Wolves, Gray/Timber	19		10			
	<b>Unintentional</b>	Badgers	1		2			
		Bears, Black			3			
		Bobcats			1			
		Coyotes			1			
		Deer, Mule			1			
		Dogs, Feral, Free-Ranging And Hybrids			1			
		Foxes, Red	1		2			
		Lions, Mountain (Cougar)			1			
		Raccoons	1					
		<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Falcons, American Kestrels	1			
				Hawks, Harrier, Northern (Marsh Hawks)	1			
<b>Unintentional</b>	Magpies, Black-Billed		1					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Montana - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Mice, Deer (All)	90				
		Squirrels, Ground, Richardson`s	17				
		Voles (All)	14				
<b>Vehicles (All)</b>	<b>Intentional</b>	Coyotes				2	
		Deer, White-Tailed (Wild)				1	
		Ducks, Mallards				2	
		Hawks, Red-Tailed				3	
		Hawks, Swainson`s				2	
		Vultures, Turkey				1	
<i>Total Take for MT</i>			8,951	42	33	8,762	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*