

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
A/C Powder						
	Intentional					
		Geese, Canada	21			
Bombs/Bangers						
	Intentional					
		Birds, Unidentifiable				3
		Blackbirds, (Mixed Species)				1,000
		Cormorants, Double-Crested				297
		Cranes, Sandhill				1
		Crows, American				40
		Crows, Fish				81
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				365
		Egrets, Great				50
		Geese, Canada				27
		Gulls, Black-Backed, Greater				50
		Gulls, Herring				51
		Gulls, Laughing				821
		Gulls, Ring-Billed				6,981
		Hawks, Red-Shouldered				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Hawks, Red-Tailed				2
		Hérons, Great Blue				2
		Killdeers				55
		Kites, Mississippi				6
		Ospreys				1
		Plovers, Black-Bellied				31
		Starlings, European				2,086
		Swallows, Barn				96
		Terns, Common				26
		Terns, Royal				13
		Turkeys, Wild				172
		Vultures, Turkey				25
Capa Cartridges						
	Intentional					
		Kites, Mississippi				15
		Vultures, Turkey				86
Car/Truck						
	Intentional					
		Crows, American				22

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Car/Truck						
	Intentional					
		Doves, Mourning				231
		Geese, Canada				2
		Gulls, Herring				2
		Gulls, Laughing				8
		Gulls, Ring-Billed				1
		Killdeers				183
		Mockingbirds, Northern				10
		Pigeons, Feral (Rock)				50
		Plovers, Black-Bellied				100
		Starlings, European				1,377
Cracker Shells (12 Gauge)						
	Intentional					
		Birds, Unidentifiable				1
		Blackbirds, (Mixed Species)				500
		Cormorants, Double-Crested				5
		Cowbirds, Brown-Headed				550
		Crows, American				11
		Crows, Fish				66
		Geese, Canada				183

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Gulls, Herring				500
		Gulls, Laughing				509
		Gulls, Ring-Billed				3,057
		Hawks, Red-Tailed				21
		Hérons, Great Blue				2
		Kites, Mississippi				11
		Meadowlarks, Eastern				15
		Ospreys				4
		Starlings, European				360
		Turkeys, Wild				49
		Vultures, Black				2
		Vultures, Turkey				716
Dog						
	Intentional					
		Geese, Canada				421
Effigy, Vulture						
	Intentional					
		Vultures, Black				100
		Vultures, Turkey				50

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Bears, Black	2			
		Beavers	497			
		Blackbirds, Red-Winged	4			24
		Cats, Feral/Free Ranging	6			
		Cowbirds, Brown-Headed	52			27
		Coyotes	10			
		Crows, American	20			28
		Crows, Fish	7			54
		Deer, White-Tailed (Wild)	123			119
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Doves, Mourning	906			1,081
		Ducks, Merganser Common				5
		Ducks, Merganser, Hooded				4
		Egrets, Cattle	6			21
		Egrets, Great	1			3
		Foxes, Gray	2			
		Geese, Canada	119			501
		Grackles, Common	80			11

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Gulls, Herring	4			6
		Gulls, Laughing	85			673
		Gulls, Ring-Billed	55			2,262
		Hawks, Red-Tailed	1			
		Hérons, Great Blue	20			7
		Killdeers	115			44
		Marmots/Woodchucks (All)	4			
		Meadowlarks, Eastern	22			222
		Mockingbirds, Northern	5			
		Muskrats	35			
		Nutrias	5			
		Ospreys	2			3
		Pigeons, Feral (Rock)	266			101
		Plovers, Black-Bellied	1			16
		Rabbits, Cottontail	1			
		Sanderlings	2			2
		Sandpipers, Upland	9			5
		Snakes, Venomous (Other)	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Sparrows, House/English	49			1
		Squirrels, Eastern Gray	11			
		Starlings, European	401			847
		Swallows, Barn	9			44
		Swallows, Northern Rough-Winged	2			
		Swine, Feral	11			
		Terns, Common	1			
		Turkeys, Wild	6			91
		Vultures, Black	11			35
		Vultures, Turkey	106			56
Handcaught/Gathered						
	Intentional					
		Alligators, American			1	
		Beavers			1	
		Deer, White-Tailed (Wild)			2	
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Geese, Canada	2			
		Hawks, Red-Tailed			1	
		Lizards, (Other)			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Handcaught/Gathered						
	Intentional					
		Pigeons, Feral (Rock)	1			
		Raccoons	1		1	
		Sparrows, House/English	2			
		Swallows, Barn	4			
		Turtles Other			26	
		Turtles, Common Snapping			1	
Lasers (All) (Deterrent)						
	Intentional					
		Geese, Canada				71
Nets, Cannon/Rocket						
	Intentional					
		Turkeys, Wild	1		37	
Nets, Other						
	Intentional					
		Geese, Canada	15			
Paint Balls						
	Intentional					
		Deer, White-Tailed (Wild)				1
		Geese, Canada				1,680
		Turkeys, Wild				9

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Crows, Fish				3
		Deer, White-Tailed (Wild)				2
		Doves, Mourning				3
		Egrets, Great				2
		Geese, Canada				372
		Gulls, Herring				7
		Gulls, Ring-Billed				131
Snares, Neck						
	Intentional					
		Beavers	175			
		Nutrias	3			
	Unintentional					
		Raccoons			1	
		Turtles, Common Snapping	1		1	
Traps, Body Grip						
	Intentional					
		Beavers	3,409			
		Marmots/Woodchucks (All)	5			
		Muskrats	168			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Intentional					
		Nutrias	342			
	Unintentional					
		Catfish, Bullhead (All)	1			
		Ducks, Merganser, Hooded	1			
		Geese, Canada			1	
		Muskrats	2			
		Otters, River	58			
		Raccoons	6			
		Turtles Other			19	
		Turtles, Common Map			1	
		Turtles, Common Musk			1	
		Turtles, Common Snapping	90		129	
	Turtles, Painted	1		17		
Traps, Cage	Intentional					
		Beavers	2			
		Grackles, Common	14			
		Muskrats	2			
		Opossums, Virginia	2		1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Cage	Intentional	Pigeons, Feral (Rock)	212			
		Raccoons			118	
	Unintentional	Opossums, Virginia			6	
Traps, Decoy	Intentional	Pigeons, Feral (Rock)	58			
Traps, Drive/Corral	Intentional	Geese, Canada	745			
		Swine, Feral	7			
Traps, Foothold	Intentional	Beavers	186			
		Coyotes	8			
		Muskrats	1			
		Nutrias	1			
		Opossums, Virginia			10	
		Raccoons	2			
	Unintentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold	Unintentional	Foxes, Red	1			
		Geese, Canada			1	
		Opossums, Virginia			2	
		Raccoons	4			
		Turtles, Common Snapping	1			
Traps, Foothold (Padded)	Intentional	Coyotes	3		34	
		Opossums, Virginia			1	
	Unintentional	Bobcats			1	
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Foxes, Red			1	
		Opossums, Virginia			1	
		Raccoons	1			
Vehicles (All)	Intentional	Blackbirds, Red-Winged				125
		Coyotes				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Crows, American				454
		Crows, Fish				84
		Deer, White-Tailed (Wild)				27
		Dogs, Feral, Free-Ranging And Hybrids				4
		Doves, Mourning				912
		Ducks, Bufflehead				2
		Ducks, Merganser, Hooded				12
		Ducks, Wood				2
		Egrets, Cattle				2
		Egrets, Great				2
		Falcons, American Kestrels				43
		Falcons, Merlin				1
		Foxes, Gray				1
		Geese, Canada				158
		Grackles, Common				237
		Gulls, Black-Backed, Greater				100
		Gulls, Herring				672
		Gulls, Laughing				6,078

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Gulls, Ring-Billed				3,859
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				5
		Hawks, Red-Shouldered				3
		Hawks, Red-Tailed				3
		Hérons, Great Blue				41
		Hérons, Green				1
		Ibises, White				218
		Killdeers				594
		Meadowlarks, Eastern				999
		Ospreys				2
		Pigeons, Feral (Rock)				16
		Plovers, Black-Bellied				220
		Sparrows, House/English				40
		Starlings, European				1,988
		Swallows, Barn				328
		Swallows, Northern Rough-Winged				7
		Terns, Common				57

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Terns, Forster`s				21
		Terns, Royal				46
		Turkeys, Wild				301
		Vultures, Turkey				43
Whistlers/Screamers						
	Intentional					
		Birds, Unidentifiable				2
		Blackbirds, (Mixed Species)				200
		Cormorants, Double-Crested				146
		Cowbirds, Brown-Headed				350
		Cranes, Sandhill				1
		Crows, American				89
		Crows, Fish				159
		Dogs, Feral, Free-Ranging And Hybrids				5
		Doves, Mourning				362
		Ducks, Mallards				8
		Geese, Canada				178
		Grackles, Common				200
		Gulls, Laughing				5,900

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Gulls, Ring-Billed				269
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-Tailed				30
		Hérons, Great Blue				1
		Hérons, Green				1
		Ibises, White				2
		Kites, Mississippi				25
		Ospreys				6
		Plovers, Black-Bellied				45
		Starlings, European				547
		Swallows, Barn				56
		Swallows, Northern Rough-Winged				51
		Terns, Royal				1
		Turkeys, Wild				11
		Vultures, Turkey				348
		Yellowlegs, Greater				3
		<i>Total Take for NC</i>	8,635		421	56,789

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.