

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Coyotes</b>	7			
		<b>Foxes, Red</b>	2			
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	<b>Coyotes</b>	26			
<b>Dog</b>	<b>Intentional</b>	<b>Geese, Canada</b>				82
		<b>Hawks, Red-Tailed</b>				1
<b>DRC-1339 Eggs</b>	<b>Intentional</b>	<b>Crows, American</b>	9			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	<b>Starlings, European</b>	132,929			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	473			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	6,087			
<b>Drug Delivery Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Skunks, Striped</b>	7			
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Badgers</b>	2			
		<b>Beavers</b>	44			
		<b>Blackbirds, (Mixed Species)</b>				1,175
		<b>Blackbirds, Red-Winged</b>	76			300
		<b>Bobcats</b>	2			
		<b>Cats, Feral/Free Ranging</b>	10			
		<b>Coots, American</b>	32			500
		<b>Cormorants, Double-Crested</b>	3			169
		<b>Cowbirds, Brown-Headed</b>	361			27,510
		<b>Coyotes</b>	175			
		<b>Crows, American</b>	8			26
		<b>Deer, White-Tailed (Wild)</b>	6			
		<b>Doves, Mourning</b>	414			1,774

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Ducks, Gadwall				6
		Ducks, Goldeneye, Common				35
		Ducks, Mallards	84			191
		Ducks, Northern Shoveler	1			83
		Ducks, Ring-Necked				57
		Ducks, Scaup, Lesser				150
		Ducks, Teal, Blue-Winged	34			1,066
		Ducks, Teal, Green-Winged				6
		Ducks, Wood				40
		Egrets, Cattle	7			48
		Flickers, Northern	1			
		Foxes, Red	15			9
		Geese, Canada	209			1,675
		Geese, Snow, Lesser	1			
		Grackles, Common	73			133
		Gulls, Franklin`s	21			175
		Gulls, Ring-Billed	50			1,006
		Hawks, Cooper`s	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Hawks, Harrier, Northern (Marsh Hawks)	1			1
		Hawks, Red-Tailed	48			28
		Hérons, Great Blue	72			175
		Killdeers	97			66
		Marmots/Woodchucks (All)	6			
		Meadowlarks, Western	2			
		Minks	5			
		Muskrats	57			
		Opossums, Virginia	2			
		Owls, Great Horned	1			
		Pigeons, Feral (Rock)	1,160			130
		Porcupines	7			
		Prairie Dogs, Black-Tailed	133			
		Rabbits, Cottontail	138			
		Raccoons	20			
		Robins, American	4			35
		Skunks, Striped	27			2
		Snakes, Venomous (Other)	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Sparrows, House/English	132			
		Squirrels, Fox	13			
		Squirrels, Ground, Other	70			
		Starlings, European	711			8,015
		Swallows, Barn	64			1,410
		Swallows, Cliff	78			300
		Turkeys, Wild	2			9
		Vultures, Turkey	30			36
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	345			
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Prairie Dogs, Black-Tailed (Burrow/Den)			1	
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)			13	
		Foxes, Red (Burrow/Den)			10	
<b>Hand Tools</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Hand Tools</b>						
	<b>Intentional</b>					
		Skunks, Striped (Burrow/Den)		7		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Bats (All)	1			
		Deer, White-Tailed (Wild)			2	
		Doves, Mourning	9			
		Frogs/Toads (Other)			17	
		Grackles, Common	1			
		Opossums, Virginia	1			
		Robins, American	11			
		Snakes, Non-Venomous (Other)			7	
		Snakes, Venomous (Other)	1			
		Turtles, Common Snapping			5	
		Turtles, Painted			1	
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Geese, Canada				2
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Coyotes	1,100			
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Foxes, Red	6			
<b>Nets, Other</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	3			
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)				4,300
		Blackbirds, Red-Winged				250
		Cormorants, Double-Crested				400
		Crows, American				170
		Deer, White-Tailed (Wild)				3
		Doves, Mourning				100
		Ducks, Mallards				158
		Ducks, Northern Shoveler				12
		Ducks, Scaup, Lesser				160
		Ducks, Teal, Blue-Winged				253
		Eagles, Bald				5

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Egrets, Cattle				110
		Geese, Canada				8,054
		Gulls, Franklin`s				700
		Gulls, Ring-Billed				1,229
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-Tailed				8
		Hérons, Great Blue				112
		Pelicans, American White				610
		Starlings, European				4,850
		Swallows, Barn				30
		Vultures, Turkey				53
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	10			
		Beavers	24			
		Coyotes	228			
		Foxes, Red	10			
		Opossums, Virginia	5			
		Porcupines	19			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	Raccoons	57				
		Skunks, Striped	33				
<b>Traps, Body Grip</b>	<b>Intentional</b>	Badgers	7				
		Beavers	93				
		Cats, Feral/Free Ranging	2				
		Foxes, Red	1				
		Marmots/Woodchucks (All)	2				
		Minks	6				
		Muskrats	98				
		Opossums, Virginia	7				
		Raccoons	13				
		Skunks, Striped	3				
		Squirrels, Ground, Other	1				
			<b>Unintentional</b>				
				Muskrats	4		
<b>Traps, Cage</b>	<b>Intentional</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>						
	<b>Intentional</b>					
		Badgers	4			
		Beavers	1			
		Cats, Feral/Free Ranging	32			
		Hawks, Cooper`s			2	
		Hawks, Red-Tailed			1	
		Marmots/Woodchucks (All)	16			
		Muskrats			1	
		Opossums, Virginia	71		29	
		Pigeons, Feral (Rock)	398			
		Porcupines	8			
		Raccoons	449			
		Skunks, Striped	148			
		Starlings, European	1,522		274	
	<b>Unintentional</b>					
		Cardinals, Northern	1		4	
		Juncos, Dark-Eyed			9	
<b>Traps, Decoy</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed	385			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Intentional</b>	Falcons, American Kestrels	1			
		Starlings, European	3,016			
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	20			
		Beavers	2			
		Coyotes	182			
		Foxes, Red	23			
		Muskrats	63			
		Opossums, Virginia	14			
		Porcupines	3			
		Prairie Dogs, Black-Tailed	1			
		Raccoons	154			
		Skunks, Striped	15			
		Woodrats, Eastern	1			
		<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Crows, American	1	
Minks	4					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Muskrats	5				
		Raccoons	1				
	<b>Unintentional</b>	Muskrats	3				
		<b>Traps, Pole</b>					
		<b>Intentional</b>	Falcons, American Kestrels	6		12	
Hawks, Cooper`s				1			
Hawks, Red-Tailed	4			104			
Hawks, Rough-Legged	1			4			
Meadowlarks, Eastern	2						
Owls, Barred				1			
Owls, Great Horned	3			27			
Owls, Short-Eared	1			1			
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Falcons, American Kestrels	1		7		
		Hawks, Cooper`s			12		
		Hawks, Red-Tailed	2		89		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Hawks, Sharp-Shinned			1	
		Owls, Barred			1	
		Owls, Great Horned			13	
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	47			
		Raccoons	6			
<b>Vehicles (All)</b>	<b>Intentional</b>	Cowbirds, Brown-Headed				15,400
		Deer, White-Tailed (Wild)				9
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				290
		Ducks, Mallards				59
		Ducks, Northern Shoveler				31
		Ducks, Teal, Blue-Winged				108
		Ducks, Teal, Green-Winged				3
		Egrets, Cattle				3
		Falcons, American Kestrels				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Nebraska - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Foxes, Red				9
		Geese, Canada				2,648
		Grackles, Common				60
		Gulls, Ring-Billed				125
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks)				18
		Hawks, Red-Tailed				373
		Hérons, Great Blue				117
		Killdeers				20
		Sandpipers, Upland				2
		Starlings, European				1,005
		Swallows, Barn				1,650
		Swallows, Cliff				1,050
		Turkeys, Wild				1
		Vultures, Turkey				22
		<i>Total Take for NE</i>	152,772	31	625	91,002

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*