

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Coyotes</b>	1			
<b>Catch Pole</b>	<b>Intentional</b>	<b>Porcupines</b>			1	
		<b>Snakes, Venomous (Other)</b>			2	
<b>Compound 1080 Lp Collar (Nm)</b>	<b>Intentional</b>	<b>Coyotes</b>	3			
<b>Dog</b>	<b>Intentional</b>	<b>Bobcats</b>	1			
		<b>Lions, Mountain (Cougar)</b>			1	
<b>DRC-1339 Eggs</b>	<b>Intentional</b>	<b>Ravens, Common</b>	6			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	<b>Blackbirds, Brewer`s</b>	16,335			
		<b>Blackbirds, Red-Winged</b>	7,975			
		<b>Grackles, Great-Tailed</b>	210			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	Starlings, European	15,335			
	<b>Unintentional</b>	Pigeons, Feral (Rock)	650			
		Ravens, Common	2			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	50			
<b>Firearms</b>	<b>Intentional</b>	Badgers	1			
		Bears, Black	1			
		Beavers	5			
		Blackbirds, (Mixed Species)				2,578
		Blackbirds, Brewer`s	17			
		Blackbirds, Red-Winged	5			
		Bobcats	5			
		Coyotes	653			
		Doves, Collared, Eurasian	1,935			175
		Foxes, Gray	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Geese, Canada	1			
		Grackles, Great-Tailed	1			
		Jackrabbits, Black Tailed	516			
		Lions, Mountain (Cougar)	5			
		Pigeons, Feral (Rock)	4,931			107
		Prairie Dogs, Gunnison`s	808			
		Rabbits, Cottontail	7			
		Skunks, Striped	5			
		Starlings, European	39			
		Swine, Feral	25			
	<b>Unintentional</b>					
		Doves, Mourning	3			
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Bobcats	1			
		Coyotes	1,534			
		Swine, Feral	55			
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	<b>Coyotes (Burrow/Den)</b>		3			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	<b>Coyotes</b>	1				
		<b>Doves, Collared, Eurasian</b>	1				
		<b>Foxes, Gray</b>				1	
		<b>Jackrabbits, Black Tailed</b>	2				
		<b>Opossums, Virginia</b>				1	
		<b>Pigeons, Feral (Rock)</b>	10				
<b>Helicopter</b>	<b>Intentional</b>	<b>Coyotes</b>	9				
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	<b>Coyotes</b>	1,360				
		<b>Unintentional</b>	<b>Dogs, Feral, Free-Ranging And Hybrids</b>	7			
			<b>Foxes, Gray</b>	12			
			<b>Foxes, Kit</b>	19			
			<b>Foxes, Red</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	Unintentional	Foxes, Swift	12			
		Skunks, Striped	5			
<b>Screamer Banger Rockets</b>	Intentional	Cranes, Sandhill				81,062
<b>Snares, Foot/Leg</b>	Intentional	Bears, Black	9			
		Coyotes	2			
		Lions, Mountain (Cougar)	3			
		Swine, Feral	2			
	Unintentional	Bears, Black			4	
<b>Snares, Neck</b>	Intentional	Bobcats	9			
		Coyotes	685			
		Foxes, Gray	1			
		Lions, Mountain (Cougar)	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Swine, Feral	1			
		Badgers	3		1	
		Deer, Mule	3		1	
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Foxes, Kit	1			
		Foxes, Swift	1			
		Jackrabbits, Black Tailed	6			
		Lions, Mountain (Cougar)	1			
		Porcupines	8			1
		Rabbits, Cottontail	1			
		Raccoons	1			
		Swine, Feral	1			
		<b>Spotlight</b>	<b>Intentional</b>	Beavers	2	
Coyotes	4					
Jackrabbits, Black Tailed	60					
<b>Traps, Body Grip</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	28				
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Badgers</b>			1		
		<b>Bobcats</b>	1				
		<b>Foxes, Gray</b>			2		
		<b>Opossums, Virginia</b>	2				
		<b>Pigeons, Feral (Rock)</b>	4				
		<b>Raccoons</b>	5		6		
		<b>Skunks, Spotted</b>	3				
		<b>Skunks, Striped</b>	602				
		<b>Squirrels, Ground, Other</b>	99		2		
		<b>Squirrels, Rock</b>	3		1		
		<b>Swine, Feral</b>	127		2		
		<b>Unintentional</b>	<b>Cats, Feral/Free Ranging</b>			6	
			<b>Foxes, Gray</b>			1	
			<b>Raccoons</b>			1	
<b>Traps, Decoy</b>							

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Collared, Eurasian	121			
		Pigeons, Feral (Rock)	269			
		Squirrels, Ground, Other	1			
	<b>Unintentional</b>	Doves, White-Winged	17			45
	<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Swine, Feral	9		1
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	2			
		Bobcats	22			
		Coyotes	827			
		Dogs, Feral, Free-Ranging And Hybrids			24	
		Foxes, Gray	1			
		Raccoons			1	
		Skunks, Striped	35			
		<b>Unintentional</b>	Badgers	8		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	<b>Bobcats</b>			3	
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	2			
		<b>Foxes, Gray</b>	8		7	
		<b>Foxes, Kit</b>	1			
		<b>Foxes, Red</b>				1
		<b>Foxes, Swift</b>	5			
		<b>Jackrabbits, Black Tailed</b>	6			
		<b>Porcupines</b>	16			
		<b>Pronghorns (Antelope)</b>				1
		<b>Raccoons</b>	5			2
		<b>Ravens, Common</b>	1			
		<b>Skunks, Hog-Nosed</b>	3			
		<b>Skunks, Spotted</b>	1			
		<b>Skunks, Striped</b>	14			
		<b>Vultures, Turkey</b>	2			
		<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	<b>Coyotes</b>	27	
<b>Wolves, Mexican Gray</b>					1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Mexico - FY 2011*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold (Padded)</b>						
	<b>Unintentional</b>					
		<b>Wolves, Mexican Gray</b>			2	
<b>Traps, Gopher</b>						
	<b>Intentional</b>					
		<b>Gophers, Pocket (All)</b>	2			
		<i>Total Take for NM</i>	55,648	3	124	83,922

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*