

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Avocets, American				4
		Blackbirds, (Mixed Species)				209
		Blackbirds, Red-Winged				31,348
		Buntings, Snow				440
		Coots, American				2
		Cormorants, Double-Crested				1,279
		Cowbirds, Brown-Headed				2,027
		Crows, American				4,883
		Deer, White-Tailed (Wild)				42
		Doves, Mourning				2,149
		Ducks, American Black				73
		Ducks, Bufflehead				52
		Ducks, Canvasback				320
		Ducks, Gadwall				126
		Ducks, Goldeneye, Common				1
		Ducks, Mallards				4,822
		Ducks, Merganser, Hooded				6
		Ducks, Merganser, Red-Breasted				230

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Ducks, Northern Pintail				60
		Ducks, Northern Shoveler				39
		Ducks, Redhead				208
		Ducks, Ring-Necked				320
		Ducks, Scaup, Lesser				2,719
		Ducks, Teal, Blue-Winged				858
		Ducks, Teal, Green-Winged				324
		Ducks, Wood				16
		Dunlins				20
		Eagles, Bald				10
		Egrets, Great				5
		Falcons, American Kestrels				46
		Falcons, Peregrine				3
		Foxes, Red				2
		Geese, Canada				1,636
		Grackles, Common				50
		Gulls, Bonaparte`s				150
		Gulls, Herring				11,393

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Gulls, Ring-Billed				99,425
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks)				17
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				120
		Hawks, Rough-Legged				66
		Hérons, Great Blue				127
		Killdeers				409
		Larks, Horned				50
		Ospreys				5
		Owls, Short-Eared				43
		Pigeons, Feral (Rock)				3,950
		Plovers, Black-Bellied				30
		Robins, American				202
		Snipes, Wilson`s				2
		Sparrows, House/English				513
		Starlings, European				1,268,751
		Swallows, Barn				198

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers	Intentional	Swans, Mute				2
		Swans, Tundra				23
		Terns, Caspian				94
		Turkeys, Wild				26
		Vultures, Black				624
		Vultures, Turkey				1,523
Capa Cartridges	Intentional	Cormorants, Double-Crested				15
		Crows, American				130
		Gulls, Herring				1,355
		Gulls, Ring-Billed				13,790
		Hawks, Red-Tailed				8
		Vultures, Black				56
		Vultures, Turkey				187
Car/Truck	Intentional	Coyotes				6
		Deer, White-Tailed (Wild)				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Car/Truck	Intentional	Geese, Canada				3
		Starlings, European				30
		Vultures, Turkey				5
Catch Pole	Intentional	Raccoons	1			
Cracker Shells (12 Gauge)	Intentional	Blackbirds, Red-Winged				3,500
		Coots, American				20
		Cormorants, Double-Crested				76
		Crows, American				1,706
		Doves, Mourning				15
		Ducks, Bufflehead				40
		Ducks, Canvasback				3
		Ducks, Gadwall				120
		Ducks, Mallards				1,262
		Ducks, Northern Shoveler				20
		Ducks, Redhead				12

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Ducks, Ring-Necked				40
		Ducks, Scaup, Lesser				2,177
		Ducks, Wigeon, American				100
		Egrets, Great				1
		Falcons, American Kestrels				2
		Geese, Canada				308
		Gulls, Herring				458
		Gulls, Ring-Billed				6,191
		Hawks, Red-Tailed				4
		Hérons, Great Blue				6
		Owls, Short-Eared				2
		Pigeons, Feral (Rock)				141
		Sparrows, House/English				111
		Starlings, European				15,535
		Swans, Tundra				5
		Vultures, Black				72
		Vultures, Turkey				208
DRC-1339-Feedlots						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339-Feedlots						
	Intentional					
		Starlings, European	20,435			
Effigy, Vulture						
	Intentional					
		Vultures, Turkey				30
Firearms						
	Intentional					
		Blackbirds, Red-Winged	365			22,588
		Cats, Feral/Free Ranging	2			
		Cormorants, Double-Crested	300			
		Cowbirds, Brown-Headed	160			167
		Coyotes	3			3
		Crows, American	15			43
		Deer, White-Tailed (Wild)	20			43
		Doves, Mourning	89			561
		Ducks, Gadwall				20
		Ducks, Mallards	73			573
		Ducks, Redhead				180
		Ducks, Ring-Necked				80
		Ducks, Wood				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Falcons, American Kestrels	5			
		Foxes, Red	1			
		Geese, Canada	130			304
		Grackles, Common	3			
		Gulls, Black-Backed, Greater				10
		Gulls, Herring	31			5,945
		Gulls, Ring-Billed	209			65,137
		Hawks, Red-Tailed	8			2
		Hawks, Rough-Legged	2			
		Hérons, Great Blue	10			42
		Killdeers	23			23
		Marmots/Woodchucks (All)	25			
		Muskrats	3			
		Opossums, Virginia	2			
		Pigeons, Feral (Rock)	274			679
		Rabbits, Cottontail	5			
		Raccoons	22			
		Skunks, Striped	4			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Sparrows, House/English	67			
		Starlings, European	2,460			13,192
		Swans, Mute	2			1
		Terns, Caspian				30
		Vultures, Black	2			31
		Vultures, Turkey	6			35
		Flaming Whistlers	Intentional	Coots, American		
Cormorants, Double-Crested						750
Crows, American						767
Ducks, Mallards						68
Ducks, Merganser, Red-Breasted						100
Ducks, Scaup, Lesser						240
Ducks, Wood						1
Geese, Canada						16
Gulls, Herring						7,787
Gulls, Ring-Billed						62,448
Hawks, Red-Tailed						27

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Flaming Whistlers						
	Intentional					
		Hawks, Rough-Legged				15
		Hérons, Great Blue				1
		Owls, Short-Eared				6
		Pigeons, Feral (Rock)				144
		Robins, American				20
		Sparrows, House/English				281
		Starlings, European				201,050
		Terns, Caspian				36
		Vultures, Turkey				10
Gas Cartridge (Rodent)						
	Intentional					
		Marmots/Woodchucks (All) (Burrow/Den)		109		
Hand Tools						
	Intentional					
		Cowbirds, Brown-Headed				130
		Crows, American				1
		Deer, White-Tailed (Wild)				2
		Doves, Mourning				60
		Ducks, Mallards				6

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Hand Tools	Intentional	Geese, Canada				53
		Gulls, Herring				6
		Gulls, Ring-Billed				5
		Hawks, Red-Tailed				3
		Killdeers				2
		Pigeons, Feral (Rock)				2
		Starlings, European				6,177
		Swallows, Bank				85
Handcaught/Gathered	Intentional	Marmots/Woodchucks (All)	5			
		Pigeons, Feral (Rock)	6			
		Sparrows, House/English	5			
		Starlings, European	7			
Lasers (All) (Deterrent)	Intentional	Ducks, Mallards				171
		Geese, Canada				33
		Vultures, Black				77

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Lasers (All) (Deterrent)						
	Intentional					
		Vultures, Turkey				5
Nets, Bow						
	Intentional					
		Pigeons, Feral (Rock)	17			
Physical Actions (Hand/Voice)						
	Intentional					
		Geese, Canada				46
Pyrotechnics (All)						
	Intentional					
		Starlings, European				600
Snares, Neck						
	Intentional					
		Beavers	1			
		Coyotes	29			
		Foxes, Red	1			
		Marmots/Woodchucks (All)	14			
		Raccoons	7			
	Unintentional					
		Foxes, Red	1			
		Raccoons	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Bal-Chatri	Intentional	Falcons, American Kestrels	1		9	
		Hawks, Red-Tailed			20	
Traps, Body Grip	Intentional	Cats, Feral/Free Ranging	1			
		Marmots/Woodchucks (All)	4			
		Muskrats	13			
		Opossums, Virginia	2			
		Raccoons	1			
Traps, Cage	Intentional	Cats, Feral/Free Ranging	1		13	
		Doves, Mourning	1			
		Foxes, Red			1	
		Grackles, Common			1	
		Marmots/Woodchucks (All)	2		26	
		Opossums, Virginia	18		169	
		Pigeons, Feral (Rock)	32			
		Rabbits, Cottontail			8	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Raccoons	372		2,457	
		Robins, American			1	
		Skunks, Striped	50			
		Squirrels, Eastern Gray			1	
		Squirrels, Fox			15	
		Swine, Feral	1			
		Unintentional				
	Cats, Feral/Free Ranging			9		
	Grackles, Common			1		
	Marmots/Woodchucks (All)			23		
	Opossums, Virginia	1		108		
	Rabbits, Cottontail			11		
	Squirrels, Fox			21		
	Turtles, Painted			1		
Traps, Decoy	Intentional	Blackbirds, Red-Winged	322			
		Cowbirds, Brown-Headed	109			
		Doves, Mourning	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy	Intentional	Falcons, American Kestrels			7	
		Sparrows, House/English	74			
		Starlings, European	4,137			3
	Unintentional	Mockingbirds, Northern	2		2	
		Sparrows, Savannah			20	
	Traps, Foothold	Intentional	Coyotes	3		
Foxes, Red			1			
Marmots/Woodchucks (All)			1			
Opossums, Virginia			8			
Raccoons			605			
Skunks, Striped			1			
Unintentional			Chipmunks, Eastern	4		
		Foxes, Red	1			
		Opossums, Virginia	1		1	
Traps, Foothold (Padded)		Intentional				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold (Padded)	Intentional	Coyotes	1			
		Foxes, Red	1			
		Raccoons	1			
Traps, Other	Intentional	Sparrows, House/English	16			
		Starlings, European	24		3	
Traps, Pole	Intentional	Falcons, American Kestrels			2	
		Hawks, Red-Tailed			6	
Traps, Raptor (Swedish Goshawk)	Intentional	Hawks, Red-Shouldered			1	
		Hawks, Red-Tailed	4		18	
		Owls, Great Horned			1	
Vehicles (All)	Intentional	Avocets, American				5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Blackbirds, Red-Winged				300
		Buntings, Snow				120
		Coyotes				2
		Crows, American				6
		Deer, White-Tailed (Wild)				36
		Doves, Mourning				70
		Ducks, Bufflehead				6
		Ducks, Canvasback				3
		Ducks, Goldeneye, Common				16
		Ducks, Mallards				329
		Ducks, Merganser, Hooded				23
		Ducks, Northern Pintail				10
		Ducks, Redhead				45
		Ducks, Scaup, Lesser				10
		Ducks, Teal, Blue-Winged				45
		Ducks, Teal, Green-Winged				30
		Ducks, Wigeon, American				4
		Eagles, Bald				5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Falcons, American Kestrels				19
		Falcons, Peregrine				8
		Geese, Canada				159
		Gulls, Black-Backed, Greater				10
		Gulls, Herring				44
		Gulls, Ring-Billed				410
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				17
		Hawks, Red-Shouldered				2
		Hawks, Red-Tailed				92
		Hawks, Rough-Legged				13
		Herons, Great Blue				82
		Killdeers				72
		Owls, Short-Eared				5
		Plovers, Black-Bellied				1
		Snipes, Wilson`s				15
		Starlings, European				1,120
		Turkeys, Wild				22

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Woodcock, American				1
Whistlers/Screamers						
	Intentional					
		Avocets, American				5
		Blackbirds, Red-Winged				15,433
		Coots, American				20
		Cormorants, Double-Crested				861
		Cowbirds, Brown-Headed				250
		Crows, American				5,752
		Deer, White-Tailed (Wild)				17
		Doves, Mourning				1,263
		Ducks, Mallards				1,587
		Ducks, Merganser, Red-Breasted				207
		Ducks, Northern Pintail				30
		Ducks, Northern Shoveler				35
		Ducks, Redhead				6
		Ducks, Teal, Blue-Winged				261
		Ducks, Wood				21
		Eagles, Bald				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Falcons, American Kestrels				8
		Falcons, Peregrine				4
		Geese, Canada				3,357
		Gulls, Black-Backed, Greater				127
		Gulls, Bonaparte`s				345
		Gulls, Herring				45,686
		Gulls, Ring-Billed				412,583
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks)				13
		Hawks, Red-Tailed				71
		Hawks, Rough-Legged				25
		Hérons, Great Blue				63
		Killdeers				121
		Ospreys				3
		Owls, Short-Eared				11
		Pigeons, Feral (Rock)				1,569
		Plovers, Semipalmated				30
		Robins, American				15

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Ohio - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Sparrows, House/English				938
		Starlings, European				496,660
		Swallows, Bank				100
		Swallows, Barn				300
		Swans, Mute				1
		Terns, Caspian				305
		Turkeys, Wild				20
		Vultures, Black				676
		Vultures, Turkey				1,954
		<i>Total Take for OH</i>	30,668	109	2,956	2,874,664

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.