

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Egrets, Cattle				4
		Ibises, White				15
<b>Firearms</b>	<b>Intentional</b>	Beavers	162			
		Coyotes	5			2
		Deer, White-Tailed (Wild)	44			2
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Doves, Mourning	44			19
		Ducks, Mallards	13			
		Ducks, Merganser, Hooded	1			
		Egrets, Cattle	52			161
		Egrets, Great	1			
		Geese, Canada	15			61
		Gulls, Ring-Billed	1			
		Hérons, Great Blue	1			
		Ibises, White	16			6
		Larks, Horned	35			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	36			22
		Robins, American	3			500
		Sparrows, Field	11			
		Starlings, European	16			35
		Swine, Feral	23			
		Turkeys, Wild	1			
		Vultures, Black	16			502
		Vultures, Turkey	9			115
	<b>Unintentional</b>					
		Muskrats	1			
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Geese, Canada	1			
		Snakes, Non-Venomous (Other)			1	
		Snakes, Venomous (Other)			1	
		Vultures, Turkey			1	
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Geese, Canada	31			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Crows, American				197
		Dogs, Feral, Free-Ranging And Hybrids				3
		Doves, Mourning				290
		Egrets, Cattle				1,667
		Falcons, American Kestrels				7
		Geese, Canada				8
		Grackles, Common				15
		Gulls, Herring				15
		Gulls, Laughing				49
		Gulls, Ring-Billed				144
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				12
		Ibises, White				117
		Killdeers				115
		Kites, Mississippi				11
		Larks, Horned				590
		Meadowlarks, Eastern				45
		Pigeons, Feral (Rock)				52

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Plovers, Black-Bellied				191
		Plovers, Semipalmated				1,372
		Quail (All)				1
		Robins, American				665
		Sandpipers, Western				60
		Starlings, European				110
		Swallows, Barn				290
		Swallows, Tree				115
		Turkeys, Wild				156
		Vultures, Black				393
		Vultures, Turkey				912
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	946			
		Coyotes	6			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Red	2			
	<b>Unintentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids	1		3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Snares, Neck</b>	<b>Unintentional</b>	Otters, River	5		1		
		Raccoons	2		1		
		Turtles, Common Snapping	2		3		
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	542				
	<b>Unintentional</b>	Dogs, Feral, Free-Ranging And Hybrids	1				
		Muskrats	3				
		Otters, River	5		1		
		Raccoons	11				
		Turtles Other			3		
		Turtles, Common Map	1		4		
		Turtles, Common Musk	1				
		Turtles, Common Snapping	11		19		
		Turtles, Painted			1		
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	2				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>		
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Swine, Feral</b>	30					
		<b>Traps, Drive/Corral</b>						
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Geese, Canada</b>	1,215		25			
		<b>Traps, Foothold</b>						
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Beavers</b>	78					
		<b>Coyotes</b>	2					
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	1					
		<b>Unintentional</b>	<b>Cats, Feral/Free Ranging</b>				1	
			<b>Opossums, Virginia</b>	1			3	
			<b>Raccoons</b>	1			1	
			<b>Turtles, Common Snapping</b>	1			1	
		<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Coyotes</b>				6
				<b>Crows, American</b>				16
				<b>Deer, White-Tailed (Wild)</b>				31
<b>Egrets, Cattle</b>						47		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in South Carolina - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				85
		Turkeys, Wild				172
		Vultures, Turkey				80
		<i>Total Take for SC</i>	3,410		70	9,487

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*