

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
A/C Powder	Intentional	Ducks, Feral			1	
		Ducks, Mallards			3	
A/C Tablets: 20 Mg	Intentional	Ducks, Mallards	2		4	
		Geese, Canada			4	
A/C Tablets: 40 Mg	Intentional	Ducks, Mallards	1		3	
A/C Tablets: 60 Mg	Intentional	Ducks, Mallards			1	
		Ducks, Muscovy	21			
		Geese, Canada			11	
Boat	Intentional	Cormorants, Double-Crested				1,000
		Gulls, Ring-Billed				750
		Pelicans, American White				75

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Calling Device, Electronic	Intentional	Bobcats	11			
		Coyotes	136			
		Crows, American	5			
		Foxes, Gray	178			
		Foxes, Red	7			
		Raccoons	45			
		Swine, Feral	1			
Calling Device, Manual(Hand,Blown)	Intentional	Bobcats	22			
		Coyotes	368			
		Foxes, Gray	50			
		Raccoons	1			
		Swine, Feral	3			
Car/Truck	Intentional	Blackbirds, Red-Winged				300
		Cowbirds, Brown-Headed				800
		Coyotes				19

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Car/Truck	Intentional	Cranes, Sandhill				10
		Crows, American				233
		Deer, White-Tailed (Wild)				5
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				100
		Grackles, Great-Tailed				1,570
		Gulls, Ring-Billed				35
		Hawks, Red-Tailed				8
		Meadowlarks, Western				3,045
		Starlings, European				1,150
		Swallows, Cliff				900
		Vultures, Turkey				57
Catch Pole	Intentional	Foxes, Gray	2			
		Raccoons	1			
		Snakes, Rattlesnakes, Western Diamond	5			
Compound 1080 Lp Collar (Tx)	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Compound 1080 Lp Collar (Tx)						
	Intentional					
		Coyotes	11			
DRC-1339 Eggs						
	Intentional					
		Crows, American	53			
		Ravens, Common	279			
DRC-1339-Staging Areas						
	Intentional					
		Blackbirds, Red-Winged	392,744			
		Cowbirds, Brown-Headed	477,725			
		Grackles, Common	20,450			
		Grackles, Great-Tailed	3,476			
		Starlings, European	1,000			
DRC-1339-TX SLN (Birds)						
	Intentional					
		Grackles, Great-Tailed	3			
		Pigeons, Feral (Rock)	10			
DRC-1339-TX SLN (Feedlot)						
	Intentional					
		Cowbirds, Brown-Headed	4,000			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339-TX SLN (Feedlot)						
	Intentional					
		Starlings, European	1,000			
Electronic Harassment Devices (Other)						
	Intentional					
		Caracaras				7
		Doves, Mourning				25
		Doves, White-Winged				115
		Falcons, American Kestrels				9
		Grackles, Great-Tailed				155
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks)				2
		Hawks, Red-Tailed				2
		Killdeers				1
		Meadowlarks, Western				60
		Pigeons, Feral (Rock)				16
		Starlings, European				130
		Swallows, Cliff				10
		Vultures, Black				68
		Vultures, Turkey				11
Exploders, Gas (All)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Blackbirds, Red-Winged				2,700
		Cormorants, Double-Crested				1,675
		Cowbirds, Brown-Headed				2,600
		Cranes, Sandhill				71
		Crows, American				156
		Doves, Collared, Eurasian				15
		Doves, Mourning				1,480
		Ducks, Northern Pintail				505
		Ducks, Northern Shoveler				50
		Egrets, Cattle				529
		Falcons, American Kestrels				42
		Flycatchers, Scissor-Tailed				149
		Grackles, Common				1,935
		Grackles, Great-Tailed				4,075
		Gulls, Laughing				2,870
		Gulls, Ring-Billed				1,375
		Hawks, Red-Tailed				8
		Hawks, Swainson`s				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)	Intentional	Herons, Great Blue				220
		Killdeers				185
		Larks, Horned				639
		Meadowlarks, Eastern				106
		Meadowlarks, Western				3,780
		Ospreys				2
		Pelicans, American White				250
		Pigeons, Feral (Rock)				1,170
		Sandpipers, Upland				50
		Sparrows, Savannah				70
		Starlings, European				4,100
		Swallows, Barn				50,200
		Swallows, Cliff				4,450
		Vultures, Turkey				92
Firearms	Intentional	Armadillos, Nine-Banded	4			
		Badgers	2			
		Beavers	610			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Blackbirds, Red-Winged	144			453
		Bobcats	48			
		Buntings, Lark	16			295
		Caracaras	14			23
		Coots, American	8			
		Cormorants, Double-Crested	8			
		Cowbirds, Brown-Headed	59			13
		Coyotes	419			
		Crows, American	65			269
		Deer, White-Tailed (Captive)	8			
		Deer, White-Tailed (Wild)	2			1
		Dogs, Feral, Free-Ranging And Hybrids	13			
		Doves, Collared, Eurasian	23			
		Doves, Mourning	666			1,941
		Doves, White-Winged	89			652
		Ducks, Bufflehead				20
		Ducks, Gadwall	10			121
		Ducks, Mottled	2			2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Ducks, Northern Pintail	2			140
		Ducks, Northern Shoveler	15			568
		Ducks, Ring-Necked				290
		Ducks, Ruddy				10
		Ducks, Scaup, Lesser				280
		Ducks, Teal, Blue-Winged	2			60
		Ducks, Whistling, Black-Bellied	21			171
		Ducks, Wigeon, American				80
		Egrets, Cattle	100			1,497
		Egrets, Great	1			11
		Falcons, American Kestrels	8			193
		Flycatchers, Scissor-Tailed	60			97
		Foxes, Gray	68			
		Foxes, Red	20			
		Geese, Canada	2			
		Geese, Feral	11			
		Geese, Snow, Lesser	9			
		Grackles, Common	310			1,443

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Grackles, Great-Tailed	312			1,135
		Gulls, Laughing	162			1,523
		Gulls, Ring-Billed	31			150
		Hawks, Cooper`s	4			2
		Hawks, Harrier, Northern (Marsh Hawks)				6
		Hawks, Red-Shouldered	2			1
		Hawks, Red-Tailed	9			25
		Hawks, Swainson`s	3			29
		Hérons, Great Blue	12			155
		Hérons, Night, Yellow-Crowned	6			
		Jackrabbits, Black Tailed	130			5
		Killdeers	63			47
		Kingbirds, Western	1			
		Larks, Horned	52			160
		Lions, Mountain (Cougar)	17			
		Meadowlarks, Eastern	296			1,042
		Meadowlarks, Western	225			1,009
		Nighthawks (All)	7			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Nutrias	86			
		Opossums, Virginia	6			
		Otters, River	1			
		Peccaries, Collared (Javelina)	4			
		Pigeons, Feral (Rock)	1,803			1,719
		Rabbits, Cottontail	37			
		Raccoons	170			
		Ravens, Common	1			
		Sandpipers, Upland	109			392
		Skunks, Striped	183			
		Snakes, Venomous (Other)	1			
		Sparrows, House/English	28			
		Squirrels, Ground, Other	181			
		Starlings, European	316			1,564
		Swallows, Barn	25			1,520
		Swallows, Cliff	216			4,250
		Swifts (All)	1			
		Swine, Feral	2,285			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Turkeys, Wild				1
		Vultures, Black	770			1,596
		Vultures, Turkey	240			2,059
		Woodpeckers, Golden-Fronted	4			
Fixed Wing	Intentional	Bobcats	5			
		Coyotes	1,014			
		Swine, Feral	2,521			
Gas Cartridge (Rodent)	Intentional	Squirrels, Ground, Other (Burrow/Den)			1	
Gas Cartridge, Large	Intentional	Coyotes (Burrow/Den)			6	
		Foxes, Red (Burrow/Den)			12	
Handcaught/Gathered	Intentional	Coyotes	7			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered	Intentional	Dogs, Feral, Free-Ranging And Hybrids			4	
		Ducks, Feral			6	
		Foxes, Gray	1			
		Geese, Canada	42			
		Opossums, Virginia	1			
		Raccoons	2			
		Skunks, Striped				1
		Snakes, Non-Venomous (Other)				1
		Helicopter	Intentional	Bobcats	81	
Coyotes	1,384					
Foxes, Gray	10					
Foxes, Red	3					
Lions, Mountain (Cougar)	1					
Swine, Feral	9,940					
Ketamine/Xylazine 5:1	Intentional	Foxes, Gray	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Lights (All)						
	Intentional					
		Nighthawks (All)				4
		Swallows, Barn				200
		Swallows, Cliff				200
M-44 Cyanide Capsule						
	Intentional					
		Coyotes	6,690			
		Dogs, Feral, Free-Ranging And Hybrids	25			
		Foxes, Gray	560			
		Foxes, Red	96			
	Unintentional					
		Cats, Feral/Free Ranging	1			
		Dogs, Feral, Free-Ranging And Hybrids	4			
		Foxes, Gray	8			
		Foxes, Red	3			
		Opossums, Virginia	19			
		Peccaries, Collared (Javelina)	2			
		Raccoons	131			
		Ringtails	1			
		Skunks, Hog-Nosed	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
M-44 Cyanide Capsule	Unintentional	Skunks, Striped	12			
		Swine, Feral	12			
		Vultures, Black	1			
Nets, Mist	Intentional	Sparrows, House/English	3			
Nets, Other	Intentional	Ducks, Mallards			8	
Night Vision/Infrared Equipment	Intentional	Beavers	161			
		Coyotes	53			
		Foxes, Gray	1			
		Nutrias	1			
		Rabbits, Cottontail	1			
		Raccoons	2			
		Skunks, Striped	5			
		Swine, Feral	913			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Blackbirds, Red-Winged				2,300
		Caracaras				43
		Cormorants, Double-Crested				950
		Cowbirds, Brown-Headed				2,000
		Cranes, Sandhill				115
		Crows, American				200
		Curlews, Long-Billed				15
		Doves, Collared, Eurasian				25
		Doves, Mourning				1,672
		Doves, White-Winged				8,625
		Ducks, Gadwall				20
		Ducks, Northern Pintail				400
		Ducks, Northern Shoveler				180
		Ducks, Ring-Necked				100
		Ducks, Teal, Blue-Winged				160
		Ducks, Whistling, Black-Bellied				1,150
		Egrets, Cattle				52
		Geese, Snow, Lesser				90

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Geese, White-Fronted, Greater				120
		Grackles, Common				1,340
		Gulls, Laughing				1,688
		Gulls, Ring-Billed				965
		Hawks, Broad-Winged				50
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks)				51
		Hawks, Red-Tailed				60
		Hawks, Swainson`s				26
		Hérons, Great Blue				108
		Killdeers				285
		Meadowlarks, Eastern				3,212
		Meadowlarks, Western				3,705
		Pelicans, American White				245
		Pigeons, Feral (Rock)				3,955
		Sandpipers, Upland				20
		Sparrows, Savannah				70
		Starlings, European				2,449

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Swallows, Barn				73,750
		Swallows, Cliff				23,700
		Terns, Least				25
		Vultures, Black				765
		Vultures, Turkey				2,033
Snares, Foot/Leg						
	Intentional					
		Bobcats	1			
		Coyotes	1			
		Peccaries, Collared (Javelina)	2			
Snares, Neck						
	Intentional					
		Badgers	5			
		Beavers	192			
		Bobcats	485			
		Coyotes	9,359			
		Dogs, Feral, Free-Ranging And Hybrids	99			
		Foxes, Gray	559			
		Foxes, Red	117			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Snares, Neck	Intentional	Lions, Mountain (Cougar)	2				
		Nutrias	24				
		Opossums, Virginia	7				
		Otters, River	1				
		Porcupines	17				
		Raccoons	913				
		Skunks, Striped	27				
		Swine, Feral	4,928				
		Unintentional	Armadillos, Nine-Banded	14			
	Badgers		78			2	
	Bobcats		4				
	Cats, Feral/Free Ranging		2				
	Coyotes		19				
	Deer, Axis		1				
	Deer, Mule					1	
	Deer, White-Tailed (Wild)		103			10	
	Dogs, Feral, Free-Ranging And Hybrids		6			8	
	Foxes, Gray		21				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck	Unintentional	Goats, Feral	1			
		Jackrabbits, Black Tailed	30		1	
		Opossums, Virginia	1		1	
		Otters, River	3			
		Peccaries, Collared (Javelina)	203		5	
		Porcupines	145		6	
		Rabbits, Cottontail	4			
		Raccoons	80			
		Sheep, Feral, Free-Ranging And Exotics	3		1	
		Skunks, Hog-Nosed	1			
		Skunks, Striped	6			
		Swine, Feral	5			
		Turkeys, Wild	4			
		Turtles, Common Snapping	1		1	
		Vultures, Black	1			
Sodium Pentobarbital (390 Mg/MI)	Intentional	Skunks, Striped	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Spotlight	Intentional	Armadillos, Nine-Banded	5			
		Beavers	642			
		Bobcats	1			
		Cats, Feral/Free Ranging	4			
		Coyotes	7			
		Foxes, Gray	2			
		Nutrias	10			
		Opossums, Virginia	17			
		Pigeons, Feral (Rock)	36			
		Rabbits, Cottontail	1			
		Raccoons	50			
		Skunks, Striped	84			
		Swine, Feral	47			
		Traps, Bal-Chatri	Intentional	Falcons, American Kestrels		
Hawks, Harrier, Northern (Marsh Hawks)					1	
Hawks, Red-Tailed					3	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Body Grip	Intentional	Beavers	1,330				
		Nutrias	68				
		Otters, River	45				
		Raccoons	5				
		Swine, Feral	4				
		Unintentional					
			Alligators, American	1			
			Fish (Other)	1			
			Otters, River	33			
			Raccoons	7			
			Turtles Other	55		4	
			Turtles, Common Snapping	17		7	
	Traps, Cage	Intentional	Armadillos, Nine-Banded	4			
			Bobcats	26			
Cats, Feral/Free Ranging			1		7		
Coyotes			26				
Dogs, Feral, Free-Ranging And Hybrids			4				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Falcons, American Kestrels	2				
		Foxes, Gray	12				
		Geese, Canada				2	
		Nutrias	11				
		Opossums, Virginia	31			2	
		Pigeons, Feral (Rock)	33				
		Raccoons	442				
		Skunks, Striped	65				
		Sparrows, House/English	13				
		Squirrels, Eastern Gray	1				
		Squirrels, Ground, Other	2				
		Swine, Feral	4,039				
		Vultures, Black	1,192				
		Vultures, Turkey	1			4	
		Unintentional	Armadillos, Nine-Banded	1			
	Cats, Feral/Free Ranging					2	
	Deer, White-Tailed (Wild)		1			6	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Unintentional	Foxes, Gray	1			
		Opossums, Virginia	7		3	
		Peccaries, Collared (Javelina)	4		45	
		Quail (All)			3	
		Raccoons	9			
		Rats, Kangaroo (All)	1			
		Skunks, Striped	4			
		Traps, Foothold	Intentional	Badgers	4	
Beavers	51					
Bobcats	283					
Coyotes	1,005					
Dogs, Feral, Free-Ranging And Hybrids	16				2	
Foxes, Gray	642					
Foxes, Red	38					
Lions, Mountain (Cougar)	10					
Nutrias	6					
Opossums, Virginia	14					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Foothold	Intentional	Peccaries, Collared (Javelina)	7				
		Raccoons	912				
		Skunks, Hooded	1				
		Skunks, Striped	151				
		Swine, Feral	48				
		Vultures, Black	1				
		Vultures, Turkey	1				
		Unintentional	Armadillos, Nine-Banded	1			
	Badgers		14			3	
	Deer, Mule					3	
	Deer, White-Tailed (Wild)		3			6	
	Foxes, Gray		7				
	Jackrabbits, Black Tailed		4				
	Opossums, Virginia		25			2	
	Otters, River		1				
	Peccaries, Collared (Javelina)		7				
	Porcupines		35			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold						
	Unintentional					
		Rabbits, Cottontail	1			
		Raccoons	85		1	
		Skunks, Hog-Nosed	1			
		Skunks, Striped	16			
		Turkeys, Wild	1		1	
		Vultures, Turkey	1			
Traps, Foothold (Padded)						
	Intentional					
		Bobcats	1			
		Coyotes	17			
		Raccoons	3			
Traps, Gopher						
	Intentional					
		Gophers, Pocket (All)	173			
Traps, Pole						
	Intentional					
		Falcons, American Kestrels			2	
Traps, Raptor (Other)						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Raptor (Other)	Intentional	Falcons, American Kestrels	2		16	
		Hawks, Cooper`s			2	
		Hawks, Red-Tailed			10	
		Hawks, Sharp-Shinned			1	
		Owls, Great Horned	1		2	
Traps, Snap (Rat, Mouse, Etc.)	Intentional	Woodpeckers, Golden-Fronted	2			
Vehicles (All)	Intentional	Cormorants, Double-Crested				32
		Coyotes				3
		Deer, White-Tailed (Wild)				10
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				46
		Ducks, Canvasback				12
		Ducks, Gadwall				560
		Ducks, Mallards				15
		Ducks, Northern Pintail				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Ducks, Northern Shoveler				384
		Ducks, Redhead				44
		Ducks, Ruddy				30
		Ducks, Scaup, Lesser				190
		Ducks, Teal, Blue-Winged				83
		Ducks, Teal, Green-Winged				4
		Ducks, Wigeon, American				240
		Egrets, Great				102
		Falcons, American Kestrels				97
		Flycatchers, Scissor-Tailed				217
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				7
		Hawks, Swainson`s				8
		Hérons, Great Blue				4
		Jackrabbits, Black Tailed				9
		Larks, Horned				365
		Meadowlarks, Eastern				425
		Meadowlarks, Western				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2011

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Turkeys, Wild				1
		Vultures, Black				2
Zinc Phosphide Conc. (Rodents/Lago.)						
	Intentional					
		Nutrias	34			
		Squirrels, Ground, Other	3			
		Total Take for TX	965,476	19	228	263,282

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.