

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>A/C Powder</b>	<b>Intentional</b>	<b>Geese, Canada</b>	62			
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Coyotes</b>	8			4
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	<b>Coyotes</b>	2			
<b>Cracker Shells (12 Gauge )</b>	<b>Intentional</b>	<b>Cormorants, Double-Crested</b>				631
		<b>Crows, American</b>				2
		<b>Gulls, California</b>				158
		<b>Gulls, Ring-Billed</b>				71
		<b>Ravens, Common</b>				68
		<b>Sea Lions, California</b>				818
		<b>Sea Lions, Steller</b>				717
<b>Detonator Rockets</b>	<b>Intentional</b>	<b>Cormorants, Double-Crested</b>				4,238

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Detonator Rockets</b>						
	<b>Intentional</b>					
		Ducks, Merganser Common				52
		Grebes, Western				729
		Gulls, California				7,730
		Gulls, Ring-Billed				1,656
		Pelicans, American White				766
		Sea Lions, California				17
		Sea Lions, Steller				17
		Terns, Caspian				1,140
<b>Dog</b>						
	<b>Intentional</b>					
		Geese, Canada				3,979
<b>DRC-1339 Eggs</b>						
	<b>Intentional</b>					
		Ravens, Common	20			
<b>DRC-1339 Meat</b>						
	<b>Intentional</b>					
		Ravens, Common	5			
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		Starlings, European	178,000			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Livestock/Nest/Fodder</b>						
	<b>Intentional</b>					
		<b>Ravens, Common</b>	49			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	45			
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	7			
		<b>Starlings, European</b>	8,650			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>				45
		<b>Gulls, California</b>				10
		<b>Gulls, Glaucous-Winged</b>				275
		<b>Pigeons, Feral (Rock)</b>				40
		<b>Starlings, European</b>				1,360
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Beavers</b>	74			
		<b>Blackbirds, Brewer`s</b>	288			7,955

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged	25			2,200
		Cats, Feral/Free Ranging	12			
		Cormorants, Double-Crested	226			795
		Cormorants, Pelagic	1			
		Cowbirds, Brown-Headed	11			15
		Coyotes	81			12
		Crows, American	3,699			53,328
		Deer, Black-Tailed	5			1
		Doves, Collared, Eurasian	34			244
		Ducks, Bufflehead	4			86
		Ducks, Feral	8			
		Ducks, Gadwall	5			74
		Ducks, Goldeneye, Common	3			7
		Ducks, Mallards	311			6,612
		Ducks, Merganser Common	8			
		Ducks, Ring-Necked	10			175
		Ducks, Teal, Blue-Winged	2			3
		Ducks, Teal, Cinnamon	2			10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Ducks, Teal, Green-Winged	20			122
		Ducks, Wigeon, American	10			40
		Dunlins	8			300
		Falcons, American Kestrels	1			1
		Flickers, Northern	42			
		Fowl, Pea	4			
		Geese, Canada	1,478			7,829
		Geese, Feral	2			
		Geese, White-Fronted, Greater	16			393
		Gulls, Bonaparte`s	1			
		Gulls, California	2,211			78,481
		Gulls, Glaucous	3			
		Gulls, Glaucous-Winged	4,559			285,871
		Gulls, Herring	372			6,329
		Gulls, Mew	2			100
		Gulls, Ring-Billed	1,176			14,025
		Gulls, Western	7			315
		Hawks, Cooper`s				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)	24			39
		Hawks, Red-Tailed	38			51
		Hawks, Rough-Legged	4			4
		Hérons, Great Blue	20			309
		Killdeers	67			211
		Magpies, Black-Billed	13			
		Marmots/Woodchucks (All)	529			
		Muskrats	23			
		Nutrias	29			
		Opossums, Virginia	19			
		Otters, River	14			3
		Pigeons, Feral (Rock)	5,884			7,087
		Rabbits, Cottontail	111			7
		Rabbits, Feral	1			
		Raccoons	54			
		Ravens, Common	46			3,543
	Skunks, Striped	4				
	Sparrows, House/English	102			320	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Squirrels, Douglas`	31			
		Squirrels, Eastern Gray	10			
		Squirrels, Ground, Other	72			20
		Starlings, European	8,670			314,901
		Turkeys, Wild	9			
		Vultures, Turkey	2			14
<b>Fishing Poles</b>						
	<b>Intentional</b>					
		Pikeminnows, Northern	39,742		21	
	<b>Unintentional</b>					
		Fish (Other)			3,783	
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	356			
<b>Fumitoxin Tablets</b>						
	<b>Intentional</b>					
		Squirrels, Ground, Other (Burrow/Den)		822		
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All) (Burrow/Den)		42		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		<b>Squirrels, Ground, Other (Burrow/Den)</b>		11		
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	6			
		<b>Geese, Canada</b>	16			
		<b>Gulls, Glaucous-Winged</b>	245			
		<b>Opossums, Virginia</b>	6			
		<b>Pigeons, Feral (Rock)</b>	2			
		<b>Raccoons</b>	7		1	
		<b>Swallows, Barn</b>	8			
		<b>Swallows, Cliff</b>	2			
<b>Lights (All)</b>						
	<b>Intentional</b>					
		<b>Gulls, Herring</b>				3
<b>Nets, Bow</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	59			
		<b>Geese, Canada</b>	8			
<b>Paint Balls</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>	<b>Intentional</b>	Crows, American				915
		Ducks, Mallards				340
		Geese, Canada				7,162
		Gulls, California				500
		Gulls, Glaucous-Winged				8,190
		Pigeons, Feral (Rock)				160
		Starlings, European				75,750
		<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Blackbirds, Red-Winged		
Cormorants, Double-Crested						27
Crows, American						3,700
Deer, Black-Tailed						2
Ducks, Bufflehead						810
Ducks, Mallards						76
Ducks, Merganser, Hooded						600
Geese, Canada						1,414
Gulls, California						1,030
Gulls, Glaucous-Winged						17,101

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Gulls, Herring				18
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-Tailed				2
		Hérons, Great Blue				356
		Pigeons, Feral (Rock)				3,248
		Starlings, European				76,632
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Brewer`s				1,405
		Cormorants, Double-Crested				29,091
		Crows, American				2,176
		Deer, Black-Tailed				5
		Ducks, Bufflehead				1,056
		Ducks, Gadwall				2
		Ducks, Goldeneye, Common				143
		Ducks, Mallards				608
		Ducks, Merganser Common				340
		Ducks, Merganser, Hooded				737

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Northern Shoveler				6
		Ducks, Teal, Green-Winged				3
		Ducks, Wigeon, American				118
		Dunlins				900
		Eagles, Bald				97
		Geese, Canada				64
		Geese, White-Fronted, Greater				20
		Grebes, Pied-Billed				14
		Grebes, Western				190
		Gulls, California				121,738
		Gulls, Glaucous				570
		Gulls, Glaucous-Winged				21,431
		Gulls, Herring				486
		Gulls, Ring-Billed				25,471
		Gulls, Western				145
		Hawks, Harrier, Northern (Marsh Hawks)				2
		Hawks, Red-Tailed				41
		Hawks, Rough-Legged				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hérons, Great Blue				2,243
		Killdeers				74
		Meadowlarks, Western				95
		Pelicans, American White				3,384
		Pigeons, Feral (Rock)				120
		Plovers, Black-Bellied				230
		Ravens, Common				3,165
		Sea Lions, California				183
		Sea Lions, Steller				206
		Sparrows, House/English				78
		Starlings, European				116,545
		Swallows, Barn				300
		Terns, Caspian				6,643
		Vultures, Turkey				6
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Bears, Black	8			
<b>Sodium Pentobarbital (390 Mg/MI)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Sodium Pentobarbital (390 Mg/MI)</b>	<b>Intentional</b>	<b>Skunks, Striped</b>	6			
<b>Spotlight</b>	<b>Intentional</b>	<b>Beavers</b>				1
<b>Strychnine Milo (Gopher) Burrow Bld</b>	<b>Intentional</b>	<b>Gophers, Pocket (All) (Burrow/Den)</b>		826		
<b>Strychnine Milo (Gopher) Handbait</b>	<b>Intentional</b>	<b>Gophers, Pocket (All) (Burrow/Den)</b>		205		
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	<b>Flickers, Northern</b>	22			
		<b>Hawks, Red-Tailed</b>			4	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	347			
		<b>Muskrats</b>	3			
		<b>Nutrias</b>	11			
		<b>Otters, River</b>	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Intentional</b>	Raccoons	1			
		<b>Unintentional</b>				
	Muskrats	7				
	Otters, River	10				
	Raccoons	2				
<b>Traps, Cage</b>	<b>Intentional</b>	Beavers	3			
		Cats, Feral/Free Ranging	21		4	
		Hawks, Cooper`s			5	
		Hawks, Red-Tailed			1	
		Hawks, Sharp-Shinned			5	
		Marmots/Woodchucks (All)	6		23	
		Muskrats	1			
		Nutrias	31			
		Otters, River	14		6	
		Pigeons, Feral (Rock)	316			
		Rabbits, Cottontail	1			
		Rabbits, Feral	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Raccoons	38		1		
		Skunks, Striped	5		1		
		Sparrows, House/English			1		
		Squirrels, Douglas`			1		
		Squirrels, Eastern Gray	16				
		Squirrels, Western Gray			9		
		<b>Unintentional</b>					
	Ducks, Mallards			1			
	Muskrats				47		
	Otters, River				1		
	Raccoons				3		
	<b>Traps, Decoy</b>	<b>Intentional</b>	Blackbirds, Brewer`s	877			
			Blackbirds, Red-Winged	1,488			
			Blackbirds, Yellow-Headed			1	
Cowbirds, Brown-Headed			7,026				
Gulls, Glaucous-Winged			4				
Pigeons, Feral (Rock)			2,652				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	Raccoons	2				
		Sparrows, House/English	39				
		Starlings, European	46,390				
	<b>Unintentional</b>	Falcons, American Kestrels				4	
		Hawks, Cooper`s				2	
		Jays, Steller`s				3	
		Robins, American				11	
	<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	341			
	<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Badgers	3			
Beavers			25				
Coyotes			83				
Nutrias			2				
Raccoons			7				
<b>Unintentional</b>		Cats, Feral/Free Ranging				2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Foothold (Padded)</b>	<b>Unintentional</b>	Opossums, Virginia	1			
		Owls, Great Horned			1	
		Raccoons	3			
<b>Traps, Other</b>	<b>Intentional</b>	Flickers, Northern	14			
<b>Traps, Pole</b>	<b>Intentional</b>	Hawks, Red-Tailed	2		11	
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Eagles, Bald			2	
		Hawks, Red-Tailed			7	
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	139			
		Nutrias	1			
		Otters, River	2			
		Rabbits, Cottontail	1			
		<b>Unintentional</b>				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Suitcase</b>	<b>Unintentional</b>	<b>Raccoons</b>			1	
<b>Vehicles (All)</b>	<b>Intentional</b>	<b>Cormorants, Double-Crested</b>				102
		<b>Cormorants, Pelagic</b>				200
		<b>Coyotes</b>				4
		<b>Crows, American</b>				1,373
		<b>Deer, Black-Tailed</b>				19
		<b>Ducks, Bufflehead</b>				21
		<b>Ducks, Mallards</b>				265
		<b>Ducks, Merganser Common</b>				12
		<b>Ducks, Merganser, Hooded</b>				42
		<b>Ducks, Teal, Blue-Winged</b>				77
		<b>Ducks, Teal, Green-Winged</b>				78
		<b>Ducks, Wigeon, American</b>				41
		<b>Eagles, Bald</b>				45
		<b>Falcons, American Kestrels</b>				13
		<b>Geese, Canada</b>				183
<b>Geese, White-Fronted, Greater</b>				40		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in the Washington - FY 2011**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Gulls, Glaucous-Winged				5,549
		Gulls, Herring				11
		Hawks, Harrier, Northern (Marsh Hawks)				25
		Hawks, Red-Tailed				74
		Hérons, Great Blue				173
		Killdeers				83
		Pigeons, Feral (Rock)				1,020
		Plovers, Black-Bellied				220
		Starlings, European				1,855
		Swallows, Barn				75
		Vultures, Turkey				1
<b>Zinc Phosphide Wheat</b>						
	<b>Intentional</b>					
		Voles (All)	780			
		<i>Total Take for WA</i>	318,557	1,906	3,963	1,369,728

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*