

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Kansas - FY 2012**

| <i>Disease/Condition</i> | <i>Species Sampled</i> | <i># of Samples</i> |
|------------------------------|---|---------------------|
| Avian Influenza | | |
| | Finches, House | 1 |
| | Meadowlarks, Western | 1 |
| | Owls, Barred | 1 |
| | Owls, Great Horned | 1 |
| | Pheasants, Ring-Necked | 1 |
| | Swallows, Cliff | 1 |
| | Turkeys, Wild | 1 |
| | <i>Subtotal of # of Samples for Avian Influenza</i> | 7 |
| Canine Distemper | | |
| | Raccoons | 1 |
| | <i>Subtotal of # of Samples for Canine Distemper</i> | 1 |
| Canine Parvovirus | | |
| | Coyotes | 6 |
| | <i>Subtotal of # of Samples for Canine Parvovirus</i> | 6 |
| Classical Swine Fever | | |
| | Swine, Feral | 58 |
| | <i>Subtotal of # of Samples for Classical Swine Fever</i> | 58 |
| Hepatitis E | | |
| | Swine, Feral | 52 |
| | <i>Subtotal of # of Samples for Hepatitis E</i> | 52 |
| Leptospirosis | | |
| | Coyotes | 1 |
| | Raccoons | 3 |
| | Swine, Feral | 13 |
| | <i>Subtotal of # of Samples for Leptospirosis</i> | 17 |
| Plague | | |
| | Coyotes | 133 |
| | Foxes, Swift | 1 |
| | <i>Subtotal of # of Samples for Plague</i> | 134 |
| Pseudorabies | | |
| | Swine, Feral | 58 |
| | <i>Subtotal of # of Samples for Pseudorabies</i> | 58 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>Disease/Condition</i> | <i>Species Sampled</i> | <i># of Samples</i> |
|--------------------------|---|---------------------|
| Rabies | Raccoons | 1 |
| | <i>Subtotal of # of Samples for Rabies</i> | 1 |
| Raccoon Roundworm | Raccoons | 18 |
| | Skunks, Striped | 1 |
| | <i>Subtotal of # of Samples for Raccoon Roundworm</i> | 19 |
| Roundworms:Other | Skunks, Striped | 4 |
| | <i>Subtotal of # of Samples for Roundworms:Other</i> | 4 |
| Swine Brucellosis | Swine, Feral | 58 |
| | <i>Subtotal of # of Samples for Swine Brucellosis</i> | 58 |
| Swine Influenza | Swine, Feral | 55 |
| | Thrashers, Brown | 1 |
| | <i>Subtotal of # of Samples for Swine Influenza</i> | 56 |
| Tularemia | Coyotes | 133 |
| | Foxes, Swift | 1 |
| | <i>Subtotal of # of Samples for Tularemia</i> | 134 |
| West Nile Virus | Finches, House | 1 |
| | Meadowlarks, Western | 1 |
| | Owls, Barred | 1 |
| | Owls, Great Horned | 1 |
| | Pheasants, Ring-Necked | 1 |
| | Swallows, Cliff | 1 |
| | Thrashers, Brown | 1 |
| | Turkeys, Wild | 1 |
| | <i>Subtotal of # of Samples for West Nile Virus</i> | 8 |
| | <i>Grand Total of Samples For All Diseases/Conditions</i> | 613 |
| | <i>Total # Diseases/Conditions Sampled In KS</i> | 15 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.