

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Texas - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Bovine Brucellosis		
	Coyotes	2
	<i>Subtotal of # of Samples for Bovine Brucellosis</i>	2
Bovine Tuberculosis		
	Coyotes	1
	Deer, White-Tailed (Wild)	6
	Swine, Feral	14
	<i>Subtotal of # of Samples for Bovine Tuberculosis</i>	21
Canine Distemper		
	Coyotes	1
	<i>Subtotal of # of Samples for Canine Distemper</i>	1
Chronic Wasting Disease		
	Deer, White-Tailed (Wild)	6
	<i>Subtotal of # of Samples for Chronic Wasting Disease</i>	6
Classical Swine Fever		
	Swine, Feral	382
	<i>Subtotal of # of Samples for Classical Swine Fever</i>	382
E.Coli		
	Coyotes	2
	Raccoons	1
	Swine, Feral	3
	<i>Subtotal of # of Samples for E.Coli</i>	6
Hepatitis E		
	Swine, Feral	304
	<i>Subtotal of # of Samples for Hepatitis E</i>	304
Leptospirosis		
	Swine, Feral	15
	<i>Subtotal of # of Samples for Leptospirosis</i>	15
Plague		
	Badgers	1
	Bobcats	28
	Coyotes	922
	Dogs, Feral, Free-Ranging And H	1
	Foxes, Gray	89

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Texas - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Plague		
	Foxes, Red	2
	Lions, Mountain (Cougar)	2
	Porcupines	1
	Raccoons	59
	Skunks, Hog-Nosed	1
	Skunks, Striped	23
	Swine, Feral	16
	<i>Subtotal of # of Samples for Plague</i>	1,145
Pseudorabies		
	Swine, Feral	392
	<i>Subtotal of # of Samples for Pseudorabies</i>	392
Rabies		
	Bobcats	6
	Cats, Feral/Free Ranging	1
	Coyotes	408
	Dogs, Feral, Free-Ranging And H	1
	Foxes, Gray	97
	Foxes, Red	2
	Raccoons	10
	Skunks, Hog-Nosed	2
	Skunks, Striped	35
	<i>Subtotal of # of Samples for Rabies</i>	562
Swine Brucellosis		
	Swine, Feral	405
	<i>Subtotal of # of Samples for Swine Brucellosis</i>	405
Swine Influenza		
	Swine, Feral	345
	<i>Subtotal of # of Samples for Swine Influenza</i>	345
Tularemia		
	Beavers	33
	Bobcats	3
	Coyotes	312
	Foxes, Gray	10
	Nutrias	1
	Raccoons	41
	Skunks, Striped	2

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

***Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Texas - FY 2012***

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Swine, Feral	13
	<i>Subtotal of # of Samples for Tularemia</i>	415
	<i>Grand Total of Samples For All Diseases/Conditions</i>	4,001
	<i>Total # Diseases/Conditions Sampled In TX</i>	14

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.