

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Influenza		
	Cardinals, Northern	2
	Coots, American	2
	Crows, American	2
	Ducks, Eider, Common	148
	Finches, House	1
	Flickers, Northern	1
	Geese, Canada	128
	Gulls, Black-Backed, Greater	1
	Gulls, Herring	1
	Hawks, Red-Tailed	1
	Jays, Blue	19
	Loons, Common	1
	Meadowlarks, Western	1
	Owls, Barred	1
	Owls, Common Barn	1
	Owls, Great Horned	1
	Pheasants, Ring-Necked	2
	Starlings, European	12
	Swallows, Cliff	1
	Swallows, Tree	1
	Swans, Mute	69
	Turkeys, Wild	1
	Vultures, Black	1
	<i>Subtotal of # of Samples for Avian Influenza</i>	398
Bluetongue		
	Non-Wildlife	29
	<i>Subtotal of # of Samples for Bluetongue</i>	29
Botulism		
	Ducks, Mallards	4
	<i>Subtotal of # of Samples for Botulism</i>	4
Bovine Brucellosis		
	Coyotes	2
	Swine, Feral	26
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Bovine Brucellosis</i>	32

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Bovine Tuberculosis		
	Cats, Feral/Free Ranging	1
	Coyotes	1
	Deer, White-Tailed (Wild)	202
	Opossums, Virginia	10
	Rabbits, Cottontail	10
	Skunks, Striped	7
	Squirrels, Ground, California	55
	Swine, Feral	20
	<i>Subtotal of # of Samples for Bovine Tuberculosis</i>	306
Canine Adenovirus		
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Canine Adenovirus</i>	4
Canine Distemper		
	Coyotes	57
	Foxes, Gray	1
	Raccoons	28
	Skunks, Striped	46
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Canine Distemper</i>	136
Canine Heartworm		
	Coyotes	2
	Foxes, Gray	3
	Foxes, Red	3
	Raccoons	11
	<i>Subtotal of # of Samples for Canine Heartworm</i>	19
Canine Parvovirus		
	Bears, Black	3
	Bobcats	4
	Coyotes	764
	Foxes, Gray	57
	Foxes, Red	143
	Minks	7
	Mongoose, Indian	6
	Monkeys, Patas	1
	Monkeys, Rhesus	4

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Canine Parvovirus		
	Otters, River	4
	Raccoons	171
	Skunks, Striped	4
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Canine Parvovirus</i>	1,172
Chronic Wasting Disease		
	Deer, Mule	1
	Deer, White-Tailed (Wild)	1,017
	Swine, Feral	7
	<i>Subtotal of # of Samples for Chronic Wasting Disease</i>	1,025
Classical Swine Fever		
	Swine, Feral	1,916
	<i>Subtotal of # of Samples for Classical Swine Fever</i>	1,916
Disease (Non-Specific)		
	Bobcats	2
	Coyotes	158
	Crows, American	5
	Deer, Mule	63
	Deer, White-Tailed (Wild)	6
	Ducks, Eider, Common	100
	Foxes, Gray	4
	Foxes, Red	12
	Geese, Canada	41
	Gulls, Herring	1
	Lions, Mountain (Cougar)	14
	Pigeons, Feral (Rock)	13
	Rabbits, Cottontail	5
	Raccoons	24
	Skunks, Striped	1
	Swans, Mute	361
	Swine, Feral	752
	Turkeys, Wild	46
	Wolves, Gray/Timber	31
	<i>Subtotal of # of Samples for Disease (Non-Specific)</i>	1,639
E.Coli		

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
E.Coli		
	Coyotes	2
	Raccoons	1
	Swine, Feral	59
	<i>Subtotal of # of Samples for E.Coli</i>	62
Equine Encephalitis (Eastern)		
	Deer, White-Tailed (Wild)	34
	Swans, Mute	249
	Turkeys, Wild	11
	<i>Subtotal of # of Samples for Equine Encephalitis (Eastern)</i>	294
Erlichiosis		
	Coyotes	40
	<i>Subtotal of # of Samples for Erlichiosis</i>	40
Exotic Newcastle Disease		
	Cormorants, Double-Crested	3,178
	Ducks, Merganser, Red-Breasted	4
	Geese, Canada	1
	Gulls, Ring-Billed	4
	Hérons, Great Blue	2
	Pigeons, Feral (Rock)	3
	Swans, Mute	456
	<i>Subtotal of # of Samples for Exotic Newcastle Disease</i>	3,648
Flukes:Other		
	Swans, Mute	54
	<i>Subtotal of # of Samples for Flukes:Other</i>	54
Genetic		
	Bears, Black	1
	Beavers	3
	Coyotes	302
	Deer, White-Tailed (Wild)	3
	Foxes, Red	5
	Lions, Mountain (Cougar)	13
	Swine, Feral	168
	Turkeys, Wild	11
	Wolves, Gray/Timber	7

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Genetic		
	<i>Subtotal of # of Samples for Genetic</i>	513
Hepatitis E		
	Deer, White-Tailed (Captive)	15
	Deer, White-Tailed (Wild)	510
	Swine, Feral	1,739
	<i>Subtotal of # of Samples for Hepatitis E</i>	2,264
Keds		
	Deer, Mule	41
	<i>Subtotal of # of Samples for Keds</i>	41
Lead		
	Coyotes	99
	<i>Subtotal of # of Samples for Lead</i>	99
Leptospirosis		
	Coyotes	79
	Mongoose, Indian	11
	Monkeys, Patas	2
	Monkeys, Rhesus	7
	Raccoons	383
	Swine, Feral	149
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Leptospirosis</i>	635
Lice:All		
	Deer, Mule	52
	<i>Subtotal of # of Samples for Lice:All</i>	52
Lyme Disease		
	Deer, White-Tailed (Wild)	1
	Non-Wildlife	5
	<i>Subtotal of # of Samples for Lyme Disease</i>	6
Neosporosis		
	Coyotes	62
	Foxes, Red	7

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Neosporosis		
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Neosporosis</i>	73
Pigeon Zoonosis		
	Pigeons, Feral (Rock)	5
	<i>Subtotal of # of Samples for Pigeon Zoonosis</i>	5
Plague		
	Badgers	38
	Bears, Black	39
	Beavers	4
	Bobcats	53
	Cats, Feral/Free Ranging	13
	Coyotes	3,813
	Dogs, Feral, Free-Ranging And H	75
	Foxes, Arctic	4
	Foxes, Gray	104
	Foxes, Red	35
	Foxes, Swift	1
	Jackrabbits, Black Tailed	46
	Lions, Mountain (Cougar)	39
	Marmots/Woodchucks (All)	1
	Peccaries, Collared (Javelina)	2
	Porcupines	1
	Rabbits, Cottontail	5
	Rabbits, Desert Cottontail	70
	Raccoons	133
	Rats, Black (Roof)	19
	Skunks, Hog-Nosed	1
	Skunks, Hooded	8
	Skunks, Striped	61
	Squirrels, Ground, California	1
	Squirrels, Ground, Round-Tailed	5
	Squirrels, Rock	10
	Swine, Feral	273
	Wolves, Gray/Timber	39
	<i>Subtotal of # of Samples for Plague</i>	4,893
Porcine Reprod/Resp Syndrome		
	Swine, Feral	40

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 6 of 12

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Porcine Reprod/Resp Syndrome		
	<i>Subtotal of # of Samples for Porcine Reprod/Resp Syndrome</i>	40
Pseudorabies		
	Swine, Feral	1,962
	<i>Subtotal of # of Samples for Pseudorabies</i>	1,962
Q Fever		
	Wolves, Gray/Timber	4
	<i>Subtotal of # of Samples for Q Fever</i>	4
Rabies		
	Badgers	1
	Bats (All)	384
	Bears, Grizzly	1
	Beavers	4
	Bobcats	31
	Cats, Feral/Free Ranging	69
	Coatis	1
	Coyotes	694
	Deer, White-Tailed (Wild)	4
	Dogs, Feral, Free-Ranging And H	5
	Fishers	20
	Foxes, Arctic	21
	Foxes, Gray	275
	Foxes, Kit	3
	Foxes, Red	196
	Goats, Feral	1
	Lions, Mountain (Cougar)	1
	Lynx	1
	Marmots/Woodchucks (All)	36
	Martens, Pine	3
	Minks	9
	Moose	1
	Muskrats	3
	Opossums, Virginia	29
	Otters, River	2
	Peccaries, Collared (Javelina)	10
	Porcupines	1
	Rabbits, Cottontail	1
	Raccoons	16,626

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Rabies		
	Ringtails	1
	Skunks, Hog-Nosed	2
	Skunks, Hooded	35
	Skunks, Spotted	6
	Skunks, Striped	1,465
	Squirrels, Eastern Gray	1
	Squirrels, Flying (All)	1
	Squirrels, Fox	3
	Squirrels, Red	1
	Weasels (Other)	1
	Weasels, Long-Tailed	1
	<i>Subtotal of # of Samples for Rabies</i>	19,950
Raccoon Roundworm		
	Beavers	1
	Coyotes	6
	Foxes, Gray	2
	Foxes, Red	24
	Opossums, Virginia	2
	Raccoons	2,887
	Skunks, Striped	20
	<i>Subtotal of # of Samples for Raccoon Roundworm</i>	2,942
Roundworms:Other		
	Coyotes	107
	Foxes, Gray	7
	Foxes, Red	31
	Skunks, Striped	13
	<i>Subtotal of # of Samples for Roundworms:Other</i>	158
Salmonella		
	Swans, Mute	21
	Swine, Feral	56
	Turkeys, Wild	11
	Turtles, Common Snapping	1
	Turtles, Painted	1
	<i>Subtotal of # of Samples for Salmonella</i>	90
Swine Brucellosis		

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Swine Brucellosis		
	Swine, Feral	2,006
	<i>Subtotal of # of Samples for Swine Brucellosis</i>	2,006
Swine Influenza		
	Swine, Feral	1,572
	Thrashers, Brown	1
	<i>Subtotal of # of Samples for Swine Influenza</i>	1,573
Ticks:All		
	Deer, Mule	40
	Swine, Feral	2
	Wolves, Gray/Timber	1
	<i>Subtotal of # of Samples for Ticks:All</i>	43
Toxoplasmosis		
	Badgers	3
	Bears, Black	8
	Bobcats	57
	Coyotes	205
	Crows, American	3
	Deer, White-Tailed (Captive)	15
	Deer, White-Tailed (Wild)	73
	Ducks, Mallards	2
	Falcons, American Kestrels	110
	Falcons, Merlin	3
	Falcons, Peregrine	7
	Falcons, Prairie	5
	Foxes, Arctic	3
	Foxes, Red	40
	Geese, Canada	30
	Hawks, Cooper`s	44
	Hawks, Ferruginous	38
	Hawks, Harrier, Northern (Marsh	8
	Hawks, Red-Tailed	267
	Hawks, Rough-Legged	6
	Hawks, Sharp-Shinned	27
	Hawks, Swainson`s	132
	Kites, Mississippi	8
	Marmots/Woodchucks (All)	32
	Nighthawks (All)	6

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Toxoplasmosis		
	Ospreys	14
	Owls, Burrowing	2
	Owls, Common Barn	6
	Owls, Eastern Screech	13
	Owls, Great Horned	183
	Owls, Long-Eared	9
	Owls, Northern Saw-Whet	5
	Raccoons	29
	Squirrels, Fox	22
	Swans, Mute	358
	Swine, Feral	16
	Vultures, Turkey	7
	<i>Subtotal of # of Samples for Toxoplasmosis</i>	1,796
Trichinellosis		
	Bears, Black	1
	Coyotes	5
	Swine, Feral	123
	<i>Subtotal of # of Samples for Trichinellosis</i>	129
Tularemia		
	Badgers	37
	Bears, Black	41
	Beavers	942
	Bobcats	29
	Cats, Feral/Free Ranging	25
	Coyotes	3,539
	Dogs, Feral, Free-Ranging And H	74
	Fishers	1
	Foxes, Gray	55
	Foxes, Red	167
	Foxes, Swift	1
	Hares, Snowshoe	3
	Hawks, Harrier, Northern (Marsh	6
	Hawks, Red-Tailed	3
	Hawks, Swainson`s	2
	Jackrabbits, Black Tailed	46
	Lions, Mountain (Cougar)	34
	Marmots/Woodchucks (All)	15
	Martens, Pine	2

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 10 of 12 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Minks	10
	Moles (All)	2
	Mongoose, Indian	5
	Monkeys, Patas	1
	Monkeys, Rhesus	4
	Muskrats	93
	Nutrias	1
	Opossums, Virginia	15
	Otters, River	80
	Owls, Long-Eared	2
	Peccaries, Collared (Javelina)	2
	Rabbits, Cottontail	9
	Rabbits, Desert Cottontail	108
	Raccoons	585
	Rats, Black (Roof)	19
	Skunks, Hooded	8
	Skunks, Striped	75
	Squirrels, Ground, California	1
	Squirrels, Ground, Round-Tailed	5
	Squirrels, Rock	16
	Swine, Feral	354
	Wolves, Gray/Timber	39
	<i>Subtotal of # of Samples for Tularemia</i>	6,456
Wellfeet Bay Virus		
	Ducks, Eider, Common	141
	<i>Subtotal of # of Samples for Wellfeet Bay Virus</i>	141
West Nile Virus		
	Cardinals, Northern	2
	Crows, American	20
	Ducks, Mallards	4
	Finches, House	1
	Flickers, Northern	1
	Foxes, Red	26
	Gulls, Herring	1
	Hawks, Red-Tailed	1
	Meadowlarks, Western	1
	Owls, Barred	1
	Owls, Great Horned	1

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 11 of 12 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2012**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
West Nile Virus		
	Pheasants, Ring-Necked	2
	Pigeons, Feral (Rock)	4
	Starlings, European	10
	Swallows, Cliff	1
	Swallows, Tree	1
	Thrashers, Brown	1
	Turkeys, Wild	12
	Turtles (Other)	61
	Turtles, Common Snapping	16
	Turtles, Painted	29
	Vultures, Black	1
	<i>Subtotal of # of Samples for West Nile Virus</i>	197
	<i>Grand Total of Samples For All Diseases/Conditions</i>	56,846
	<i>Total # Diseases/Conditions Sampled For</i>	42

*Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 12 of 12
such as fecal material, found in the environment. "Bird, unidentifiable" is a
name assigned to material when WS wants to know it is associated with birds.*