

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Eagles, Bald				1
		Egrets, Cattle				30
		Vultures, Black				5
		Vultures, Turkey				3
<b>Catch Pole</b>	<b>Intentional</b>	Alligators, American			1	
		Raccoons			1	
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	Blackbirds, Red-Winged	211,437			
		Cowbirds, Brown-Headed	533,167			
		Grackles, Boat-Tailed	300			
		Grackles, Common	3,914			
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Eagles, Bald				1
<b>Firearms</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Aningas	18			25
		Armadillos, Nine-Banded	39			
		Beavers	141			
		Blackbirds, Red-Winged	6			105
		Coots, American				2
		Cormorants, Double-Crested	6			23
		Cowbirds, Brown-Headed	536			3,190
		Coyotes	56			6
		Crows, American	36			150
		Deer, White-Tailed (Wild)	10			48
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Doves, Mourning	559			2,933
		Dowitchers, Short-Billed				15
		Ducks, Northern Shoveler	2			1
		Ducks, Teal, Blue-Winged	15			41
		Ducks, Whistling, Black-Bellied	5			2
		Ducks, Wigeon, American	2			
		Ducks, Wood	17			6

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Egrets, Cattle	194			3,207
		Egrets, Great	19			67
		Egrets, Snowy	10			51
		Falcons, American Kestrels	1			3
		Flycatchers, Scissor-Tailed	17			45
		Grackles, Common	2			
		Gulls, Laughing	13			80
		Gulls, Ring-Billed				50
		Hawks, Harrier, Northern (Marsh Hawks)	1			
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed	6			18
		Hérons, Great Blue	7			3
		Hérons, Green	3			19
		Hérons, Little Blue	9			26
		Hérons, Night, Black-Crowned	7			25
		Hérons, Night, Yellow-Crowned	21			5
		Hérons, Tricolored	3			4
		Ibises, Glossy	34			566

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Ibises, White	22			381
		Ibises, White-Faced	1			19
		Killdeers	59			772
		Kingbirds, Eastern	55			250
		Kites, Mississippi	17			120
		Larks, Horned	8			5
		Meadowlarks, Eastern	47			377
		Moorhens, Common	2			2
		Nutrias	42			
		Opossums, Virginia	8			
		Pigeons, Feral (Rock)	367			75
		Pipits, American	68			890
		Plovers, Golden, American	7			9
		Rabbits, Cottontail	3			
		Rabbits, Swamp	12			
		Raccoons	15			4
	Robins, American	39			235	
	Sandpipers, Pectoral	2				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Sandpipers, Upland	277			1,081
		Skimmers, Black				15
		Snipes, Wilson`s	1			3
		Starlings, European	65			285
		Stilts, Black-Necked				1
		Swallows, Barn	84			645
		Swine, Feral	164			52
		Terns, Black	4			90
		Terns, Forster`s	1			10
		Terns, Least				30
		Vultures, Black	15			279
		Vultures, Turkey	11			285
		Waxwings, Cedar	9			70
		Willetts				3
		Yellowlegs, Greater	10			21
		Yellowlegs, Lesser	12			53
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Alligators, American			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>	<b>Dogs, Feral, Free-Ranging And Hybrids</b>			1	
<b>Helicopter</b>						
	<b>Intentional</b>	<b>Swine, Feral</b>	199			
<b>Pneumatics</b>						
	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	5,434			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>	<b>Anhingas</b>				7
		<b>Cowbirds, Brown-Headed</b>				850
		<b>Crows, American</b>				10
		<b>Doves, Mourning</b>				275
		<b>Eagles, Bald</b>				4
		<b>Egrets, Great</b>				21
		<b>Egrets, Snowy</b>				15
		<b>Gulls, Laughing</b>				50
		<b>Hawks, Red-Tailed</b>				2
		<b>Hérons, Night, Black-Crowned</b>				10

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ibises, Glossy				15
		Ibises, White				20
		Kingbirds, Eastern				50
		Kingfishers, Belted				2
		Swallows, Barn				200
		Vultures, Black				190
		Vultures, Turkey				120
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	130			
		Bobcats			1	
		Coyotes	68			
		Dogs, Feral, Free-Ranging And Hybrids	3			
		Swine, Feral	14			
	<b>Unintentional</b>					
		Coyotes	3			
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Opossums, Virginia			2	
		Otters, River	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Snares, Neck</b>	<b>Unintentional</b>	Raccoons	1				
		Turtles, Painted	1				
	<b>Telazol</b>	<b>Intentional</b>	Swine, Feral			1	
<b>Traps, Body Grip</b>			<b>Intentional</b>	Beavers	582		
	Muskrats	4					
	Nutrias	119					
	Otters, River	8					
	Raccoons	4					
	<b>Unintentional</b>	Alligators, American	6			1	
		Armadillos, Nine-Banded	1				
		Nutrias	1				
		Opossums, Virginia	4				
		Otters, River	14				
		Raccoons	46				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Turtles (Other)	4		3	
		Turtles, Common Snapping	4		1	
	<b>Traps, Cage</b>	<b>Intentional</b>	Nutrias	3		
Opossums, Virginia			1			
Otters, River			1			
Pigeons, Feral (Rock)			29			
Raccoons			44			
Swine, Feral			162			
<b>Traps, Drive/Corral</b>			<b>Intentional</b>	Swine, Feral	47	
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	145			
		Bobcats	3			
		Coyotes	37			
		Muskrats	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Nutrias	4			
		Otters, River	4			
		Raccoons	10			
	<b>Unintentional</b>					
		Muskrats	1			
		Nutrias	1			
		Opossums, Virginia	9			
		Otters, River	1			
		Raccoons	1		1	
		Turtles (Other)			1	
<b>Traps, Foothold (Padded)</b>						
	<b>Intentional</b>					
		Raccoons	5			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Coyotes				2
		Egrets, Cattle				125
		Hérons, Little Blue				4
		Ibises, White				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		<b>Killdeers</b>				<b>5</b>
		<b>Meadowlarks, Eastern</b>				<b>2</b>
		<b>Vultures, Black</b>				<b>15</b>
		<i>Total Take for LA</i>	<b>759,205</b>		<b>16</b>	<b>18,816</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*