

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	<b>Intentional</b>	<b>Geese, Canada</b>	2			
<b>Avitrol:-4 Mixed Grains</b>	<b>Intentional</b>	<b>Starlings, European</b>	270			
<b>Catch Pole</b>	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>	1			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	<b>Starlings, European</b>	500			
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	<b>Crows, American</b>				9
		<b>Gulls, Ring-Billed</b>				13
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	<b>Gulls, Herring</b>				1
		<b>Gulls, Ring-Billed</b>				27
		<b>Hawks, Red-Tailed</b>				1
		<b>Starlings, European</b>				7,200

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	1				
		Cormorants, Double-Crested	31				
		Cowbirds, Brown-Headed	45				300
		Crows, American	12				86
		Deer, White-Tailed (Wild)	444				
		Doves, Mourning	54				195
		Ducks, American Black					1
		Ducks, Mallards	39				55
		Ducks, Wood					6
		Egrets, Cattle	2				
		Egrets, Great	4				6
		Foxes, Gray	3				
		Foxes, Red	11				
		Geese, Canada	49				65
		Gulls, Black-Backed, Greater	1				
		Gulls, Herring	18				31
		Gulls, Ring-Billed	112				256
		Hawks, Cooper`s	1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Hawks, Red-Shouldered	1			
		Hawks, Red-Tailed	8			1
		Hérons, Great Blue	6			6
		Killdeers	12			26
		Marmots/Woodchucks (All)	79			
		Muskrats	1			
		Nutrias	1			
		Opossums, Virginia	15			
		Ospreys	4			1
		Pigeons, Feral (Rock)	8			35
		Rabbits, Cottontail	61			
		Raccoons	2			
		Robins, American				15
		Starlings, European	313			21,500
		Swallows, Barn	2			
		Turkeys, Wild	2			
		Vultures, Turkey	6			11
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		<b>Marmots/Woodchucks (All) (Burrow/Den)</b>		5		
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				75
		<b>Cowbirds, Brown-Headed</b>				4,500
		<b>Ducks, American Black</b>				5
		<b>Ducks, Mallards</b>				40
		<b>Eagles, Bald</b>				2
		<b>Egrets, Great</b>				3
		<b>Geese, Canada</b>				113
		<b>Gulls, Herring</b>				23
		<b>Gulls, Ring-Billed</b>				286
		<b>Hawks, Red-Tailed</b>				1
		<b>Hérons, Great Blue</b>				9
		<b>Starlings, European</b>				11,400
		<b>Vultures, Turkey</b>				1
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		<b>Foxes, Gray</b>	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	Foxes, Red	23				
		Hawks, Red-Tailed	1				
		Opossums, Virginia	4				
		Raccoons	2				
	<b>Unintentional</b>	Deer, Sika	1		2		
		Rabbits, Cottontail			3		
		Raccoons	3				
	<b>Spotlight</b>	<b>Intentional</b>	Foxes, Red				2
	<b>Traps, Bal-Chatrri</b>	<b>Intentional</b>	Falcons, American Kestrels			3	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	2				
		Foxes, Red	1				
		Marmots/Woodchucks (All)	260				
		Nutrias	52				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Traps, Body Grip</b>	<b>Intentional</b>	Opossums, Virginia	12					
		Rabbits, Cottontail	6					
		Raccoons	10					
	<b>Unintentional</b>	Fish (Other)	1					
		Herons, Great Blue	1					
		Muskrats	29					
		Otters, River	5					
		Rabbits, Cottontail	5					
		Raccoons	3					
		Rails, Virginia	1					
		Turtles, Common Snapping	7			13		
		<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging			24	
				Dogs, Feral, Free-Ranging And Hybrids			2	
				Foxes, Gray			8	
Foxes, Red					2			
Gulls, Black-Backed, Greater	16							

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Gulls, Herring	42				
		Marmots/Woodchucks (All)	1				
		Opossums, Virginia	2		89		
		Owls, Great Horned			1		
		Rabbits, Cottontail	3				
		Raccoons	8		577		
		Rats, Norway			1		
		Skunks, Striped	1				
		Turtles (Other)			2		
		<b>Unintentional</b>	Cats, Feral/Free Ranging			23	
	Muskrats				16		
	Opossums, Virginia				64		
	Rats, Norway				1		
	Turtles (Other)				4		
	<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Mourning	26			
			Pigeons, Feral (Rock)	236			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>						
	Intentional	Sparrows, House/English	61			
<b>Traps, Drive/Corral</b>						
	Intentional	Geese, Canada	656			
<b>Traps, Foothold</b>						
	Intentional	Beavers	3			
		Foxes, Gray	3			
		Foxes, Red	47			
		Nutrias	2			
		Opossums, Virginia	2			
		Raccoons	9			
<b>Traps, Foothold (Padded)</b>						
	Intentional	Falcons, American Kestrels	1		29	
<b>Traps, Raptor (Swedish Goshawk)</b>						
	Intentional	Crows, American	4			
		Hawks, Cooper`s	2		7	
		Hawks, Red-Shouldered			7	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Swedish Goshawk)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed	4		22	
		Owls, Great Horned	1			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed				200
		Crows, American				9
		Doves, Mourning				204
		Ducks, Mallards				16
		Ducks, Wood				2
		Eagles, Bald				2
		Falcons, American Kestrels				1
		Geese, Canada				322
		Gulls, Herring				2
		Gulls, Ring-Billed				11
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				8
		Hérons, Great Blue				2
		Killdeers				38
		Pigeons, Feral (Rock)				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>				<b>5,175</b>
		<i>Total Take for MD</i>	<b>3,683</b>	<b>5</b>	<b>900</b>	<b>52,302</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*