

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Catch Pole</b>						
	<b>Intentional</b>	Raccoons	3			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>	Pigeons, Feral (Rock)	10			
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>	Starlings, European	7,100			
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Ducks, Gadwall				30
		Ducks, Mallards				200
		Geese, Canada				2,310
		Geese, Snow, Lesser				1,650
		Geese, White-Fronted, Greater				75
		Hawks, Red-Tailed				1
		Hawks, Rough-Legged				1
		Hawks, Swainson`s				3
		Pigeons, Feral (Rock)				33
		Snipes, Wilson`s				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Starlings, European				17,600
		Vultures, Turkey				8
<b>Firearms</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				2,330
		Blackbirds, Red-Winged	117			2,000
		Cormorants, Double-Crested	2			
		Cowbirds, Brown-Headed	196			1,750
		Coyotes	21			2
		Crows, American	19			366
		Deer, White-Tailed (Captive)	28			
		Deer, White-Tailed (Wild)	8			5
		Doves, Collared, Eurasian				2
		Doves, Mourning	530			7,874
		Ducks, Mallards	46			105
		Ducks, Teal, Blue-Winged	15			34
		Egrets, Great	3			
		Falcons, American Kestrels	13			18
		Flycatchers, Scissor-Tailed	3			3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Foxes, Red	1			
		Geese, Canada	107			150
		Grackles, Common	62			1,324
		Gulls, Bonaparte`s	2			
		Gulls, Franklin`s	10			137
		Gulls, Ring-Billed	22			6
		Hawks, Red-Tailed	65			64
		Hawks, Swainson`s	7			25
		Hérons, Great Blue	8			
		Hérons, Green	7			2
		Killdeers	236			387
		Kingbirds, Eastern	2			3
		Larks, Horned	46			457
		Marmots/Woodchucks (All)	9			2
		Meadowlarks, Eastern	116			190
		Mockingbirds, Northern	1			
		Nighthawks (All)	1			
		Opossums, Virginia	8			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	95			1,899
		Rabbits, Cottontail	8			
		Raccoons	2			1
		Robins, American	13			30
		Sandpipers, Upland	6			25
		Skunks, Striped	5			
		Snipes, Wilson`s	1			
		Starlings, European	1,347			73,508
		Swallows, Barn	92			786
		Swine, Feral	30			
		Vultures, Turkey	20			68
		Yellowlegs, Lesser	2			1
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Bats (All)	1		1	
		Cats, Feral/Free Ranging			6	
		Doves, Mourning	4			
		Geese, Canada	7			
		Grackles, Common	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Killdeers	3			
		Nighthawks (All)			1	
		Opossums, Virginia	4			
		Owls, Barred			1	
		Pigeons, Feral (Rock)	6			
		Rabbits, Cottontail			1	
		Raccoons	2			
		Sandpipers, Upland			7	
		Skunks, Striped	1			
		Snakes, Non-Venomous (Other)			1	
		Starlings, European	4			
		Turtles (Other)			2	
		Turtles, Common Snapping			2	
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Crows, American				8,385
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging			2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Flycatchers, Scissor-Tailed				2
		Hawks, Swainson`s				1
		Sandpipers, Upland				29
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				180
		Cowbirds, Brown-Headed				615
		Crows, American				2,876
		Doves, Mourning				864
		Ducks, Bufflehead				21
		Ducks, Mallards				184
		Ducks, Ruddy				20
		Ducks, Teal, Blue-Winged				6
		Falcons, American Kestrels				9
		Geese, Canada				728
		Hawks, Red-Tailed				38
		Hérons, Great Blue				9
		Killdeers				94

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Kingbirds, Western				5
		Pigeons, Feral (Rock)				270
		Sandpipers, Pectoral				12
		Starlings, European				41,834
		Swallows, Barn				20
		Vultures, Turkey				13
		Yellowlegs, Lesser				1
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				30
		Cowbirds, Brown-Headed	15			100
		Crows, American	22			
		Doves, Collared, Eurasian	11			6
		Doves, Mourning	43			101
		Falcons, American Kestrels	3			
		Finches, House	2			4
		Geese, Canada	9			34
		Grackles, Common	32			31
		Killdeers	14			9

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Kingbirds, Western				2
		Larks, Horned	2			
		Meadowlarks, Eastern	5			4
		Pigeons, Feral (Rock)	1,649			980
		Rabbits, Cottontail	175			
		Robins, American	1			3
		Snakes, Venomous (Other)	1			
		Sparrows, House/English	35			
		Starlings, European	243			201
		Swallows, Barn	12			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				8,450
		Blackbirds, Red-Winged				15,255
		Bluebirds, Eastern				4
		Coots, American				200
		Cormorants, Double-Crested				164
		Cowbirds, Brown-Headed				4,840
		Crows, American				2,915

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Doves, Collared, Eurasian				2
		Doves, Mourning				4,253
		Ducks, Gadwall				198
		Ducks, Goldeneye, Common				202
		Ducks, Mallards				18,807
		Ducks, Northern Pintail				30
		Ducks, Northern Shoveler				128
		Ducks, Ruddy				50
		Ducks, Teal, Blue-Winged				528
		Ducks, Teal, Green-Winged				15
		Ducks, Wigeon, American				650
		Ducks, Wood				12
		Eagles, Bald				63
		Egrets, Great				4
		Falcons, American Kestrels				43
		Finches, House				50
		Flycatchers, Scissor-Tailed				25
		Geese, Canada				42,043

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Geese, Snow, Lesser				38,307
		Geese, White-Fronted, Greater				4,580
		Grackles, Common				2,913
		Gulls, Franklin`s				93
		Gulls, Ring-Billed				240
		Hawks, Harrier, Northern (Marsh Hawks)				47
		Hawks, Red-Tailed				273
		Hawks, Rough-Legged				4
		Hawks, Swainson`s				97
		Hérons, Great Blue				24
		Killdeers				236
		Kingbirds, Eastern				3
		Kingbirds, Western				6
		Larks, Horned				193
		Longspurs, Lapland				273
		Meadowlarks, Eastern				201
		Nighthawks (All)				10
		Owls, Short-Eared				4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Pelicans, American White				1,183
		Pigeons, Feral (Rock)				244
		Plovers, Semipalmated				1
		Robins, American				765
		Sandpipers, Upland				4
		Snipes, Wilson`s				1
		Starlings, European				229,839
		Swallows, Barn				139
		Swans, Trumpeter				34
		Swans, Tundra				11
		Turkeys, Wild				12
		Vultures, Turkey				1,094
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Bobcats	1			
		Coyotes	9			
		Opossums, Virginia	3			
		Raccoons	6			
		Skunks, Striped	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>						
	Unintentional					
		Turtles, Common Snapping			1	
<b>Spotlight</b>						
	Intentional					
		Coyotes				1
		Opossums, Virginia				1
		Rabbits, Cottontail				5
		Raccoons				1
		Starlings, European				20
<b>Telazol</b>						
	Intentional					
		Swine, Feral			10	
<b>Traps, Body Grip</b>						
	Intentional					
		Beavers	33			
		Muskrats	8			
		Raccoons	1			
		Skunks, Striped	2			
	Unintentional					
		Turtles, Common Snapping	1		2	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging			1			
		Doves, Mourning	10					
		Marmots/Woodchucks (All)	27		1			
		Opossums, Virginia	26					
		Pigeons, Feral (Rock)	18					
		Rabbits, Cottontail	1					
		Raccoons	56					
		Skunks, Striped	27					
		Sparrows, House/English	14					
		Squirrels, Eastern Gray	3					
		Voles (All)				65		
		<b>Traps, Decoy</b>	<b>Unintentional</b>	Cats, Feral/Free Ranging			1	
				<b>Intentional</b>	Cats, Feral/Free Ranging		2	
Doves, Mourning						2		
Pigeons, Feral (Rock)	1,972							
<b>Unintentional</b>								

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Unintentional</b>	Doves, Mourning	1		2	
		Falcons, American Kestrels			1	
		Hawks, Cooper`s	1		1	
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada			42	
		Swine, Feral	135		3	
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	2			
		Coyotes	3			
		Foxes, Red	1			
		Raccoons	1			
		Skunks, Striped	4			
<b>Traps, Mole</b>	<b>Intentional</b>	Moles (All)	10			
<b>Traps, Other</b>	<b>Intentional</b>	Cowbirds, Brown-Headed	15			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Other</b>	<b>Intentional</b>	Doves, Mourning	1		153	
		Opossums, Virginia	9			
		Raccoons	14			
		Voles (All)	2		2	
<b>Traps, Pole</b>	<b>Intentional</b>	Crows, American	2			
		Falcons, American Kestrels			8	
		Hawks, Red-Tailed			52	
		Owls, Great Horned			2	
<b>Traps, Raptor (Other)</b>	<b>Unintentional</b>	Meadowlarks, Eastern			3	
		<b>Intentional</b>				
		Falcons, American Kestrels			11	
		Hawks, Cooper`s			7	
			2		153	
		Owls, Great Horned			59	
	<b>Unintentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Other)</b>	Unintentional	Crows, American	1			
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	Intentional	Mice, Deer (All)	17			
		Sparrows, House/English	1			
		Voles (All)	4			
<b>Traps, Suitcase</b>	Intentional	Beavers	3			
		Raccoons	1			
	Unintentional	Raccoons	2			
<b>Vehicles (All)</b>	Intentional	Blackbirds, Red-Winged				2
		Cats, Feral/Free Ranging				1
		Cormorants, Double-Crested				563
		Cowbirds, Brown-Headed				495
		Coyotes				54
		Crows, American				194

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Deer, White-Tailed (Wild)				11
		Doves, Collared, Eurasian				2
		Doves, Mourning				954
		Ducks, Bufflehead				12
		Ducks, Canvasback				19
		Ducks, Goldeneye, Common				39
		Ducks, Mallards				1,662
		Ducks, Northern Shoveler				109
		Ducks, Ruddy				87
		Ducks, Scaup, Lesser				53
		Ducks, Teal, Blue-Winged				565
		Ducks, Wigeon, American				28
		Ducks, Wood				176
		Eagles, Bald				73
		Egrets, Great				12
		Falcons, American Kestrels				24
		Falcons, Merlin				1
		Flycatchers, Scissor-Tailed				8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				9,007
		Geese, Snow, Lesser				417
		Geese, White-Fronted, Greater				100
		Grackles, Common				383
		Gulls, Ring-Billed				196
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				37
		Hawks, Red-Tailed				193
		Hawks, Sharp-Shinned				2
		Hawks, Swainson`s				8
		Hérons, Great Blue				84
		Hérons, Green				1
		Killdeers				51
		Kingbirds, Eastern				3
		Larks, Horned				81
		Meadowlarks, Eastern				58
		Owls, Great Horned				2
		Owls, Snowy				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Pelicans, American White				295
		Pheasants, Ring-Necked				20
		Pigeons, Feral (Rock)				154
		Sandpipers, Upland				17
		Skunks, Striped				2
		Starlings, European				1,800
		Swallows, Barn				5
		Swans, Mute				16
		Swans, Tundra				70
		Turkeys, Wild				207
		Vultures, Turkey				78
		<i>Total Take for MO</i>	15,203		608	571,412

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*