

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Bombs/Bangers</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				130
		Crows, Fish				89
		Doves, Mourning				69
		Egrets, Great				1
		Grackles, Common				13
		Gulls, Black-Backed, Greater				105
		Gulls, Herring				337
		Gulls, Laughing				2,492
		Gulls, Ring-Billed				1,120
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				3
		Herons, Great Blue				1
		Killdeers				27
		Ospreys				1
		Plovers, Black-Bellied				35
		Quail (Other)				10
		Sandpipers, Upland				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Bombs/Bangers</b>	<b>Intentional</b>	Starlings, European				678
		Swallows, Barn				34
		Swallows, Northern Rough-Winged				17
		Terns, Royal				7
		Turkeys, Wild				10
		Vultures, Black				54
		Vultures, Turkey				75
<b>Capa Cartridges</b>	<b>Intentional</b>	Vultures, Turkey				17
<b>Car/Truck</b>	<b>Intentional</b>	Ducks, Merganser, Hooded				45
		Egrets, Great				3
		Grebes, Pied-Billed				1
		Hawks, Cooper`s				1
		Hérons, Great Blue				2
<b>Catch Pole</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Catch Pole</b>						
	Intentional	Dogs, Feral, Free-Ranging And Hybrids			1	
<b>Cracker Shells (12 Gauge )</b>						
	Intentional	Blackbirds, (Mixed Species)				200
		Crows, American				7
		Geese, Canada				20
		Gulls, Laughing				80
		Gulls, Ring-Billed				311
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				14
		Hérons, Great Blue				1
		Killdeers				9
		Kites, Mississippi				7
		Starlings, European				1,150
		Swine, Feral				12
		Vultures, Black				1
		Vultures, Turkey				447
<b>Dog</b>						
	Intentional					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				7
		Crows, American				10
		Crows, Fish				4
		Ducks, Merganser, Hooded				29
		Ducks, Wood				1
		Egrets, Great				1
		Geese, Canada				478
		Grebes, Pied-Billed				2
		Gulls, Laughing				33
		Gulls, Ring-Billed				297
		Hérons, Great Blue				27
		Hérons, Green				5
		Killdeers				38
		Kingbirds, Eastern				11
		Mockingbirds, Northern				1
		Pelicans, Brown				3
		Plovers, Black-Bellied				22
		Sandpipers, Spotted				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		Snipes, Wilson`s				3
		Starlings, European				564
		Swallows, Barn				56
<b>Effigy, Vulture</b>						
	<b>Intentional</b>					
		Vultures, Black				132
		Vultures, Turkey				206
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				1,500
		Cormorants, Double-Crested				60
		Cowbirds, Brown-Headed				2,000
		Crows, American				30
		Crows, Fish				100
		Doves, Mourning				660
		Egrets, Great				3
		Geese, Canada				439
		Grackles, Common				30
		Gulls, Ring-Billed				52

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				5
		Hawks, Red-Shouldered				4
		Hawks, Red-Tailed				65
		Hérons, Great Blue				1
		Killdeers				90
		Kites, Mississippi				79
		Ospreys				6
		Starlings, European				2,214
		Swallows, Barn				500
		Vultures, Black				1
		Vultures, Turkey				995
<b>Firearms</b>						
	<b>Intentional</b>					
		Beavers	412			
		Blackbirds, Red-Winged	2			
		Bluebirds, Eastern	14			
		Cats, Feral/Free Ranging	1			
		Cormorants, Double-Crested	6			1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Cowbirds, Brown-Headed	192			4
		Coyotes	9			1
		Crows, American	10			20
		Crows, Fish	6			7
		Deer, White-Tailed (Wild)	178			15
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Doves, Mourning	756			731
		Ducks, Mallards	3			
		Ducks, Merganser, Hooded				31
		Egrets, Cattle	1			
		Egrets, Great	7			2
		Falcons, American Kestrels	2			
		Finches, House	24			145
		Foxes, Gray	4			
		Geese, Canada	49			17
		Grackles, Common	23			
		Gulls, Black-Backed, Greater	4			
		Gulls, Herring	48			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Gulls, Laughing	73			165
		Gulls, Ring-Billed	23			
		Hawks, Harrier, Northern (Marsh Hawks)	1			
		Hawks, Red-Shouldered	1			
		Hawks, Red-Tailed	1			
		Hérons, Great Blue	14			1
		Killdeers	71			26
		Larks, Horned	7			9
		Meadowlarks, Eastern	7			
		Mockingbirds, Northern	52			14
		Muskrats	13			
		Nutrias	19			
		Pelicans, Brown	1			
		Pigeons, Feral (Rock)	435			
		Plovers, Black-Bellied	5			33
		Raccoons	3			
		Robins, American				4
		Sandpipers, Upland	22			9

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Snakes, Venomous (Other)	3			
		Sparrows, House/English	19			
		Squirrels, Eastern Gray	2			
		Starlings, European	319			737
		Swallows, Northern Rough-Winged	1			
		Swine, Feral	8			
		Terns, Least	2			
		Terns, Royal	3			
		Terns, Sandwich	2			
		Turkeys, Wild	5			17
		Vultures, Black	13			54
		Vultures, Turkey	168			26
<b>Flaming Whistlers</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				35
		Gulls, Black-Backed, Greater				21
		Gulls, Herring				65
		Gulls, Laughing				26
		Gulls, Ring-Billed				657

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Geese, Canada	1			
		Gulls, Black-Backed, Greater	4			
		Gulls, Herring	134			
		Killdeers	1			
		Ospreys			1	
		Snakes, Non-Venomous (Other)			1	
		Turkeys, Wild			1	
		Turtles (Other)			24	
		Turtles, Common Snapping			2	
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Geese, Canada				23
		Starlings, European				173
		Vultures, Black				490
		Vultures, Turkey				40
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Geese, Canada	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Crows, American				24
		Geese, Canada				2,009
		Hawks, Red-Tailed				1
		Starlings, European				140
		Turkeys, Wild				23
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Bitterns, American				1
		Crows, American				37
		Ducks, Merganser, Hooded				11
		Ducks, Merganser, Red-Breasted				1
		Egrets, Great				2
		Geese, Canada				265
		Gulls, Ring-Billed				51
		Hérons, Great Blue				3
		Starlings, European				67
<b>Repellents, Other Non-Regulated</b>						
	<b>Intentional</b>					
		Sparrows, House/English				5

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Repellents, Other Non-Regulated</b>						
	Intentional	Starlings, European				15
<b>Snares, Neck</b>						
	Intentional	Beavers	185			
		Coyotes	2			
		Foxes, Gray	2			
		Nutrias	33			
	Unintentional	Raccoons	1			
		Turtles, Common Snapping			1	
<b>Traps, Body Grip</b>						
	Intentional	Beavers	3,889			
		Marmots/Woodchucks (All)	20			
		Muskrats	151			
		Nutrias	539			
		Rabbits, Cottontail	1			
	Unintentional	Ducks, Merganser, Hooded	1			
	Frogs/Toads (Other)			1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	<b>Otters, River</b>	<b>43</b>			
		<b>Raccoons</b>	<b>9</b>		<b>1</b>	
		<b>Turtles (Other)</b>			<b>9</b>	
		<b>Turtles, Common Map</b>			<b>1</b>	
		<b>Turtles, Common Snapping</b>	<b>46</b>		<b>51</b>	
		<b>Turtles, Painted</b>	<b>2</b>		<b>11</b>	
		<b>Traps, Cage</b>	<b>Intentional</b>	<b>Beavers</b>	<b>2</b>	
<b>Cats, Feral/Free Ranging</b>					<b>1</b>	
<b>Dogs, Feral, Free-Ranging And Hybrids</b>					<b>1</b>	
<b>Doves, Mourning</b>	<b>2</b>					
<b>Finches, House</b>	<b>45</b>					
<b>Foxes, Gray</b>	<b>1</b>					
<b>Gulls, Black-Backed, Greater</b>	<b>8</b>					
<b>Gulls, Herring</b>	<b>127</b>					
<b>Opossums, Virginia</b>						<b>4</b>
<b>Pigeons, Feral (Rock)</b>	<b>472</b>					
<b>Raccoons</b>	<b>15</b>					<b>122</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Traps, Cage</b>	<b>Intentional</b>	Skunks, Striped	3				
		Sparrows, House/English	10				
	<b>Unintentional</b>	Cats, Feral/Free Ranging				11	
		Dogs, Feral, Free-Ranging And Hybrids				4	
		Minks				1	
		Opossums, Virginia				70	
		Turtles, Common Snapping				1	
<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	13				
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Ducks, Mallards			5		
		Geese, Canada	791		49		
		Geese, Feral	12		20		
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	208				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Traps, Foothold</b>	<b>Intentional</b>	Coyotes	5				
		Foxes, Gray	1				
		Nutrias	9				
	<b>Unintentional</b>	Raccoons	3		3		
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Coyotes	1				
		Raccoons	1				
<b>Vehicles (All)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				16	
		Cormorants, Double-Crested				2	
		Coyotes				14	
		Crows, American				159	
		Crows, Fish				23	
		Deer, White-Tailed (Wild)				3	
		Doves, Mourning				727	
		Ducks, Mallards				9	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Merganser, Hooded				26
		Eagles, Bald				1
		Egrets, Great				3
		Falcons, American Kestrels				20
		Geese, Canada				347
		Grackles, Common				22
		Gulls, Herring				35
		Gulls, Laughing				1,134
		Gulls, Ring-Billed				2,100
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				3
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				5
		Hérons, Great Blue				36
		Hérons, Green				2
		Ibises, White				11
		Killdeers				258
		Kingbirds, Eastern				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Larks, Horned				1
		Meadowlarks, Eastern				204
		Mockingbirds, Northern				4
		Ospreys				2
		Pigeons, Feral (Rock)				71
		Plovers, Black-Bellied				328
		Sandpipers, Upland				12
		Snipes, Wilson`s				4
		Sparrows, House/English				25
		Starlings, European				1,121
		Swallows, Barn				226
		Swallows, Northern Rough-Winged				68
		Terns, Forster`s				4
		Terns, Royal				10
		Terns, Sandwich				2
		Turkeys, Wild				51
		Vultures, Turkey				29
<b>Whistlers/Screamers</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Whistlers/Screamers</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				50
		Cormorants, Double-Crested				71
		Cowbirds, Brown-Headed				75
		Crows, American				6
		Crows, Fish				165
		Doves, Mourning				44
		Ducks, Wood				2
		Egrets, Great				1
		Geese, Canada				25
		Grackles, Common				20
		Gulls, Herring				1
		Gulls, Laughing				10,770
		Gulls, Ring-Billed				93
		Hawks, Harrier, Northern (Marsh Hawks)				3
		Hawks, Red-Tailed				33
		Killdeers				22
		Kites, Mississippi				3
		Meadowlarks, Eastern				5

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Whistlers/Screamers</b>						
	<b>Intentional</b>					
		Ospreys				1
		Plovers, Black-Bellied				20
		Plovers, Semipalmated				27
		Robins, American				90
		Sandpipers, Semipalmated				7
		Starlings, European				162
		Swallows, Barn				10
		Swallows, Cliff				70
		Terns, Royal				1
		Terns, Sandwich				35
		Turnstones, Ruddy				16
		Vultures, Turkey				446
		<i>Total Take for NC</i>	<b>9,841</b>		<b>399</b>	<b>44,056</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*