

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
DRC-1339-Pigeons						
	Intentional					
		Pigeons, Feral (Rock)	350			
Firearms						
	Intentional					
		Badgers	2			
		Beavers	56			
		Blackbirds, Brewer`s	8			115
		Blackbirds, Red-Winged	11,354			314,892
		Blackbirds, Yellow-Headed	95			10,500
		Cowbirds, Brown-Headed	64			98
		Coyotes	343			
		Crows, American	1			2
		Deer, White-Tailed (Wild)	76			
		Doves, Mourning	39			80
		Ducks, Gadwall				2
		Ducks, Mallards	10			60
		Ducks, Northern Pintail	3			11
		Ducks, Northern Shoveler				18
		Ducks, Teal, Blue-Winged	6			50

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Foxes, Red	9			1
		Geese, Canada	14			90
		Grackles, Common	1,405			37,292
		Grouse, Sharp-Tailed	11			101
		Gulls, Franklin`s	6			23
		Gulls, Ring-Billed	37			143
		Hares, Jackrabbits (Other)	56			
		Hawks, Cooper`s	1			
		Hawks, Swainson`s	5			2
		Killdeers	21			83
		Meadowlarks, Western	12			36
		Muskrats	8			
		Partridge, Gray	1			12
		Phalaropes, Wilson`s				15
		Pheasants, Ring-Necked	1			1
		Pigeons, Feral (Rock)	617			61
		Raccoons	1			
		Sandpipers, Upland				20

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Firearms	Intentional	Skunks, Striped	6				
		Sparrows, House/English	5			10	
		Squirrels, Ground, Richardson`s	77				
		Starlings, European					40
		Swallows, Cliff	51				520
		Yellowlegs, Lesser					8
Fixed Wing	Intentional	Coyotes	922				
Gas Cartridge, Large	Intentional	Coyotes (Burrow/Den)		80			
		Foxes, Red (Burrow/Den)		5			
		Skunks, Striped (Burrow/Den)		1			
Handcaught/Gathered	Intentional	Pigeons, Feral (Rock)	4				
		Snakes, Non-Venomous (Other)			1		
M-44 Cyanide Capsule	Intentional						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
M-44 Cyanide Capsule						
	Intentional					
		Coyotes	834			
		Foxes, Red	16			
	Unintentional					
		Foxes, Red	8			
		Skunks, Striped	1			
Nets, Mist						
	Intentional					
		Pigeons, Feral (Rock)	4			
		Sparrows, House/English	5			
		Starlings, European	2			
Pyrotechnics (All)						
	Intentional					
		Blackbirds, Brewer`s				18
		Blackbirds, Red-Winged				216,773
		Blackbirds, Yellow-Headed				100
		Coots, American				100
		Cowbirds, Brown-Headed				12
		Crows, American				55
		Doves, Mourning				42

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ducks, Gadwall				20
		Ducks, Mallards				215
		Ducks, Northern Pintail				12
		Ducks, Northern Shoveler				184
		Ducks, Teal, Blue-Winged				110
		Falcons, American Kestrels				1
		Geese, Canada				888
		Geese, Snow, Lesser				1,500
		Grackles, Common				6,729
		Gulls, Franklin`s				135
		Gulls, Ring-Billed				232
		Hawks, Harrier, Northern (Marsh Hawks)				5
		Hawks, Red-Tailed				1
		Hawks, Swainson`s				2
		Killdeers				64
		Meadowlarks, Western				16
		Phalaropes, Wilson`s				12
		Pigeons, Feral (Rock)				12

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Sandpipers, Upland				86
		Starlings, European				78
		Swans, Tundra				4
		Willets				6
Snares, Neck						
	Intentional					
		Badgers	4			
		Beavers	6			
		Coyotes	744			
		Foxes, Red	41			
		Porcupines	4			
		Raccoons	8			
		Skunks, Striped	1			
	Unintentional					
		Bobcats	4			
		Deer, White-Tailed (Wild)			1	
		Dogs, Feral, Free-Ranging And Hybrids	2		1	
		Foxes, Red	9			
		Foxes, Swift	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed / Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck	Unintentional	Hares, Jackrabbits (Other)	1			
		Porcupines	2			
		Raccoons	10			
		Skunks, Striped	2			
Sodium Pentobarbital (390 Mg/MI)	Intentional	Skunks, Striped	3			
Traps, Bal-Chatri	Intentional	Hawks, Swainson`s			5	
Traps, Body Grip	Intentional	Beavers	919			
		Fishers	1			
		Muskrats	16			
		Porcupines	1			
		Raccoons	36			
		Skunks, Striped	3			
		Weasels, Long-Tailed	1			
		Unintentional				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Unintentional	Ducks, Teal, Blue-Winged			1	
		Fish (Other)	2			
		Minks	2			
		Muskrats	9			
		Otters, River	12			
		Raccoons	4			
		Skunks, Striped	1			
Traps, Cage	Intentional	Beavers	14			
		Blackbirds, Red-Winged	4			
		Grackles, Common	2			
		Pigeons, Feral (Rock)	213			
		Raccoons	18			
		Skunks, Striped	3			
		Sparrows, House/English	48			
Traps, Foothold	Intentional	Badgers	5			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold	Intentional	Beavers	120			
		Coyotes	160			
		Foxes, Red	11		2	
		Minks	1			
		Muskrats	6			
		Raccoons	5			
		Skunks, Striped	1			
	Unintentional	Badgers	7			
		Cats, Feral/Free Ranging				1
		Coyotes	2			
		Foxes, Red	4			1
		Porcupines	1			
		Raccoons	8			
		Skunks, Striped	4			
Traps, Raptor (Other)	Intentional	Falcons, American Kestrels			2	
		Hawks, Harrier, Northern (Marsh Hawks)			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Raptor (Other)	Intentional	Hawks, Red-Tailed			3	
		Hawks, Swainson`s			1	
Traps, Snap (Rat, Mouse, Etc.)	Intentional	Voles (All)	5			
Vehicles (All)	Intentional	Blackbirds, Red-Winged				35
		Crows, American				6
		Deer, White-Tailed (Wild)				28
		Ducks, Gadwall				56
		Ducks, Mallards				80
		Ducks, Northern Pintail				14
		Ducks, Northern Shoveler				50
		Ducks, Teal, Blue-Winged				1
		Foxes, Red				3
		Geese, Canada				119
		Grackles, Common				15
		Grouse, Sharp-Tailed				101

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2012

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Gulls, Ring-Billed				50
		Hares, Jackrabbits (Other)				3
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				4
		Hawks, Swainson`s				8
		Killdeers				13
		Kingbirds, Western				20
		Larks, Horned				98
		Meadowlarks, Western				62
		Phalaropes, Wilson`s				2
		Pheasants, Ring-Necked				2
		Pigeons, Feral (Rock)				48
		Robins, American				10
		Sandpipers, Upland				10
		Sparrows, House/English				10
		Starlings, European				20
		<i>Total Take for ND</i>	19,038	86	20	592,570

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.