

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>						
	<b>Intentional</b>					
		<b>Bobcats</b>	4			
		<b>Coyotes</b>	215			
		<b>Crows, American</b>	146			
<b>Calling Device, Manual(Hand,Blown)</b>						
	<b>Intentional</b>					
		<b>Bobcats</b>	1			
		<b>Coyotes</b>	730			
		<b>Crows, American</b>	32			
		<b>Foxes, Gray</b>	1			
<b>DRC-1339-OK SLN (Crows)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	2,635			
<b>DRC-1339-Pigeons</b>						
	<b>Intentional</b>					
		<b>Pigeons, Feral (Rock)</b>	50			
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	2,410			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		Crows, American				325
		Falcons, American Kestrels				56
		Geese, Canada				3
		Gulls, Franklin`s				40
		Gulls, Ring-Billed				220
		Hawks, Harrier, Northern (Marsh Hawks)				17
		Hawks, Red-Tailed				35
		Hawks, Swainson`s				1
		Killdeers				18
		Kites, Mississippi				2
		Meadowlarks, Eastern				120
		Pigeons, Feral (Rock)				50
		Swallows, Barn				30
		Vultures, Turkey				15
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				390
		Blackbirds, Yellow-Headed				1,075
		Cormorants, Double-Crested				21

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed				1,105
		Cranes, Sandhill				300
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Collared, Eurasian				215
		Doves, Mourning				5,830
		Ducks, Mallards				78
		Falcons, American Kestrels				29
		Flycatchers, Scissor-Tailed				113
		Geese, Canada				15,325
		Grackles, Common				4,706
		Grackles, Great-Tailed				2,738
		Gulls, Ring-Billed				49
		Hawks, Harrier, Northern (Marsh Hawks)				30
		Hawks, Red-Tailed				31
		Hawks, Swainson`s				134
		Killdeers				223
		Kingbirds, Western				281
		Kites, Mississippi				16

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Larks, Horned				189
		Meadowlarks, Eastern				3,850
		Nighthawks (All)				15
		Pigeons, Feral (Rock)				3,348
		Robins, American				50
		Sandpipers, Upland				1,823
		Starlings, European				216
		Swallows, Barn				335
		Turkeys, Wild				2
		Vultures, Turkey				99
<b>Fastrac Blox</b>						
	<b>Intentional</b>					
		Rats, Norway	100			
<b>Firearms</b>						
	<b>Intentional</b>					
		Armadillos, Nine-Banded	9			
		Beavers	273			
		Blackbirds, (Mixed Species)	1,261			
		Blackbirds, Red-Winged	66			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Blackbirds, Yellow-Headed	47				
		Cowbirds, Brown-Headed	82			1,200	
		Coyotes	94				4
		Crows, American	37				18
		Deer, White-Tailed (Wild)	20				
		Doves, Collared, Eurasian	30				
		Doves, Mourning	704				1,046
		Ducks, Bufflehead	1				
		Ducks, Gadwall	7				112
		Ducks, Mallards	15				40
		Ducks, Ring-Necked					100
		Ducks, Ruddy					60
		Ducks, Scaup, Lesser	2				
		Egrets, Cattle	52				12
		Egrets, Great	1				
		Falcons, American Kestrels	11				
		Finches, House	4				
		Flycatchers, Scissor-Tailed	39				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Foxes, Red	6			
		Geese, Canada	74			2,843
		Geese, Snow, Lesser	4			8
		Grackles, Common	310			22
		Grackles, Great-Tailed	706			
		Grebes, Pied-Billed	1			
		Gulls, Franklin`s	83			6,250
		Gulls, Herring	11			400
		Gulls, Ring-Billed	122			950
		Hawks, Harrier, Northern (Marsh Hawks)	10			4
		Hawks, Red-Tailed	11			18
		Hawks, Sharp-Shinned				1
		Hawks, Swainson`s	2			
		Hérons, Great Blue	1			
		Jackrabbits, Black Tailed	20			
		Killdeers	103			20
		Kingbirds, Eastern	6			
		Kingbirds, Western	96			17

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Kites, Mississippi	2			
		Larks, Horned	65			
		Meadowlarks, Eastern	577			2,456
		Meadowlarks, Western	17			185
		Nighthawks (All)	14			
		Pelicans, American White				800
		Pheasants, Ring-Necked	1			
		Pigeons, Feral (Rock)	2,764			794
		Raccoons	26			
		Robins, American	7			
		Sandpipers, Least				140
		Sandpipers, Upland	171			
		Skunks, Striped	36			
		Sparrows, House/English	37			
		Squirrels, Fox	14			
		Starlings, European	1,419			46,420
		Swallows, Barn	2			180
		Swine, Feral	301			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	Intentional	Vultures, Black	2			
		Vultures, Turkey	16			295
<b>Fixed Wing</b>	Intentional	Coyotes	700			
		Swine, Feral	306			
<b>Hand Tools</b>	Intentional	Foxes, Red (Burrow/Den)		1		
<b>Handcaught/Gathered</b>	Intentional	Foxes, Red	1			
		Nighthawks (All)			3	
		Owls, Common Barn			3	
		Raccoons	1			
		Sparrows, House/English	1			
<b>Helicopter</b>	Intentional	Coyotes	614			
		Swine, Feral	1,285			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Falcons, American Kestrels				1
		Martins, Purple				22,500
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		Coyotes	2,345			
		Dogs, Feral, Free-Ranging And Hybrids	1			
	<b>Unintentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids	20			
		Opossums, Virginia	5			
		Raccoons	3			
		Skunks, Striped	4			
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Crows, American			48	
<b>Nets, Mist</b>						
	<b>Intentional</b>					
		Starlings, European	100			
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Cowbirds, Brown-Headed	26			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Other</b>	<b>Intentional</b>	Doves, Collared, Eurasian	114			
		Doves, Mourning	21			
		Grackles, Common	2			
		Grackles, Great-Tailed	200			
<b>Pneumatics</b>	<b>Intentional</b>	Blackbirds, (Mixed Species)	248			
		Blackbirds, Red-Winged	40			
		Coots, American	3			
		Doves, Mourning	191			
		Ducks, Bufflehead	1			
		Ducks, Ring-Necked	1			
		Grackles, Great-Tailed	417			
		Hérons, Great Blue	1			
		Killdeers	18			
		Meadowlarks, Eastern	18			
		Muskrats	1			
		Pigeons, Feral (Rock)	509			
		Sparrows, House/English	184			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Starlings, European	1,553			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				50
		Cormorants, Double-Crested				246
		Crows, American				392
		Doves, Mourning				300
		Ducks, Bufflehead				80
		Ducks, Gadwall				35
		Ducks, Mallards				146
		Ducks, Northern Shoveler				2
		Egrets, Cattle				17
		Egrets, Great				5
		Finches, House				50
		Geese, Canada				36
		Grackles, Great-Tailed				25
		Gulls, Franklin`s				1,916
		Gulls, Ring-Billed				11,885
		Hawks, Harrier, Northern (Marsh Hawks)				6

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-Tailed				6
		Hawks, Swainson`s				3
		Hérons, Great Blue				3
		Killdeers				42
		Kites, Mississippi				9
		Meadowlarks, Eastern				344
		Robins, American				10
		Sandpipers, Least				185
		Sandpipers, Upland				123
		Sparrows, House/English				100
		Starlings, European				8,024
		Swallows, Barn				30
		Vultures, Black				1
		Vultures, Turkey				2
<b>Scarecrows (All) (Owl, Snake, Silhouett</b>						
	<b>Intentional</b>					
		Crows, American				50
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Snares, Foot/Leg</b>	<b>Intentional</b>	<b>Coyotes</b>	16			
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Armadillos, Nine-Banded</b>	2			
		<b>Beavers</b>	147			
		<b>Bobcats</b>	11			
		<b>Coyotes</b>	534			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	5			
		<b>Foxes, Red</b>	3			
		<b>Marmots/Woodchucks (All)</b>	1			
		<b>Opossums, Virginia</b>	11			
		<b>Raccoons</b>	12			
		<b>Skunks, Striped</b>	1			
		<b>Swine, Feral</b>	13			
	<b>Unintentional</b>	<b>Bobcats</b>	1			
		<b>Deer, White-Tailed (Wild)</b>	3			1
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	3			
		<b>Foxes, Red</b>	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	Unintentional	Raccoons	4			
		Turtles (Other)			1	
<b>Spotlight</b>	Intentional	Armadillos, Nine-Banded	3			
		Beavers	634			
		Cats, Feral/Free Ranging	2			
		Coyotes	2			
		Deer, White-Tailed (Wild)	2			
		Otters, River	1			
		Raccoons	29			
		Skunks, Striped	29			
		Swine, Feral	20			
<b>Traps, Body Grip</b>	Intentional	Beavers	2,070			
		Muskrats	9			
		Otters, River	26			
	Unintentional					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Muskrats	3			
		Otters, River	15			
		Turtles (Other)	17			10
		Turtles, Common Snapping	29			41
<b>Traps, Cage</b>	<b>Intentional</b>	Armadillos, Nine-Banded	1			
		Badgers	1			
		Cats, Feral/Free Ranging	3			4
		Foxes, Gray	2			1
		Foxes, Red	2			1
		Opossums, Virginia	27			
		Pigeons, Feral (Rock)	452			
		Raccoons	90			
		Skunks, Striped	38			
		Squirrels, Fox	1			
		Swine, Feral	1,048			
		Vultures, Black	35			
			<b>Unintentional</b>			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	Unintentional	Deer, White-Tailed (Wild)			2	
<b>Traps, Decoy</b>	Intentional	Doves, Collared, Eurasian	99			
		Pigeons, Feral (Rock)	3,411			
<b>Traps, Drive/Corral</b>	Intentional	Geese, Canada	173			
<b>Traps, Foothold</b>	Intentional	Beavers	13			
		Bobcats	8			
		Coyotes	335			
		Dogs, Feral, Free-Ranging And Hybrids	3			
		Raccoons	19			1
	Unintentional	Badgers	1			
		Bobcats	1			
		Dogs, Feral, Free-Ranging And Hybrids				3
		Foxes, Red	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Foothold</b>	<b>Unintentional</b>	Opossums, Virginia	4			
		Raccoons	14			
		Skunks, Striped	1			
		Vultures, Turkey	1			
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Skunks, Striped	1			
<b>Traps, Other</b>	<b>Intentional</b>	Grackles, Common	12			
		Hawks, Cooper`s	1			
		Pigeons, Feral (Rock)	38			
		Sparrows, House/English	25			
		Starlings, European	6			
<b>Vehicles (All)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				545
		Coots, American				15
		Cowbirds, Brown-Headed				2,375

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Coyotes				2
		Crows, American				1,086
		Dogs, Feral, Free-Ranging And Hybrids				2
		Doves, Mourning				1,403
		Ducks, Bufflehead				254
		Ducks, Gadwall				992
		Ducks, Mallards				573
		Ducks, Northern Shoveler				92
		Ducks, Ring-Necked				595
		Ducks, Scaup, Lesser				75
		Ducks, Teal, Blue-Winged				6
		Ducks, Wood				15
		Falcons, American Kestrels				16
		Geese, Canada				163
		Grackles, Common				73
		Grebes, Pied-Billed				25
		Hawks, Harrier, Northern (Marsh Hawks)				5
		Hawks, Red-Tailed				33

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2012*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Hérons, Great Blue				16
		Killdeers				135
		Kingbirds, Western				10
		Meadowlarks, Eastern				1,239
		Meadowlarks, Western				480
		Pigeons, Feral (Rock)				463
		Robins, American				50
		Starlings, European				6,417
		Vultures, Turkey				9
<b>Water, High Pressure Spray</b>						
	<b>Intentional</b>					
		Martins, Purple				12,500
		<i>Total Take for OK</i>	34,576	1	119	184,232

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*