

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Texas - FY 2013**

| <i>Disease/Condition</i> | <i>Species Sampled</i> | <i># of Samples</i> |
|-------------------------------|--|---------------------|
| Classical Swine Fever | | |
| | Swine, Feral | 456 |
| | <i>Subtotal of # of Samples for Classical Swine Fever</i> | 456 |
| Disease (Non-Specific) | | |
| | Swine, Feral | 1 |
| | <i>Subtotal of # of Samples for Disease (Non-Specific)</i> | 1 |
| Genetic | | |
| | Coyotes | 1 |
| | Swine, Feral | 2 |
| | <i>Subtotal of # of Samples for Genetic</i> | 3 |
| Leptospirosis | | |
| | Swine, Feral | 32 |
| | <i>Subtotal of # of Samples for Leptospirosis</i> | 32 |
| Plaque | | |
| | Badgers | 1 |
| | Beavers | 3 |
| | Bobcats | 36 |
| | Coyotes | 1,184 |
| | Dogs, Feral, Free-Ranging And H | 1 |
| | Foxes, Gray | 257 |
| | Foxes, Red | 1 |
| | Lions, Mountain (Cougar) | 1 |
| | Opossums, Virginia | 1 |
| | Raccoons | 114 |
| | Skunks, Striped | 7 |
| | Swine, Feral | 20 |
| | <i>Subtotal of # of Samples for Plague</i> | 1,626 |
| Pseudorabies | | |
| | Swine, Feral | 457 |
| | <i>Subtotal of # of Samples for Pseudorabies</i> | 457 |
| Rabies | | |
| | Bobcats | 21 |
| | Cats, Feral/Free Ranging | 1 |
| | Coyotes | 474 |
| | Dogs, Feral, Free-Ranging And H | 1 |
| | Foxes, Gray | 340 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in Texas - FY 2013**

| <i>Disease/Condition</i> | <i>Species Sampled</i> | <i># of Samples</i> |
|--------------------------|---|---------------------|
| Rabies | | |
| | Foxes, Red | 2 |
| | Lions, Mountain (Cougar) | 2 |
| | Opossums, Virginia | 1 |
| | Raccoons | 77 |
| | Skunks, Striped | 5 |
| | <i>Subtotal of # of Samples for Rabies</i> | 924 |
| Sheep Pox | | |
| | Swine, Feral | 5 |
| | <i>Subtotal of # of Samples for Sheep Pox</i> | 5 |
| Swine Brucellosis | | |
| | Swine, Feral | 456 |
| | <i>Subtotal of # of Samples for Swine Brucellosis</i> | 456 |
| Swine Influenza | | |
| | Swine, Feral | 366 |
| | <i>Subtotal of # of Samples for Swine Influenza</i> | 366 |
| Toxoplasmosis | | |
| | Swine, Feral | 148 |
| | <i>Subtotal of # of Samples for Toxoplasmosis</i> | 148 |
| Trichinellosis | | |
| | Swine, Feral | 57 |
| | <i>Subtotal of # of Samples for Trichinellosis</i> | 57 |
| Tularemia | | |
| | Beavers | 40 |
| | Bobcats | 8 |
| | Coyotes | 306 |
| | Foxes, Gray | 18 |
| | Hares, Jackrabbits, Black-Tailed | 1 |
| | Nutrias | 1 |
| | Raccoons | 58 |
| | Swine, Feral | 11 |
| | <i>Subtotal of # of Samples for Tularemia</i> | 443 |
| | <i>Grand Total of Samples For All Diseases/Conditions</i> | 4,974 |
| | <i>Total # Diseases/Conditions Sampled In TX</i> | 13 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.