

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Bornavirus		
	Gulls, Black-Backed, Greater	15
	Gulls, Bonaparte`s	2
	Gulls, California	5
	Gulls, Herring	73
	Gulls, Laughing	22
	Gulls, Mew	54
	Gulls, Ring-Billed	87
	Squirrels, Ground (Other)	24
	Swans, Mute	12
	<i>Subtotal of # of Samples for Avian Bornavirus</i>	294
Avian Influenza		
	Blackbirds, Red-Winged	1
	Coots, American	30
	Crows, American	14
	Ducks, Gadwall	2
	Ducks, Mallards	21
	Ducks, Northern Pintail	3
	Ducks, Northern Shoveler	14
	Ducks, Teal, Green-Winged	6
	Ducks, Wigeon, American	2
	Falcons, American Kestrels	4
	Falcons, Peregrine	1
	Geese, Canada	20
	Hawks, Cooper`s	1
	Hawks, Red-Tailed	1
	Jays, Blue	5
	Killdeers	1
	Owls, Great Horned	1
	Pine Siskin	1
	Swallows, Barn	2
	Swallows, Tree	1
	Swine, Feral	5
	<i>Subtotal of # of Samples for Avian Influenza</i>	136
Avian Paramyxovirus		
	Blackbirds, Red-Winged	8
	Bulbuls, Red-Vented	2
	Cardinals, Red Crested	12
	Coots, American	39

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 1 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Paramyxovirus		
	Coots, Hawaiian (T/E)	20
	Cormorants, Double-Crested	166
	Cowbirds, Brown-Headed	8
	Cranes, Sandhill	14
	Crows, American	22
	Crows, Fish	6
	Doves, Mourning	96
	Doves, Spotted	26
	Doves, Zebra	10
	Ducks, American Black	2
	Ducks, Mallards	139
	Ducks, Northern Pintail	8
	Ducks, Northern Shoveler	12
	Ducks, Scaup, Greater	2
	Ducks, Scaup, Lesser	2
	Ducks, Teal, Blue-Winged	80
	Ducks, Teal, Green-Winged	22
	Ducks, Wigeon, American	6
	Egrets, Great	11
	Finches, House	6
	Geese, Canada	408
	Geese, Snow, Lesser	42
	Geese, White-Fronted, Greater	26
	Grackles, Common	26
	Gulls, Black-Backed, Greater	30
	Gulls, Bonaparte`s	4
	Gulls, California	20
	Gulls, Franklin`s	32
	Gulls, Glaucous-Winged	11
	Gulls, Herring	155
	Gulls, Laughing	155
	Gulls, Mew	18
	Gulls, Ring-Billed	87
	Hawks, Cooper`s	2
	Hawks, Red-Tailed	54
	Hawks, Rough-Legged	4
	Hérons, Great Blue	15
	Hérons, Little Blue	4
	Hérons, Night, Black-Crowned	10
	Ibises, White	24
	Killdeers	3

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 2 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Avian Paramyxovirus		
	Larks, Horned	2
	Meadowlarks, Eastern	4
	Meadowlarks, Western	2
	Moorhens, Hawaiian, Common (T	4
	Mynas (All)	6
	Owls, Great Horned	2
	Partridge, Gray	12
	Pelicans, American White	12
	Pigeons, Feral (Rock)	416
	Plovers, Golden, American	10
	Sandpipers, Upland	2
	Sparrows, House/English	10
	Starlings, European	306
	Storks, Wood	4
	Swallows, Barn	2
	Swans, Mute	198
	Turkeys, Wild	17
	Vultures, Black	4
	Vultures, Turkey	7
	<i>Subtotal of # of Samples for Avian Paramyxovirus</i>	2,869
Bornavirus		
	Ducks, Mallards	6
	Gulls, Black-Backed, Greater	3
	Gulls, Herring	5
	Gulls, Laughing	17
	Gulls, Ring-Billed	20
	<i>Subtotal of # of Samples for Bornavirus</i>	51
Botulism		
	Ducks, Mallards	2
	<i>Subtotal of # of Samples for Botulism</i>	2
Bovine Tuberculosis		
	Cats, Feral/Free Ranging	2
	Coyotes	1
	Opossums, Virginia	52
	Raccoons	67
	Skunks, Striped	6
	Squirrels, Ground, California	5

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 3 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Bovine Tuberculosis		
	Swine, Feral	4
	<i>Subtotal of # of Samples for Bovine Tuberculosis</i>	137
Canine Distemper		
	Coyotes	8
	Raccoons	84
	Skunks, Striped	2
	Weasels, Long-Tailed	1
	<i>Subtotal of # of Samples for Canine Distemper</i>	95
Canine Heartworm		
	Coyotes	10
	<i>Subtotal of # of Samples for Canine Heartworm</i>	10
Canine Parvovirus		
	Bobcats	1
	Coyotes	160
	Fishers	1
	Foxes, Arctic	2
	Foxes, Red	52
	Lynx	8
	Otters, River	26
	Raccoons	135
	Skunks, Striped	12
	Swine, Feral	34
	Wolves, Gray/Timber	20
	<i>Subtotal of # of Samples for Canine Parvovirus</i>	451
Chronic Wasting Disease		
	Deer, White-Tailed (Wild)	1,596
	Moose	50
	<i>Subtotal of # of Samples for Chronic Wasting Disease</i>	1,646
Classical Swine Fever		
	Swine, Feral	2,368
	<i>Subtotal of # of Samples for Classical Swine Fever</i>	2,368
Deer Hair Loss Syndrome		
	Deer, Mule	45

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 4 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Deer Hair Loss Syndrome		
<i>Subtotal of # of Samples for Deer Hair Loss Syndrome</i>		45
Disease (Non-Specific)		
	Bears, Black	4
	Beavers	5
	Cats, Feral/Free Ranging	8
	Cattle, Feral	1
	Coyotes	36
	Cranes, Sandhill	7
	Crows, American	15
	Deer, Black-Tailed	1
	Deer, Mule	130
	Deer, White-Tailed (Wild)	29
	Doves, Mourning	12
	Ducks, Mallards	46
	Ducks, Northern Pintail	4
	Ducks, Northern Shoveler	8
	Ducks, Scaup, Greater	2
	Ducks, Scaup, Lesser	1
	Ducks, Teal, Green-Winged	14
	Ducks, Wigeon, American	3
	Falcons, American Kestrels	10
	Foxes, Red	20
	Geese, Canada	38
	Geese, Snow, Lesser	33
	Geese, White-Fronted, Greater	16
	Gulls, Black-Backed, Greater	2
	Gulls, Bonaparte`s	2
	Gulls, Herring	25
	Gulls, Mew	45
	Gulls, Ring-Billed	34
	Hawks, Cooper`s	2
	Hawks, Red-Tailed	6
	Hérons, Great Blue	1
	Lions, Mountain (Cougar)	20
	Muskrats	1
	Opossums, Virginia	15
	Otters, River	2
	Owls, Great Horned	1
	Pigeons, Feral (Rock)	30

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Disease (Non-Specific)		
	Rabbits, Cottontail	18
	Raccoons	105
	Skunks, Striped	3
	Squirrels, Fox	4
	Swine, Feral	702
	Turkeys, Wild	128
	<i>Subtotal of # of Samples for Disease (Non-Specific)</i>	1,589
E.Coli		
	Swine, Feral	28
	<i>Subtotal of # of Samples for E.Coli</i>	28
Echinococcosis		
	Coyotes	32
	Foxes, Red	1
	<i>Subtotal of # of Samples for Echinococcosis</i>	33
Epizootic Hemorrhagic Disease		
	Insect Vector	21
	Pigeons, Feral (Rock)	20
	<i>Subtotal of # of Samples for Epizootic Hemorrhagic Disease</i>	41
Erlchiosis		
	Gulls, Herring	3
	<i>Subtotal of # of Samples for Erlchiosis</i>	3
Exotic Newcastle Disease		
	Blackbirds, Red-Winged	2
	Buntings, Lark	2
	Cormorants, Double-Crested	2,317
	Cranes, Sandhill	4
	Crows, American	15
	Cuckoos, Long-Tailed	2
	Doves, Collared, Eurasian	36
	Doves, Mourning	33
	Ducks, American Black	2
	Ducks, Feral	14
	Ducks, Gadwall	2
	Ducks, Mallards	365

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Exotic Newcastle Disease		
	Ducks, Muscovy	10
	Ducks, Northern Pintail	7
	Ducks, Northern Shoveler	16
	Ducks, Teal, Green-Winged	6
	Ducks, Wood	22
	Egrets, Great	2
	Egrets, Snowy	2
	Falcons, American Kestrels	2
	Geese, Canada	748
	Grackles, Great-Tailed	9
	Grebes, Pied-Billed	4
	Gulls, Black-Backed, Greater	35
	Gulls, Herring	51
	Gulls, Laughing	124
	Gulls, Ring-Billed	96
	Hawks, Ferruginous	2
	Hawks, Red-Tailed	8
	Hérons, Great Blue	4
	Hérons, Green	2
	Killdeers	3
	Kingbirds, Western	4
	Meadowlarks, Eastern	8
	Meadowlarks, Western	2
	Owls, Common Barn	2
	Owls, Great Horned	4
	Pigeons, Feral (Rock)	521
	Swans, Mute	241
	Turkeys, Wild	14
	Vultures, Black	4
	Vultures, Turkey	44
	<i>Subtotal of # of Samples for Exotic Newcastle Disease</i>	4,791
Genetic		
	Beavers	16
	Coyotes	23
	Deer, White-Tailed (Wild)	60
	Lions, Mountain (Cougar)	9
	Swine, Feral	57
	<i>Subtotal of # of Samples for Genetic</i>	165

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 7 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Giardiasis		
	Swine, Feral	19
	<i>Subtotal of # of Samples for Giardiasis</i>	19
Hepatitis E		
	Deer, White-Tailed (Wild)	38
	Swine, Feral	21
	<i>Subtotal of # of Samples for Hepatitis E</i>	59
Keds		
	Deer, Mule	49
	<i>Subtotal of # of Samples for Keds</i>	49
Lead		
	Coyotes	196
	<i>Subtotal of # of Samples for Lead</i>	196
Leptospirosis		
	Bobcats	1
	Coyotes	216
	Foxes, Arctic	11
	Foxes, Red	4
	Monkeys, Patas	1
	Moose	1
	Raccoons	474
	Swine, Feral	308
	Wolves, Gray/Timber	9
	<i>Subtotal of # of Samples for Leptospirosis</i>	1,025
Lice:All		
	Deer, Mule	49
	<i>Subtotal of # of Samples for Lice:All</i>	49
Lyme Disease		
	Coyotes	213
	Foxes, Gray	20
	Foxes, Red	18
	<i>Subtotal of # of Samples for Lyme Disease</i>	251

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Neosporosis		
	Coyotes	141
	Foxes, Gray	23
	Foxes, Red	24
	<i>Subtotal of # of Samples for Neosporosis</i>	188
Plaque		
	Badgers	37
	Bats (All)	1
	Bears, Black	18
	Bears, Grizzly	2
	Beavers	13
	Bobcats	50
	Cats, Feral/Free Ranging	2
	Coyotes	3,356
	Dogs, Feral, Free-Ranging And H	25
	Foxes, Arctic	10
	Foxes, Gray	262
	Foxes, Red	37
	Hares, Jackrabbits, Black-Tailed	35
	Lions, Mountain (Cougar)	34
	Lynx	4
	Martens, Pine	4
	Muskrats	13
	Opossums, Virginia	4
	Otters, River	2
	Peccaries, Collared (Javelina)	12
	Pigeons, Feral (Rock)	1
	Rabbits, Desert Cottontail	35
	Raccoons	161
	Rats, Black (Roof)	4
	Skunks, Hog-Nosed	2
	Skunks, Hooded	10
	Skunks, Striped	29
	Squirrels, Ground, California	1
	Squirrels, Ground, Round-Tailed	9
	Squirrels, Rock	2
	Swine, Feral	100
	Weasels (Other)	1
	Wolves, Gray/Timber	33

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 9 of 15

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Plaque		
	<i>Subtotal of # of Samples for Plaque</i>	4,309
Porcine Reprod/Resp Syndrome		
	Swine, Feral	12
	<i>Subtotal of # of Samples for Porcine Reprod/Resp Syndrome</i>	12
Pseudorabies		
	Swine, Feral	2,394
	<i>Subtotal of # of Samples for Pseudorabies</i>	2,394
Rabies		
	Badgers	1
	Bats (All)	125
	Bears, Black	3
	Bobcats	36
	Cats, Feral/Free Ranging	35
	Coyotes	658
	Deer, White-Tailed (Wild)	1
	Dogs, Feral, Free-Ranging And H	1
	Fishers	31
	Foxes, Arctic	11
	Foxes, Gray	461
	Foxes, Red	123
	Goats, Feral	1
	Lions, Mountain (Cougar)	4
	Lynx	4
	Marmots/Woodchucks (All)	28
	Minks	5
	Moose	10
	Opossums, Virginia	38
	Otters, River	1
	Peccaries, Collared (Javelina)	3
	Porcupines	1
	Raccoons	16,619
	Sheep, Feral, Free-Ranging And	1
	Skunks, Hog-Nosed	4
	Skunks, Hooded	47
	Skunks, Spotted	3
	Skunks, Striped	1,250
	Squirrels, Eastern Gray	2

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 10 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Rabies		
	<i>Subtotal of # of Samples for Rabies</i>	19,507
Raccoon Roundworm		
	Raccoons	588
	<i>Subtotal of # of Samples for Raccoon Roundworm</i>	588
Roundworms:Other		
	Coyotes	226
	Foxes, Gray	23
	Foxes, Red	24
	Geese, Canada	10
	Gulls, Black-Backed, Greater	3
	Gulls, Laughing	13
	Gulls, Ring-Billed	2
	Hawks, Red-Tailed	1
	Pigeons, Feral (Rock)	13
	<i>Subtotal of # of Samples for Roundworms:Other</i>	315
Salmonella		
	Starlings, European	443
	Swine, Feral	8
	<i>Subtotal of # of Samples for Salmonella</i>	451
Sheep Pox		
	Swine, Feral	5
	<i>Subtotal of # of Samples for Sheep Pox</i>	5
Swine Brucellosis		
	Swine, Feral	2,376
	<i>Subtotal of # of Samples for Swine Brucellosis</i>	2,376
Swine Influenza		
	Swine, Feral	1,853
	<i>Subtotal of # of Samples for Swine Influenza</i>	1,853
Swine Vesicular Disease		
	Swine, Feral	4

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 11 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Swine Vesicular Disease		
	<i>Subtotal of # of Samples for Swine Vesicular Disease</i>	4
Ticks:All		
	Deer, Mule	49
	Swine, Feral	1
	<i>Subtotal of # of Samples for Ticks:All</i>	50
Toxoplasmosis		
	Badgers	2
	Bears, Black	2
	Beavers	45
	Cats, Feral/Free Ranging	1
	Coyotes	105
	Deer, Mule	12
	Deer, White-Tailed (Captive)	28
	Deer, White-Tailed (Wild)	1,175
	Falcons, American Kestrels	57
	Falcons, Merlin	2
	Falcons, Peregrine	5
	Falcons, Prairie	16
	Foxes, Arctic	20
	Foxes, Red	30
	Geese, Canada	12
	Hares, Jackrabbits, Black-Tailed	2
	Hawks, Broad-Winged	2
	Hawks, Cooper`s	65
	Hawks, Ferruginous	16
	Hawks, Goshawk, Northern	6
	Hawks, Harrier, Northern (Marsh)	11
	Hawks, Red-Tailed	266
	Hawks, Rough-Legged	27
	Hawks, Sharp-Shinned	5
	Hawks, Swainson`s	43
	Kites, Mississippi	2
	Lynx	8
	Marmots/Woodchucks (All)	15
	Moose	2
	Ospreys	4
	Owls, Burrowing	3
	Owls, Common Barn	10

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 12 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Toxoplasmosis		
	Owls, Eastern Screech	2
	Owls, Great Horned	195
	Owls, Long-Eared	2
	Owls, Northern Saw-Whet	30
	Owls, Short-Eared	1
	Rabbits, Cottontail	503
	Raccoons	28
	Squirrels, Ground (Other)	38
	Swine, Feral	1,116
	Vultures, Turkey	10
	<i>Subtotal of # of Samples for Toxoplasmosis</i>	3,924
Trichinellosis		
	Bears, Black	3
	Swine, Feral	221
	<i>Subtotal of # of Samples for Trichinellosis</i>	224
Tularemia		
	Badgers	36
	Bats (All)	1
	Bears, Black	17
	Bears, Grizzly	2
	Beavers	421
	Bobcats	29
	Cats, Feral/Free Ranging	16
	Cattle, Feral	1
	Coyotes	2,960
	Deer, White-Tailed (Wild)	23
	Dogs, Feral, Free-Ranging And H	24
	Fishers	3
	Foxes, Arctic	10
	Foxes, Gray	55
	Foxes, Red	139
	Hares, Jackrabbits, Black-Tailed	37
	Hawks, Red-Tailed	1
	Lions, Mountain (Cougar)	33
	Lynx	4
	Marmots/Woodchucks (All)	17
	Martens, Pine	4
	Minks	6

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 13 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Muskrats	47
	Nutrias	1
	Opossums, Virginia	18
	Otters, River	17
	Peccaries, Collared (Javelina)	12
	Pigeons, Feral (Rock)	1
	Rabbits, Cottontail	98
	Rabbits, Desert Cottontail	35
	Raccoons	417
	Rats, Black (Roof)	4
	Skunks, Hog-Nosed	2
	Skunks, Hooded	10
	Skunks, Striped	57
	Squirrels, Fox	2
	Squirrels, Ground, California	1
	Squirrels, Ground, Round-Tailed	9
	Squirrels, Rock	2
	Swine, Feral	201
	Weasels (Other)	1
	Wolves, Gray/Timber	56
	<i>Subtotal of # of Samples for Tularemia</i>	4,830
Typhus Fever		
	Coyotes	1
	<i>Subtotal of # of Samples for Typhus Fever</i>	1
Wellfleet Bay Virus		
	Birds, Unidentifiable	4
	Ducks, Eider, Common	239
	Ducks, Long-Tailed	3
	Ducks, Scoter, Surf	1
	Ducks, Scoter, White-Winged	5
	Murres, Common	2
	<i>Subtotal of # of Samples for Wellfleet Bay Virus</i>	254
West Nile Virus		
	Blackbirds, Red-Winged	2
	Cormorants, Double-Crested	28
	Coyotes	213
	Crows, American	15

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 14 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2013**

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
West Nile Virus		
	Deer, White-Tailed (Wild)	190
	Doves, Mourning	4
	Ducks, Mallards	1
	Falcons, American Kestrels	4
	Falcons, Peregrine	1
	Finches, House	2
	Foxes, Gray	20
	Foxes, Red	10
	Geese, Canada	10
	Grackles, Common	1
	Gulls, Black-Backed, Greater	3
	Gulls, Laughing	13
	Gulls, Ring-Billed	2
	Hawks, Cooper`s	1
	Hawks, Red-Tailed	3
	Hawks, Swainson`s	1
	Jays, Blue	5
	Killdeers	1
	Owls, Great Horned	1
	Pigeons, Feral (Rock)	30
	Robins, American	1
	Sparrows, House/English	40
	Starlings, European	8
	Swallows, Barn	2
	Swallows, Tree	1
	Turtles (Other)	1
	Turtles, Common Snapping	43
	Turtles, Painted	120
	Turtles, Red-Eared Slider	34
	Vultures, Black	4
	Vultures, Turkey	23
	Subtotal of # of Samples for West Nile Virus	838
	Grand Total of Samples For All Diseases/Conditions	58,525
	Total # Diseases/Conditions Sampled For	45

Entries of "bird, unidentifiable" or "non-wildlife" refer to samples of matter, Page 15 of 15 such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.