

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Avitrol:-4 Mixed Grains</b>						
	<b>Intentional</b>					
		<b>Sparrows, House/English</b>	<b>40</b>			
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Bee-Eaters, Blue-cheeked</b>	<b>850</b>			<b>30</b>
		<b>Bluethroats</b>	<b>45</b>			
		<b>Bramblings</b>	<b>50</b>			<b>1,035</b>
		<b>Bushchates, Pied</b>	<b>72</b>			
		<b>Buzzards, Long-legged</b>	<b>23</b>			<b>4</b>
		<b>Cats, Feral/Free Ranging</b>	<b>3</b>			
		<b>Chiffchaff</b>	<b>56</b>			
		<b>Dogs, Feral, Free-ranging And Hybrids</b>	<b>3</b>			<b>3</b>
		<b>Doves, Collared, Eurasian</b>	<b>462</b>			
		<b>Doves, Laughing</b>	<b>1,470</b>			<b>374</b>
		<b>Doves, Red Turtle</b>	<b>1</b>			
		<b>Ducks, Common Pochard</b>	<b>1</b>			
		<b>Ducks, Northern Shoveler</b>				<b>4</b>
		<b>Ducks, Teal, Green-winged</b>				<b>5</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Egrets, Cattle				9
		Egrets, Little				5
		Falcons, Eurasian Kestrels	13			
		Falcons, Lesser Kestrel	2			
		Falcons, Merlin	4			
		Falcons, Peregrine	5			
		Francolins, Black	6			
		Grebes, Little	4			
		Gulls, Black-headed	3			10
		Hares, Cape	96			
		Hares, European	90			
		Hares, Jackrabbits (Other)	8			
		Hares, Jackrabbits, Black-tailed	2			
		Hawks, Harrier, Western Marsh	1			
		Hoopoes, Common	16			
		Jackals, Golden	6			
		Jirds, Libyan	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Kites, Black	6			11,710
		Larks, Crested	1,430			155
		Larks, Desert	11			
		Larks, Greater Short-toed	6			
		Larks, Horned	1			
		Larks, Hume's Short-toed	5			
		Magpies, Black-billed	81			343
		Martins, Common House	1			
		Mongoose, Indian	1			
		Moorhens, Common	5			
		Mynas (All)	1,710			11,972
		Owls, Little	19			
		Owls, Short-eared	2			
		Partridge, See-see	66			
		Pigeons, Feral (Rock)	557			66
		Plovers, Common Ringed	3			
		Plovers, Greater Sand	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Plovers, Kentish	9			15
		Plovers, Lesser Sand	1			
		Plovers, Little Ringed	49			
		Plovers, Red-wattled	28			
		Quail (Other)	18			
		Redshanks	5			
		Robins, Rufous Bush	15			
		Rollers, European	60			
		Ruffs	5			
		Sandpipers, Common	13			30
		Sandpipers, Green	60			
		Sandpipers, Wood	1			
		Shrikes (Other)	23			16
		Shrikes, Bay-backed	11			
		Shrikes, Long-tailed	239			
		Shrikes, Rufous-tailed	10			
		Shrikes, Southern Grey	10			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Skylarks, Eurasian	47			658
		Snipes, Common	1			
		Sparrows, Eurasian Tree	155			4,200
		Sparrows, House/English	3,126			26,664
		Sparrows, Rock	1			
		Starlings, European	23			270
		Starlings, Rose-colored	17			10
		Stilts, Black-winged	29			237
		Stonechats, Common	445			
		Stonechats, Siberian	60			
		Swallows, Barn	169			5,577
		Swifts, Alpine	18			
		Thick-knees, Eurasian	1			
		Wagtails, Eastern Yellow	110			163
		Wagtails, Western Yellow	1			
		Wagtails, White	212			918
		Warblers, Blyth's Reed	9			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Warblers, Clamorous Reed	1				
		Warblers, Eastern Olivaceous	1				
		Warblers, Green	14				
		Wheatears, Desert	5				
		Wheatears, Northern	8			1	
		Wheatears, Variable	42				30
		Whitethroats, Lesser	4				
		Wrynecks, Eurasian	10				
		<b>Handcaught/Gathered</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	8		
<b>Nets, Mist</b>	<b>Intentional</b>	Sparrows, House/English	15				
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Bee-Eaters, Blue-cheeked				5	
		Buzzards, Long-legged				1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Doves, Laughing				279
		Kites, Black				8,523
		Larks, Crested				5
		Magpies, Black-billed				95
		Mynas (All)				2,265
		Sparrows, Eurasian Tree				700
		Sparrows, House/English				67,275
		Starlings, European				60
		Swallows, Barn				25
		Swifts (All)				6
<b>Snares, Neck</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	1			
		Cats, Jungle	10			
		Dogs, Feral, Free-ranging And Hybrids	4			
		Hares, European	17			
		Hares, Jackrabbits (Other)	9			
		Jackals, Golden	20			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Porcupines	5			
		Porcupines, Indian Crested	1			
<b>Traps, Cage</b>	<b>Intentional</b>	Doves, Laughing	3			
		Jirds, Libyan	3			
		Pigeons, Feral (Rock)			1	
		Sparrows, House/English	33			
<b>Traps, Foothold</b>	<b>Intentional</b>	Buzzards, Long-legged	1			
		Cats, Feral/Free Ranging	2			
		Cats, Jungle	11		1	
		Dogs, Feral, Free-ranging And Hybrids	1			
		Hares, European	2			
		Jackals, Golden	43			
<b>Traps, Other</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Other</b>	<b>Intentional</b>	Bluethroats	7			
		Bramblings	3			
		Doves, Laughing	1			
		Hamsters, Grey	106			
		Hares, European	1			
		Jirds, Libyan	784			
		Mice, House	738			
		Mynas (All)	3			
		Rats, Black (Roof)	1			
		Rats, Brown	3			
		Shrews (All)	34			
		Shrikes, Long-tailed	1			
		Skylarks, Eurasian	1			
		Sparrows, Eurasian Tree	10			
		Sparrows, House/English	403			
		Starlings, European	23			
		Wheatears, Variable	1			
		<b>Traps, Pole</b>				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	<b>Intentional</b>					
		Buzzards, Long-legged	1			
		Doves, Laughing	1			
		Falcons, Eurasian Kestrels	1			
		Kites, Black	1			
		Magpies, Black-billed	1			
		Mynas (All)	1			
		Owls, Little	4			
		Owls, Short-eared	2			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Falcons, Eurasian Kestrels				1
		Falcons, Peregrine				1
		Kites, Black				60
		Magpies, Black-billed				9
		Mynas (All)				1,000
		Sparrows, House/English				25,100
		Swallows, Barn				200
		Wagtails, White				317
<b>Water, High Pressure Spray</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services for the Department of Defense - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	<u>Intentional</u>					
		<u>Bee-Eaters, Blue-cheeked</u>				400
		<u>Sparrows, House/English</u>				1,600
		<i>Total Take for DD</i>	14,629		2	172,441

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*