

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Car/Truck	Intentional	Doves, Spotted				311
		Doves, Zebra				1,090
		Egrets, Cattle				140
		Finches, House				11
		Francolins, Black				7
		Francolins, Gray				33
		Mannikins, Nutmeg				152
		Mynas (All)				1,474
		Pigeons, Feral (Rock)				16
		Plovers, Golden, Pacific				5,781
		Skylarks, Eurasian				468
		Sparrows, House/English				65
		Stilts, Hawaiian (T/E)				2
		Dog	Intentional	Birds, Unidentifiable		
Doves, Spotted						114
Doves, Zebra						319

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Dog	Intentional	Ducks, Feral				29
		Egrets, Cattle				257
		Finches, House				98
		Geese, Hawaiian (T/E)				16
		Hawks, Hawaiian (T/E)				2
		Hérons, Night, Black-crowned				2
		Mannikins, Nutmeg				5,814
		Mongoose, Indian				1
		Mynas (All)				5,439
		Owls, Short-eared				1
		Pigeons, Feral (Rock)				17
		Plovers, Golden, Pacific				9,253
		Sparrows, House/English				4
		Swine, Feral				4
		Turnstones, Ruddy				678
		Unintentional	Sandpipers, Western			
Firearms	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Avadavats, Red	232			236
		Bulbuls, Red-vented	1,087			1,280
		Cardinals, Northern	36			1
		Cardinals, Red Crested	1,759			2,067
		Cats, Feral/Free Ranging	17			
		Cattle, Feral	10			
		Chickens, Feral/Free Ranging	1,501			916
		Deer, Axis	484			69
		Dogs, Feral, Free-ranging And Hybrids	3			
		Doves, Mourning	289			347
		Doves, Spotted	5,646			8,291
		Doves, Zebra	13,618			13,118
		Ducks, Feral	13			3
		Ducks, Mallards	21			3
		Egrets, Cattle	2,674			10,234
		Finches, House	3,083			6,845
		Fowl, Pea	5			
	Francolins, Black	1,502			625	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Francolins, Erckel`s	251			38
		Francolins, Gray	1,512			983
		Junglefowl, Red	32			4
		Mannikins, Chestnut	24,298			148,175
		Mannikins, Nutmeg	27,428			80,910
		Meadowlarks, Western	161			176
		Mockingbirds, Northern				2
		Mongoose, Indian	7			
		Mynas (All)	7,776			21,769
		Owls, Common Barn	177			38
		Parakeets, Rose-ringed	1,503			8,567
		Pheasants, Ring-necked	414			79
		Pigeons, Feral (Rock)	1,619			2,597
		Plovers, Golden, Pacific				111
		Rats, Black (Roof)	15			
		Silverbills, Warbling	1,144			640
		Skylarks, Eurasian	743			859
		Sparrows, House/English	468			727

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Sparrows, Java	655			2,133
		Swine, Feral	292			70
		Turkeys, Wild	2			3
		Turnstones, Ruddy				7
		Waxbills, Common	661			1,835
	Unintentional					
		Doves, Mourning	1			
Handcaught/Gathered						
	Intentional					
		Albatrosses, Laysan			468	
		Cats, Feral/Free Ranging			6	
		Chickens, Feral/Free Ranging	35			
		Dogs, Feral, Free-ranging And Hybrids			4	
		Mongoose, Indian			1	
		Mynas (All)	2			
		Shearwaters (Other)			27	
		Shearwaters, Wedge-tailed			1	
		Sparrows, House/English	3			
		Swine, Feral	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Nets, Gun						
	Intentional					
		Ducks, Feral				1
Physical Actions (Hand/Voice)						
	Intentional					
		Doves, Spotted				78
		Doves, Zebra				163
		Ducks, Feral				2
		Egrets, Cattle				142
		Finches, House				54
		Hawks, Hawaiian (T/E)				3
		Hérons, Night, Black-crowned				10
		Mannikins, Nutmeg				2,359
		Mynas (All)				2,151
		Pigeons, Feral (Rock)				74
		Plovers, Golden, Pacific				3,228
		Sparrows, House/English				11
		Turnstones, Ruddy				238
	Unintentional					
		White-eyes, Japanese				13
Pneumatics						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Bulbuls, Red-vented	45			
		Cardinals, Northern	2			
		Cardinals, Red Crested	738			
		Doves, Spotted	50			
		Doves, Zebra	775			82
		Egrets, Cattle	80			
		Francolins, Black	15			
		Francolins, Gray	331			
		Mynas (All)	448			10
		Pheasants, Ring-necked	12			
		Pigeons, Feral (Rock)	884			200
		Sparrows, House/English	34			
		Sparrows, Java	26			
Pyrotechnics (All)						
	Intentional					
		Albatrosses, Laysan				50
		Avadavats, Red				8
		Birds, Unidentifiable				5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Bulbuls, Red-vented				1
		Cardinals, Red Crested				12
		Curlews, Bristle-thighed				140
		Deer, Axis				1,190
		Doves, Mourning				317
		Doves, Spotted				1,860
		Doves, Zebra				520
		Ducks, Feral				81
		Ducks, Hawaiian (T/E)				143
		Egrets, Cattle				1,328
		Finches, House				181
		Francolins, Black				3
		Francolins, Erckel's				1
		Francolins, Gray				19
		Frigatebirds, Greater				262
		Geese, Hawaiian (T/E)				124
		Hawks, Hawaiian (T/E)				10
		Hérons, Night, Black-crowned				41

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Mannikins, Chestnut				409
		Mannikins, Nutmeg				1,391
		Meadowlarks, Western				277
		Mynas (All)				4,394
		Owls, Common Barn				3
		Owls, Short-eared				204
		Pigeons, Feral (Rock)				75
		Plovers, Golden, Pacific				62,253
		Shearwaters (Other)				1
		Silverbills, Warbling				33
		Skylarks, Eurasian				94
		Sparrows, House/English				23
		Stilts, Hawaiian (T/E)				100
		Terns, Common Fairy				6
		Turkeys, Wild				151
		Turnstones, Ruddy				2,880
		Waxbills, Common				30
	Unintentional					
		Sandpipers, Western				21

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Snares, Foot/Leg	Intentional	Swine, Feral	50			
		Snares, Neck				
Snares, Neck	Intentional	Swine, Feral	764			
		Spotlight				
Spotlight	Intentional	Deer, Axis				561
		Francolins, Black				4
		Traps, Cage				
Traps, Cage	Intentional	Cardinals, Northern	30		20	
		Cardinals, Red Crested	610			
		Cats, Feral/Free Ranging	166		286	
		Chickens, Feral/Free Ranging	935			
		Dogs, Feral, Free-ranging And Hybrids	1			
		Doves, Spotted	800			
		Doves, Zebra	1,217			
		Finches, House	95			
		Francolins, Black	189			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Francolins, Erckel's	92				
		Francolins, Gray	171				
		Junglefowl, Red	14				
		Meadowlarks, Western	3				
		Mice, House	22				
		Mongoose, Indian	1,877			1	
		Mynas (All)	102				
		Pheasants, Ring-necked	13				
		Pigeons, Feral (Rock)	1				
		Rats, Black (Roof)	326				
		Rats, Norway	16				
		Rats, Polynesian	16				
		Sparrows, House/English	389				
		Sparrows, Java	2,036				
		Swine, Feral	14				
			Unintentional				
				Cats, Feral/Free Ranging			1
Traps, Decoy	Intentional						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy						
	Intentional					
		Bulbuls, Red-vented	4			
		Cardinals, Northern	71		10	
		Cardinals, Red Crested	390			
		Doves, Spotted	804			
		Doves, Zebra	525			
		Finches, House	48			
		Francolins, Gray	4			
		Mynas (All)	444			
		Sparrows, House/English	296			1
		Sparrows, Java	4,964			
Traps, Drive/Corral						
	Intentional					
		Swine, Feral	12			
Traps, Live, Feral Hogs						
	Intentional					
		Swine, Feral	362			
Traps, Other						
	Intentional					
		Mongoose, Indian	12			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Other	Intentional	Rats, Black (Roof)	16			
		Rats, Polynesian	120			
		Swine, Feral	7		5	
Vehicles (All)	Intentional	Albatrosses, Laysan				1,057
		Avadavats, Red				4,052
		Bulbuls, Red-vented				4,602
		Cardinals, Northern				1,382
		Cardinals, Red Crested				13,029
		Cats, Feral/Free Ranging				291
		Cattle, Feral				91
		Chickens, Feral/Free Ranging				2,795
		Curlews, Bristle-thighed				70
		Deer, Axis				1,010
		Deer, Black-tailed				1
		Dogs, Feral, Free-ranging And Hybrids				10
		Doves, Mourning				2,993
		Doves, Spotted				30,147

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Doves, Zebra				51,465
		Ducks, Feral				483
		Ducks, Hawaiian (T/E)				652
		Ducks, Mallards				22
		Egrets, Cattle				9,948
		Finches, House				41,343
		Finches, Saffron				496
		Francolins, Black				1,761
		Francolins, Erckel`s				348
		Francolins, Gray				3,845
		Frigatebirds, Greater				71
		Geese, Hawaiian (T/E)				812
		Hawks, Hawaiian (T/E)				4
		Hérons, Night, Black-crowned				262
		Junglefowl, Red				47
		Mannikins, Chestnut				63,776
		Mannikins, Nutmeg				76,821
		Meadowlarks, Western				3,354

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Mockingbirds, Northern				1,517
		Mongoose, Indian				80
		Mynas (All)				83,459
		Owls, Common Barn				255
		Owls, Short-eared				593
		Parakeets, Rose-ringed				6,490
		Pheasants, Ring-necked				1,610
		Pigeons, Feral (Rock)				950
		Plovers, Golden, Pacific				121,073
		Quail (Other)				3
		Shearwaters (Other)				10
		Silverbills, Warbling				5,461
		Skylarks, Eurasian				23,612
		Sparrows, House/English				9,215
		Sparrows, Java				3,229
		Stilts, Hawaiian (T/E)				324
		Swine, Feral				12
		Tattlers, Wandering				7

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Terns, Common Fairy				12
		Turkeys, Wild				375
		Turnstones, Ruddy				12,455
		Waxbills, Common				10,487
	Unintentional					
		Falcons, Peregrine				1
		Finches, Saffron				30
		Tattlers, Wandering				5
		White-eyes, Japanese				35
		<i>Total Take for HI</i>	122,648		830	1,031,797

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.