

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Car/Truck						
	Intentional					
		Coyotes				1
		Crows, American				11
		Deer, White-tailed (Wild)				2
		Eagles, Bald				6
		Egrets, Cattle				1
		Ibises, White				30
		Meadowlarks, Eastern				16
		Swallows, Barn				25
Catch Pole						
	Intentional					
		Snakes, Non-Venomous (Other)			1	
DRC-1339-Staging Areas						
	Intentional					
		Blackbirds, Red-winged	235,785			
		Cowbirds, Brown-headed	594,755			
		Grackles, Common	112,614			
Exploders, Gas (All)						
	Intentional					
		Eagles, Bald				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Firearms	Intentional	Anhingas	1			8	
		Armadillos, Nine-banded	16			10	
		Beavers	63				
		Blackbirds, Red-winged					131
		Bluebirds, Eastern					3
		Bobolinks					30
		Cormorants, Double-crested	8				26
		Cowbirds, Brown-headed	685				1,643
		Coyotes	31				6
		Crows, American	9				224
		Deer, White-tailed (Wild)	19				84
		Doves, Mourning	1,293				11,848
		Dowitchers, Long-billed					56
		Dowitchers, Short-billed					100
		Ducks, Teal, Blue-winged	8				88
		Ducks, Whistling, Black-bellied	4				29
		Ducks, Wood	4				391
		Egrets, Cattle	111				4,274

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Egrets, Great	9			244
		Egrets, Snowy	6			299
		Falcons, American Kestrels	6			9
		Finches, House	26			75
		Flycatchers, Scissor-tailed	5			45
		Foxes, Red				1
		Grackles, Common	2			60
		Gulls, Laughing	3			108
		Gulls, Ring-billed	1			63
		Hawks, Cooper`s	1			1
		Hawks, Harrier, Northern (Marsh Hawks				12
		Hawks, Red-shouldered	4			25
		Hawks, Red-tailed	11			26
		Hérons, Great Blue	2			42
		Hérons, Green	1			2
		Hérons, Little Blue	4			101
		Hérons, Night, Black-crowned	7			11
		Hérons, Night, Yellow-crowned	10			8

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Ibises, Glossy	2			109
		Ibises, White	38			1,692
		Killdeers	54			328
		Kingbirds, Eastern				7
		Kingfishers, Belted				1
		Kites, Mississippi	16			134
		Kites, Swallow-tailed				1
		Meadowlarks, Eastern	81			1,111
		Nutrias	172			2
		Opossums, Virginia	2			2
		Pigeons, Feral (Rock)	89			88
		Pipits, American				110
		Plovers, Golden, American	61			750
		Rabbits, Cottontail	2			
		Raccoons	8			11
		Robins, American	2			20
		Sandpipers, Pectoral	3			250
	Sandpipers, Upland	152			1,177	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Snakes, Venomous (Other)	1			
		Snipes, Wilson`s	1			
		Spoonbills, Roseate				12
		Starlings, European	146			1,995
		Stilts, Black-necked	1			27
		Swallows, Barn	8			452
		Swallows, Tree	7			465
		Swine, Feral	159			169
		Vultures, Black	45			351
		Vultures, Turkey	30			260
		Yellowlegs, Greater	27			110
		Yellowlegs, Lesser	7			120
Helicopter						
	Intentional					
		Swine, Feral	726			
Lasers (All) (Deterrent)						
	Intentional					
		Vultures, Turkey				2
Pneumatics						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Doves, Mourning	20			250
		Killdeers	5			50
		Meadowlarks, Eastern				13
		Pigeons, Feral (Rock)	5,242			74
		Vultures, Black	21			
Pyrotechnics (All)						
	Intentional					
		Cowbirds, Brown-headed				6,525
		Doves, Mourning				3,020
		Dowitchers, Long-billed				8
		Ducks, Teal, Blue-winged				40
		Eagles, Bald				10
		Egrets, Cattle				225
		Egrets, Great				1
		Flycatchers, Scissor-tailed				30
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-tailed				7
		Ibises, White				157

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ibises, White-faced				100
		Killdeers				150
		Meadowlarks, Eastern				15
		Pipits, American				50
		Starlings, European				400
		Swallows, Barn				50
		Vultures, Black				54
		Vultures, Turkey				78
Snares, Neck						
	Intentional					
		Beavers	138			
		Bobcats	1			
		Coyotes	63			
		Dogs, Feral, Free-ranging And Hybrids	6			
		Minks	5			
		Muskrats	5			
		Nutrias	4			
		Opossums, Virginia	1			
		Otters, River	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Snares, Neck	Intentional	Raccoons	12				
		Swine, Feral	34				
	Unintentional	Coyotes	5			1	
		Deer, White-tailed (Wild)	1			1	
		Opossums, Virginia	2				
		Otters, River	1				
		Raccoons	1				1
	Traps, Body Grip	Intentional	Beavers	534			
Minks			5				
Nutrias			150				
Otters, River			8				
Raccoons			12				
Unintentional		Armadillos, Nine-banded	2				
		Herons, Great Blue	3				
		Opossums, Virginia	3				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Unintentional	Otters, River	4			
		Raccoons	16			
		Turtles (Other)	1		3	
		Turtles, Common Snapping			2	
		Turtles, Red-eared Slider			2	
Traps, Cage	Intentional	Armadillos, Nine-banded	4			
		Beavers	2			
		Nutrias	28			
		Opossums, Virginia	1		3	
		Pigeons, Feral (Rock)	43			
		Raccoons	64			
		Skunks, Striped	3			
Traps, Decoy	Intentional	Cowbirds, Brown-headed	4			
		Pigeons, Feral (Rock)	12			
Traps, Foothold						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Louisiana - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Foothold	Intentional	Beavers	138			
		Coyotes	52			
		Dogs, Feral, Free-ranging And Hybrids	2			
		Nutrias	7			
		Opossums, Virginia	1			
		Raccoons	15			
	Unintentional	Herons, Great Blue	1			
		Nutrias	5			
		Opossums, Virginia	14		3	
		Raccoons	2		1	
		Turtles, Painted			1	
Traps, Live, Feral Hogs	Intentional	Swine, Feral	299			
Vehicles (All)	Intentional	Coyotes				1
Total Take for LA			954,348		19	41,243

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.