

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>A/C Tablets: 60 Mg</b>	<b>Intentional</b>	<b>Geese, Canada</b>	<b>4</b>			
<b>Car/Truck</b>	<b>Intentional</b>	<b>Foxes, Red</b>				<b>5</b>
<b>Dog</b>	<b>Intentional</b>	<b>Nutrias</b>	<b>1</b>			
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	<b>Foxes, Red</b>				<b>1</b>
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	<b>Crows, American</b>				<b>25</b>
		<b>Doves, Mourning</b>				<b>20</b>
		<b>Ducks, Mallards</b>				<b>9</b>
		<b>Foxes, Red</b>				<b>3</b>
		<b>Geese, Canada</b>				<b>25</b>
		<b>Gulls, Laughing</b>				<b>20</b>
		<b>Gulls, Ring-billed</b>				<b>232</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-tailed				1
		Killdeers				22
		Starlings, European				13,527
		Vultures, Turkey				4
<b>Firearms</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)	20			1,600
		Blackbirds, Red-winged	1			250
		Cats, Feral/Free Ranging	7			1
		Cowbirds, Brown-headed	28			200
		Crows, American	15			94
		Deer, White-tailed (Wild)	360			3
		Doves, Mourning	125			572
		Ducks, Mallards	39			71
		Ducks, Scaup, Lesser				1
		Egrets, Great	6			6
		Foxes, Red	31			5
		Geese, Canada	137			332

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Grackles, Common	93			15,000
		Gulls, Herring	2			13
		Gulls, Laughing	3			
		Gulls, Ring-billed	102			333
		Hawks, Red-shouldered				3
		Hawks, Red-tailed	3			4
		Hérons, Great Blue	9			3
		Killdeers	63			87
		Marmots/Woodchucks (All)	137			1
		Meadowlarks, Eastern	5			35
		Nutrias	4			
		Opossums, Virginia	19			
		Pigeons, Feral (Rock)	34			5
		Plovers, Black-bellied	5			10
		Rabbits, Cottontail	163			
		Raccoons	17			3
		Skunks, Striped	1			
		Starlings, European	604			24,965

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Firearms</b>	<b>Intentional</b>	Terns, Caspian	1			
		Turkeys, Wild	2			
		Vultures, Black	3			
		Vultures, Turkey	12			19
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	Marmots/Woodchucks (All) (Burrow/De		22		
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Raccoons	2			
		Turtles (Other)			7	
<b>Nets, Other</b>	<b>Intentional</b>	Eagles, Bald			1	
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Cowbirds, Brown-headed				500
		Geese, Canada				75
<b>Pyrotechnics (All)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				850
		Cowbirds, Brown-headed				2,500
		Crows, American				22
		Doves, Mourning				580
		Ducks, Mallards				10
		Eagles, Bald				3
		Egrets, Great				1
		Foxes, Red				4
		Geese, Canada				387
		Grackles, Common				3,000
		Gulls, Herring				26
		Gulls, Laughing				1
		Gulls, Ring-billed				636
		Hawks, Red-shouldered				2
		Hawks, Red-tailed				6
		Hérons, Great Blue				2
		Killdeers				66
		Meadowlarks, Eastern				15

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Starlings, European				21,322
		Vultures, Turkey				7
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	3			
		Foxes, Red	8			
	<b>Unintentional</b>					
		Deer, Sika	1		1	
		Foxes, Gray	1			
		Rabbits, Cottontail	1			
<b>Traps, Body Grip</b>						
	<b>Intentional</b>					
		Beavers	21			
		Marmots/Woodchucks (All)	17			
		Nutrias	57			
		Opossums, Virginia	1			
		Rabbits, Cottontail	1			
		Raccoons	3			
		Turtles, Common Snapping			2	
	<b>Unintentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Bitterns, American	1			
		Ducks, American Black	11			
		Ducks, Mallards	2		1	
		Geese, Canada	1			
		Hérons, Great Blue	1			
		Muskrats	22			
		Otters, River	2			
		Rabbits, Cottontail	1			
		Raccoons	20			
		Rats, Norway	1			
		Turtles (Other)	1			1
		Turtles, Common Snapping	13			40
		<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging		
Foxes, Gray					10	
Gulls, Black-backed, Great	4					
Gulls, Herring	5					
Marmots/Woodchucks (All)	3					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Opossums, Virginia	5		153		
		Pigeons, Feral (Rock)	3				
		Rabbits, Cottontail	1				
		Raccoons	8		460		
		Skunks, Striped			8		
		Squirrels, Eastern Gray	1		1		
	<b>Unintentional</b>	Cats, Feral/Free Ranging			8		
		Grackles, Common			4		
		Squirrels, Eastern Gray			1		
		Turtles (Other)			1		
	<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Mourning	26			
			Pigeons, Feral (Rock)	355			
			Sparrows, House/English	31			
Vultures, Black			203				
<b>Traps, Drive/Corral</b>	<b>Intentional</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Geese, Canada</b>	1,101				
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Beavers</b>	6				
		<b>Foxes, Gray</b>	1				
		<b>Foxes, Red</b>	16				
		<b>Marmots/Woodchucks (All)</b>	3				
		<b>Nutrias</b>	5				
		<b>Opossums, Virginia</b>	3				
		<b>Rabbits, Cottontail</b>	1				
		<b>Raccoons</b>	5				
		<b>Unintentional</b>	<b>Bitterns, American</b>	1			
			<b>Hérons, Great Blue</b>	1			
			<b>Raccoons</b>	9			1
		<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	<b>Falcons, American Kestrels</b>			11
<b>Foxes, Red</b>	8						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>					
		Raccoons	1			
<b>Traps, Raptor (Swedish Goshawk)</b>	<b>Intentional</b>					
		Hawks, Cooper`s			2	
		Hawks, Red-shouldered			2	
		Hawks, Red-tailed	1		6	
		Owls, Great Horned			1	
<b>Vehicles (All)</b>	<b>Intentional</b>					
		Cowbirds, Brown-headed				600
		Crows, American				136
		Deer, White-tailed (Wild)				6
		Doves, Mourning				850
		Ducks, Mallards				260
		Ducks, Wood				2
		Eagles, Bald				7
		Egrets, Great				8
		Falcons, American Kestrels				40
		Foxes, Red				15

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Maryland - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				203
		Grackles, Common				1,800
		Gulls, Ring-billed				114
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				1
		Hawks, Red-shouldered				13
		Hawks, Red-tailed				86
		Hérons, Great Blue				6
		Killdeers				41
		Marmots/Woodchucks (All)				4
		Owls, Great Horned				1
		Rabbits, Cottontail				4
		Starlings, European				30,595
		Vultures, Turkey				18
		<i>Total Take for M</i>	<b>4,055</b>	<b>22</b>	<b>733</b>	<b>122,338</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*