

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Catch Pole	Intentional	Raccoons			1	
DRC-1339-Pigeons	Intentional	Pigeons, Feral (Rock)	52			
DRC-1339-Staging Areas	Intentional	Starlings, European	65			
Drug Delivery Devices (Other)	Intentional	Swine, Feral			2	
Effigy, Vulture	Intentional	Vultures, Turkey				30
Electronic Harassment Devices (Other)	Intentional	Starlings, European				300
Exploders, Gas (All)	Intentional	Doves, Mourning				25
		Ducks, Mallards				285

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Ducks, Teal, Green-winged				36
		Geese, Canada				1,702
		Geese, Snow, Lesser				16,700
		Geese, White-fronted, Greater				1,833
		Starlings, European				85,950
		Vultures, Turkey				18
Firearms						
	Intentional					
		Blackbirds, (Mixed Species)				3,500
		Blackbirds, Red-winged	51			4,100
		Cowbirds, Brown-headed	97			662
		Coyotes	21			11
		Crows, American	29			6,462
		Deer, White-tailed (Wild)	5			9
		Doves, Mourning	129			1,079
		Ducks, Gadwall				3
		Ducks, Mallards	25			2,020
		Ducks, Northern Shoveler				4
		Ducks, Scaup, Lesser				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Ducks, Teal, Blue-winged	21			74
		Egrets, Cattle	2			8
		Falcons, American Kestrels	14			24
		Foxes, Red	2			
		Geese, Canada	73			2,050
		Geese, Snow, Lesser				401
		Grackles, Common	27			11
		Gulls, Bonaparte`s	24			612
		Gulls, Franklin`s	7			
		Gulls, Ring-billed	21			401
		Hawks, Harrier, Northern (Marsh Hawks				11
		Hawks, Red-tailed	53			69
		Hawks, Rough-legged	1			
		Hawks, Swainson`s	1			6
		Hérons, Great Blue	16			5
		Hérons, Green	1			
	Killdeers	239			340	
	Larks, Horned	305			1,185	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Longspurs, Lapland	3			
		Marmots/Woodchucks (All)	4			
		Meadowlarks, Eastern	21			45
		Opossums, Virginia	2			
		Pelicans, American White	57			43
		Pigeons, Feral (Rock)	73			313
		Rabbits, Cottontail	2			
		Raccoons	6			1
		Sandpipers, Upland	2			1
		Skunks, Striped	4			
		Snipes, Wilson`s	6			
		Sparrows, House/English	3			
		Sparrows, Savannah	1			50
		Starlings, European	1,932			70,926
		Swallows, Barn	30			264
		Swallows, Cliff	2			50
		Swallows, Tree				5
		Swine, Feral	6			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Terns, Common	2			
		Turkeys, Wild				44
		Vultures, Turkey	45			236
		Yellowlegs, Greater				8
Gas Cartridge (Rodent)						
	Intentional					
		Marmots/Woodchucks (All) (Burrow/De		25		
Handcaught/Gathered						
	Intentional					
		Bats (All)	2			
		Doves, Mourning	8			
		Geese, Canada	1			
		Killdeers	5			
		Pigeons, Feral (Rock)	2			
		Raccoons	5			
		Robins, American	4			
		Snakes, Non-Venomous (Other)			2	
		Squirrels, Eastern Gray			1	
		Starlings, European	10			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Swallows, Barn	12			
		Turkeys, Wild			1	
		Turtles (Other)			13	
Lasers (All) (Deterrent)						
	Intentional					
		Crows, American				24,095
Nets, Cannon/Rocket						
	Intentional					
		Turkeys, Wild			18	
Nets, Other						
	Intentional					
		Doves, Mourning	3			
		Hawks, Red-tailed	1			
		Marmots/Woodchucks (All)			1	
Physical Actions (Hand/Voice)						
	Intentional					
		Blackbirds, Red-winged				3,100
		Cats, Feral/Free Ranging				1
		Coots, American				1
		Cowbirds, Brown-headed				1,495

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Crows, American				2,955
		Doves, Mourning				2,331
		Ducks, Mallards				11
		Ducks, Teal, Blue-winged				42
		Ducks, Teal, Green-winged				12
		Geese, Canada				187
		Grackles, Common				50
		Hawks, Red-tailed				26
		Hérons, Great Blue				1
		Killdeers				179
		Pelicans, American White				533
		Pigeons, Feral (Rock)				37
		Robins, American				20
		Sparrows, House/English				50
		Starlings, European				82,438
		Swallows, Barn				204
		Vultures, Turkey				8
Pneumatics						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Blackbirds, Red-winged	5			
		Cowbirds, Brown-headed	1			
		Crows, American	15			105
		Doves, Collared, Eurasian	4			3
		Doves, Mourning	65			41
		Falcons, American Kestrels	2			2
		Finches, House	11			1
		Finches, Purple				2
		Geese, Canada	19			90
		Grackles, Common	42			59
		Killdeers	64			2
		Kingbirds, Eastern				3
		Kingbirds, Western	5			3
		Larks, Horned	1			
		Marmots/Woodchucks (All)	4			
		Mockingbirds, Northern	1			
		Muskrats	2			
		Nighthawks (All)				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Pigeons, Feral (Rock)	1,786			291
		Rabbits, Cottontail	51			
		Robins, American	6			1
		Skunks, Striped	1			
		Sparrows, House/English	107			82
		Starlings, European	389			4,672
		Swallows, Barn	6			22
Pyrotechnics (All)						
	Intentional					
		Avocets, American				25
		Blackbirds, (Mixed Species)				8,150
		Blackbirds, Red-winged				15,257
		Cats, Feral/Free Ranging				1
		Coots, American				22
		Cormorants, Double-crested				93
		Cowbirds, Brown-headed				550
		Coyotes				7
		Cranes, Sandhill				12
		Crows, American				49

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Deer, White-tailed (Wild)				2
		Doves, Collared, Eurasian				2
		Doves, Mourning				2,546
		Dowitchers, Short-billed				16
		Ducks, Bufflehead				103
		Ducks, Gadwall				144
		Ducks, Goldeneye, Common				50
		Ducks, Mallards				5,015
		Ducks, Northern Pintail				158
		Ducks, Northern Shoveler				900
		Ducks, Redhead				83
		Ducks, Ring-necked				19
		Ducks, Ruddy				38
		Ducks, Scaup, Lesser				147
		Ducks, Teal, Blue-winged				1,744
		Ducks, Teal, Green-winged				16
		Ducks, Wood				47
		Eagles, Bald				37

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Egrets, Great				4
		Falcons, American Kestrels				54
		Falcons, Peregrine				1
		Finches, House				200
		Flycatchers, Scissor-tailed				8
		Geese, Canada				47,614
		Geese, Snow, Lesser				14,270
		Geese, White-fronted, Greater				1,049
		Grackles, Common				523
		Grebes, Pied-billed				18
		Gulls, Bonaparte`s				1,422
		Gulls, Franklin`s				529
		Gulls, Ring-billed				1,328
		Hawks, Broad-winged				1
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				185
		Hawks, Red-shouldered				3
		Hawks, Red-tailed				607

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Hawks, Rough-legged				23
		Hawks, Sharp-shinned				1
		Hawks, Swainson`s				49
		Hérons, Great Blue				21
		Juncos, Dark-eyed				250
		Killdeers				493
		Kingbirds, Eastern				5
		Kingbirds, Western				12
		Larks, Horned				1,812
		Longspurs, Lapland				750
		Meadowlarks, Eastern				86
		Owls, Great Horned				1
		Owls, Short-eared				9
		Pelicans, American White				8,317
		Pigeons, Feral (Rock)				52
		Plovers, Black-bellied				3
		Robins, American				778
		Sandpipers, Pectoral				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Sandpipers, Semipalmated				125
		Sandpipers, Upland				37
		Snipes, Wilson`s				37
		Sparrows, Savannah				75
		Sparrows, Song				200
		Starlings, European				145,121
		Swallows, Barn				1,051
		Swallows, Cliff				15
		Swallows, Tree				15
		Turkeys, Wild				18
		Vultures, Turkey				1,324
		Waxwings, Cedar				300
		Yellowlegs, Greater				108
		Yellowlegs, Lesser				62
Snares, Neck						
	Intentional					
		Coyotes	15			
		Foxes, Red	2			
		Opossums, Virginia	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Snares, Neck	Intentional	Raccoons	14			
		Skunks, Striped	2			
		Swine, Feral	1			
Spotlight	Intentional	Coyotes				3
		Opossums, Virginia				1
		Raccoons				1
		Skunks, Striped				1
Traps, Bal-Chatri	Intentional	Falcons, American Kestrels			6	
Traps, Body Grip	Intentional	Beavers	2			
		Muskrats	5			
Traps, Cage	Intentional	Cats, Feral/Free Ranging			9	
		Falcons, American Kestrels			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Marmots/Woodchucks (All)	2				
		Opossums, Virginia	32				
		Pigeons, Feral (Rock)	5				
		Rabbits, Cottontail	2				
		Raccoons	126				
		Skunks, Striped	20				
		Swine, Feral	6				
		Voles (All)				35	
		Unintentional	Cats, Feral/Free Ranging				2
Traps, Decoy	Intentional	Cowbirds, Brown-headed	4				
		Doves, Mourning	7		356		
		Grackles, Common	1				
		Pigeons, Feral (Rock)	2,637				
		Starlings, European	1,726				
		Unintentional	Doves, Mourning	1		17	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy	Unintentional	Hawks, Cooper`s			2	
		Hawks, Sharp-shinned			2	
Traps, Drive/Corral	Intentional	Swine, Feral	52		5	
Traps, Foothold	Intentional	Coyotes	14			
		Foxes, Red	2			
		Opossums, Virginia	3			
Traps, Foothold (Padded)	Intentional	Coyotes	1			
		Raccoons	1			
		Skunks, Striped	1			
Traps, Live, Feral Hogs	Intentional	Swine, Feral	39		1	
Traps, Mole	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Mole						
	Intentional	Moles (All)	4			
Traps, Other						
	Intentional	Opossums, Virginia	2			
		Raccoons	13			
		Skunks, Striped	1			
Traps, Pole						
	Intentional	Falcons, American Kestrels			8	
		Hawks, Red-tailed	1		35	
		Owls, Short-eared			2	
Traps, Raptor (Other)						
	Intentional	Crows, American	1			
		Falcons, American Kestrels			8	
		Hawks, Cooper`s			13	
		Hawks, Red-tailed	2		142	
		Hawks, Sharp-shinned			5	
		Hawks, Swainson`s			2	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Raptor (Other)	Intentional	Owls, Barred			3	
		Owls, Great Horned			18	
Traps, Snap (Rat, Mouse, Etc.)	Intentional	Mice, Deer (All)	28			
		Voles (All)	55			
Vehicles (All)	Intentional	Blackbirds, Red-winged				16
		Cormorants, Double-crested				26
		Cowbirds, Brown-headed				150
		Coyotes				53
		Crows, American				639
		Deer, White-tailed (Wild)				66
		Dogs, Feral, Free-ranging And Hybrids				1
		Doves, Mourning				409
		Ducks, Bufflehead				51
		Ducks, Gadwall				43
		Ducks, Goldeneye, Common				20

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Ducks, Mallards				245
		Ducks, Merganser, Hooded				2
		Ducks, Northern Pintail				33
		Ducks, Northern Shoveler				143
		Ducks, Ring-necked				22
		Ducks, Ruddy				25
		Ducks, Scaup, Lesser				23
		Ducks, Teal, Blue-winged				137
		Ducks, Wood				30
		Eagles, Bald				47
		Egrets, Great				7
		Falcons, American Kestrels				10
		Flycatchers, Scissor-tailed				15
		Geese, Canada				2,093
		Geese, Snow, Lesser				59
		Gulls, Franklin`s				12
		Gulls, Ring-billed				19
		Hawks, Cooper`s				8

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Hawks, Harrier, Northern (Marsh Hawks)				77
		Hawks, Red-tailed				128
		Hawks, Sharp-shinned				1
		Hawks, Swainson`s				8
		Hérons, Great Blue				76
		Ibises, White-faced				2
		Killdeers				228
		Larks, Horned				166
		Marmots/Woodchucks (All)				1
		Meadowlarks, Eastern				86
		Nighthawks (All)				4
		Owls, Short-eared				1
		Pelicans, American White				2,881
		Pheasants, Ring-necked				6
		Pigeons, Feral (Rock)				62
		Plovers, Golden, American				26
		Raccoons				2
		Robins, American				5

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Sandpipers, Upland				7
		Sandpipers, White-rumped				5
		Sparrows, Savannah				50
		Starlings, European				1,200
		Swallows, Barn				20
		Turkeys, Wild				249
		Vultures, Turkey				78
		Waxwings, Cedar				7
		Yellowlegs, Greater				10
		<i>Total Take for M</i>	10,954	25	711	599,073

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.