

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Bears, Black				1
		Bitterns, American				2
		Cormorants, Double-crested				306
		Crows, American				2
		Crows, Fish				21
		Deer, White-tailed (Wild)				4
		Doves, Mourning				615
		Ducks, Mallards				51
		Falcons, American Kestrels				1
		Geese, Canada				172
		Gulls, Herring				3
		Gulls, Laughing				3,117
		Gulls, Ring-billed				648
		Hawks, Cooper`s				2
		Hawks, Red-tailed				6
		Hérons, Great Blue				2
		Hérons, Green				1
		Killdeers				29

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Bombs/Bangers						
	Intentional					
		Meadowlarks, Eastern				10
		Ospreys				1
		Pelicans, Brown				21
		Starlings, European				1,897
		Terns, Common				2
		Turkeys, Wild				2
		Vultures, Black				5
		Vultures, Turkey				34
Capa Cartridges						
	Intentional					
		Vultures, Black				1
		Vultures, Turkey				66
Cracker Shells (12 Gauge)						
	Intentional					
		Cormorants, Double-crested				453
		Crows, American				47
		Crows, Fish				118
		Doves, Mourning				240
		Ducks, Scaup, Lesser				255

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Cracker Shells (12 Gauge)						
	Intentional					
		Egrets, Great				2
		Geese, Canada				198
		Gulls, Laughing				130
		Gulls, Ring-billed				4,190
		Hawks, Red-tailed				14
		Hérons, Great Blue				2
		Ibises, White				6
		Killdeers				5
		Kites, Mississippi				1
		Ospreys				2
		Pelicans, Brown				13
		Sandpipers, Upland				6
		Starlings, European				405
		Terns, Least				8
		Terns, Royal				5
		Turkeys, Wild				4
		Vultures, Black				19
		Vultures, Turkey				550
Dog						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional					
		Cormorants, Double-crested				5
		Deer, White-tailed (Wild)				1
		Doves, Mourning				57
		Ducks, Merganser, Hooded				77
		Ducks, Redhead				2
		Ducks, Scaup, Lesser				1
		Egrets, Great				1
		Geese, Canada				484
		Gulls, Laughing				8
		Hérons, Great Blue				8
		Hérons, Green				1
		Snipes, Wilson`s				9
		Starlings, European				32
		Swallows, Barn				3
		Turkeys, Wild				1
Effigy, Vulture						
	Intentional					
		Vultures, Black				386
		Vultures, Turkey				417
Exploders, Gas (All)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional					
		Birds, Unidentifiable				1
		Blackbirds, (Mixed Species)				93,100
		Cormorants, Double-crested				60
		Cowbirds, Brown-headed				200
		Crows, American				305
		Crows, Fish				81
		Doves, Mourning				1,294
		Ducks, Mallards				231
		Ducks, Northern Shoveler				327
		Ducks, Wood				30
		Egrets, Cattle				2
		Egrets, Great				46
		Egrets, Snowy				3
		Geese, Canada				600
		Gulls, Laughing				1
		Gulls, Ring-billed				1,015
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				3
		Hawks, Red-tailed				66

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Herons, Great Blue				27
		Herons, Tricolored				1
		Ibises, White				4
		Killdeers				8
		Kites, Mississippi				33
		Ospreys				10
		Pigeons, Feral (Rock)				7
		Starlings, European				2,090
		Swallows, Barn				38
		Vultures, Black				1
		Vultures, Turkey				1,899
		Waxwings, Cedar				200
Firearms						
	Intentional					
		Beavers	126			
		Blackbirds, (Mixed Species)	54			
		Blackbirds, Red-winged	4			
		Bluebirds, Eastern	20			
		Cormorants, Double-crested	53			2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Cowbirds, Brown-headed	111			538
		Coyotes	6			
		Crows, American	7			384
		Crows, Fish	3			3
		Deer, White-tailed (Wild)	17			4
		Doves, Mourning	980			1,985
		Ducks, Mallards	5			
		Ducks, Scaup, Lesser	3			45
		Egrets, Cattle	2			
		Egrets, Great	2			2
		Falcons, American Kestrels	1			
		Finches, House	29			
		Foxes, Red	3			
		Geese, Canada	81			62
		Grackles, Boat-tailed	1			
		Grackles, Common	11			
		Gulls, Black-backed, Great	1			
		Gulls, Bonaparte`s	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional					
		Gulls, Herring	24			
		Gulls, Laughing	119			578
		Gulls, Ring-billed	154			488
		Hawks, Cooper`s	1			
		Hawks, Red-tailed	4			
		Hérons, Great Blue	23			7
		Hérons, Green	2			
		Killdeers	109			167
		Larks, Horned	13			37
		Marmots/Woodchucks (All)	4			
		Meadowlarks, Eastern	12			31
		Mockingbirds, Northern	82			
		Muskrats	2			
		Nutrias	181			
		Ospreys	1			1
		Pelicans, Brown	6			3
		Pigeons, Feral (Rock)	490			20
	Plovers, Black-bellied	3			6	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Sandpipers, Upland	18			11
		Skunks, Striped	1			
		Snakes, Venomous (Other)	2			
		Sparrows, House/English	22			
		Squirrels, Eastern Gray	7			
		Starlings, European	268			724
		Swallows, Barn	2			
		Terns, Caspian	5			1
		Terns, Forster`s	2			26
		Terns, Sandwich	2			18
		Thrashers, Brown	2			
		Turkeys, Wild	2			3
		Vultures, Black	8			34
		Vultures, Turkey	72			298
		Yellowlegs, Lesser	1			
Flaming Whistlers						
	Intentional					
		Cormorants, Double-crested				138
		Cowbirds, Brown-headed				19

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Flaming Whistlers						
	Intentional					
		Doves, Mourning				1,050
		Egrets, Great				3
		Geese, Canada				37
		Gulls, Herring				185
		Gulls, Laughing				135
		Gulls, Ring-billed				215
		Ospreys				4
		Pelicans, Brown				84
		Plovers, Black-bellied				35
		Terns, Forster`s				10
		Vultures, Black				3
		Vultures, Turkey				23
Handcaught/Gathered						
	Intentional					
		Alligators, American			2	
		Dogs, Feral, Free-ranging And Hybrids			1	
		Gulls, Black-backed, Great	1			
		Gulls, Herring	7			
		Hawks, Red-tailed			2	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Nighthawks (All)			1	
		Owls, Great Horned			1	
		Snakes, Non-Venomous (Other)			1	
		Turtles (Other)			27	
		Turtles, Common Snapping			7	
Paint Balls						
	Intentional					
		Doves, Mourning				25
		Geese, Canada				672
Physical Actions (Hand/Voice)						
	Intentional					
		Cowbirds, Brown-headed				250
		Doves, Mourning				17
		Geese, Canada				1,163
		Ospreys				1
Snares, Foot/Leg						
	Intentional					
		Gulls, Herring	1			
Snares, Neck						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck						
	Intentional					
		Beavers	128			
		Coyotes	13			
		Nutrias	11			
Traps, Body Grip						
	Intentional					
		Beavers	3,646			
		Foxes, Red	3			
		Marmots/Woodchucks (All)	13			
		Muskrats	125			
		Nutrias	551			
		Opossums, Virginia	2			
		Otters, River	1			
	Unintentional					
		Ducks, Mallards	1			
		Fish (Other)	1			
		Muskrats	3			
		Otters, River	75			
		Raccoons	17			
		Turtles (Other)	5		3	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	Unintentional	Turtles, Common Map	1			
		Turtles, Common Snapping	116		75	
		Turtles, Painted	13		2	
		Turtles, Red-eared Slider	1		4	
Traps, Cage	Intentional	Beavers	3			
		Cats, Feral/Free Ranging			2	
		Coyotes	2			
		Doves, Mourning	2			
		Foxes, Gray	2			
		Gulls, Black-backed, Great	38			
		Gulls, Herring	216			
		Mockingbirds, Northern				12
		Opossums, Virginia	1			14
		Pigeons, Feral (Rock)	811			
		Raccoons	2			125
		Skunks, Striped				5
		Sparrows, House/English	10			2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage						
	Intentional					
		Starlings, European	6			
		Vultures, Black	1			
		Vultures, Turkey	38			
	Unintentional					
		Cats, Feral/Free Ranging			21	
		Dogs, Feral, Free-ranging And Hybrids			1	
		Muskrats			1	
		Opossums, Virginia			90	
		Rabbits, Cottontail			2	
		Rats, Norway			1	
		Squirrels, Eastern Gray			1	
Traps, Decoy						
	Intentional					
		Pigeons, Feral (Rock)	1			
Traps, Drive/Corral						
	Intentional					
		Geese, Canada	347		51	
Traps, Foothold						
	Intentional					
		Beavers	224			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Foothold						
	Intentional					
		Bobcats	1			
		Coyotes	6			
		Dogs, Feral, Free-ranging And Hybrids			3	
		Foxes, Gray	5			
		Foxes, Red	5			
		Nutrias	4			
		Raccoons	3			
	Unintentional					
		Bobcats	1			
		Otters, River	1			
		Raccoons	1		1	
		Turtles, Common Snapping			3	
Traps, Foothold (Padded)						
	Intentional					
		Coyotes	2			
		Foxes, Red	8			
Traps, Live, Feral Hogs						
	Intentional					
		Swine, Feral	18			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Bitterns, American				3
		Blackbirds, Red-winged				15
		Cats, Feral/Free Ranging				1
		Cormorants, Double-crested				1
		Cowbirds, Brown-headed				805
		Coyotes				19
		Crows, American				164
		Crows, Fish				88
		Deer, White-tailed (Wild)				13
		Dogs, Feral, Free-ranging And Hybrids				3
		Doves, Mourning				3,820
		Ducks, Mallards				1
		Ducks, Merganser, Hooded				13
		Ducks, Scaup, Lesser				14
		Eagles, Bald				5
		Egrets, Great				16
		Falcons, American Kestrels				18
		Flickers, Northern				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Geese, Canada				90
		Grackles, Common				34
		Gulls, Herring				163
		Gulls, Laughing				503
		Gulls, Ring-billed				1,635
		Hawks, Harrier, Northern (Marsh Hawks)				1
		Hawks, Red-tailed				9
		Hérons, Great Blue				49
		Hérons, Green				15
		Ibises, White				3
		Killdeers				405
		Larks, Horned				6
		Meadowlarks, Eastern				404
		Mockingbirds, Northern				12
		Ospreys				9
		Pelicans, Brown				13
		Pigeons, Feral (Rock)				7
		Plovers, Black-bellied				434

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Sanderlings				499
		Sandpipers, Upland				3
		Snipes, Wilson`s				5
		Sparrows, Field				2
		Starlings, European				878
		Swallows, Barn				376
		Swallows, Northern Rough-winged				43
		Terns, Caspian				3
		Terns, Forster`s				11
		Terns, Least				21
		Terns, Royal				8
		Turkeys, Wild				26
		Vultures, Turkey				58
Whistlers/Screamers						
	Intentional					
		Blackbirds, Red-winged				25
		Cormorants, Double-crested				310
		Crows, American				5
		Crows, Fish				129

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Doves, Mourning				1,537
		Ducks, Mallards				56
		Ducks, Scaup, Lesser				9
		Egrets, Great				1
		Geese, Canada				452
		Gulls, Bonaparte`s				1
		Gulls, Laughing				1,634
		Gulls, Ring-billed				1,942
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks				1
		Hawks, Red-shouldered				1
		Hawks, Red-tailed				13
		Hérons, Great Blue				5
		Ibises, Glossy				1
		Killdeers				167
		Martins, Purple				45
		Meadowlarks, Eastern				50
		Ospreys				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Whistlers/Screamers						
	Intentional					
		Pelicans, Brown				7
		Plovers, Black-bellied				20
		Sanderlings				115
		Starlings, European				470
		Swallows, Barn				33
		Terns, Common				3
		Terns, Forster`s				25
		Terns, Royal				190
		Turkeys, Wild				4
		Vultures, Turkey				214
		<i>Total Take for NC</i>	9,659		461	144,614

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.