

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Crows, American				14
		Doves, Mourning				6
		Foxes, Red				1
		Gulls, Ring-billed				16
		Hawks, Red-tailed				3
		Hawks, Swainson`s				5
		Killdeers				20
		Meadowlarks, Western				4
<b>Firearms</b>						
	<b>Intentional</b>					
		Badgers	1			
		Beavers	38			
		Blackbirds, Red-winged	2,389			130,150
		Blackbirds, Yellow-headed	1,310			20
		Coots, American	6			
		Cowbirds, Brown-headed	24			42
		Coyotes	375			
		Crows, American	1			16

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Deer, Mule	1			
		Doves, Mourning	14			38
		Ducks, Mallards	2			2
		Ducks, Northern Pintail	3			8
		Ducks, Northern Shoveler	3			14
		Ducks, Teal, Blue-winged	3			4
		Falcons, Merlin	1			
		Foxes, Red	5			
		Geese, Canada	17			37
		Grackles, Common	560			7,845
		Gulls, Franklin`s	29			114
		Gulls, Herring	1			
		Gulls, Ring-billed	68			596
		Hares, Jackrabbits, White-tailed	1			
		Hawks, Red-tailed	1			1
		Hawks, Swainson`s				1
		Killdeers	35			104
		Larks, Horned	4			2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Lions, Mountain (Cougar)	1			
		Meadowlarks, Western	6			16
		Muskrats	10			
		Phalaropes, Wilson`s				6
		Pigeons, Feral (Rock)	615			
		Raccoons	4			
		Sandpipers, Upland	8			4
		Skunks, Striped	3			
		Sparrows, House/English				20
		Squirrels, Ground, Richardson`s	3			
		Swallows, Cliff	12			20
		Yellowlegs, Lesser				2
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		Coyotes	2,420			
		Foxes, Red	1			
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		Coyotes (Burrow/Den)		40		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	Foxes, Red (Burrow/Den)		1			
		Skunks, Striped (Burrow/Den)		5			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	12				
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Coyotes	806				
		Foxes, Red	4				
		<b>Unintentional</b>	Dogs, Feral, Free-ranging And Hybrids	5			
			Domestic Animal (Pet Or Livestock)	1			
		Eagles, Bald	1				
		Foxes, Red	4				
		Ravens, Common	5				
		Skunks, Striped	2				
<b>Nets, Cannon/Rocket</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	329				
<b>Nets, Mist</b>							

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Mist</b>						
	<b>Intentional</b>					
		<b>Sparrows, House/English</b>	<b>61</b>			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-winged</b>				<b>100,078</b>
		<b>Coots, American</b>				<b>4</b>
		<b>Cowbirds, Brown-headed</b>				<b>165</b>
		<b>Deer, White-tailed (Wild)</b>				<b>35</b>
		<b>Ducks, Gadwall</b>				<b>8</b>
		<b>Ducks, Mallards</b>				<b>74</b>
		<b>Ducks, Northern Pintail</b>				<b>110</b>
		<b>Ducks, Northern Shoveler</b>				<b>182</b>
		<b>Ducks, Scaup, Lesser</b>				<b>3</b>
		<b>Ducks, Teal, Blue-winged</b>				<b>74</b>
		<b>Geese, Canada</b>				<b>1,432</b>
		<b>Grackles, Common</b>				<b>36,877</b>
		<b>Gulls, Franklin`s</b>				<b>240</b>
		<b>Gulls, Herring</b>				<b>4</b>
		<b>Gulls, Ring-billed</b>				<b>125</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)				6
		Hawks, Red-tailed				9
		Hawks, Swainson`s				10
		Killdeers				78
		Meadowlarks, Western				38
		Phalaropes, Wilson`s				12
		Pigeons, Feral (Rock)				20
		Sandpipers, Upland				7
		Yellowlegs, Lesser				34
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	1			
		Beavers	12			
		Coyotes	453			
		Foxes, Red	9			
	<b>Unintentional</b>					
		Badgers	1			
		Bobcats	1			
		Deer, White-tailed (Wild)	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Snares, Neck</b>	<b>Unintentional</b>	<b>Dogs, Feral, Free-ranging And Hybrids</b>	4		1	
		<b>Foxes, Red</b>	3			
		<b>Pronghorns (Antelope)</b>	1			
		<b>Raccoons</b>	2			
		<b>Turkeys, Wild</b>	1			
<b>Sodium Pentobarbital (390 Mg/MI)</b>	<b>Intentional</b>	<b>Raccoons</b>	3			
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	<b>Falcons, Merlin</b>			1	
		<b>Hawks, Red-tailed</b>			4	
		<b>Hawks, Swainson`s</b>			2	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	617			
		<b>Foxes, Red</b>	1			
		<b>Martens, Pine</b>	2			
		<b>Muskrats</b>	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Raccoons	3				
	<b>Unintentional</b>	Muskrats	3				
		Otters, River	1				
		Raccoons	2			2	
		Skunks, Striped	1				
		Turtles (Other)	2				
		Turtles, Common Snapping	1				
<b>Traps, Cage</b>	<b>Intentional</b>	Beavers	7				
		Pigeons, Feral (Rock)	507				
		Raccoons	2				
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	6				
		Beavers	35				
		Coyotes	134				
		Foxes, Red	6				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Minks	1			
		Raccoons	12			
		Skunks, Striped	4			
	<b>Unintentional</b>					
		Badgers	5		3	
		Cats, Feral/Free Ranging	1			
		Coyotes	1			
		Domestic Animal (Pet Or Livestock)			1	
		Foxes, Red	3			
		Porcupines	2			
		Raccoons	1			
		Skunks, Striped	2			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Grackles, Common	16			
		Squirrels, Ground (Other)			1	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>						
	<b>Intentional</b>					
		Mice, Deer (All)	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Dakota - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Snap (Rat, Mouse, Etc.)</b>						
	<b>Intentional</b>					
		Shrews (All)	3			
		Voles (All)	5			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Coyotes				1
		Crows, American				4
		Ducks, Mallards				4
		Grackles, Common				12
		Gulls, Franklin`s				6
		Hawks, Harrier, Northern (Marsh Hawks				2
		Hawks, Red-tailed				3
		Hawks, Swainson`s				4
		Turkeys, Wild				15
		<i>Total Take for ND</i>	11,092	46	15	278,807

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*