

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>A/C Powder</b>	<b>Intentional</b>	<b>Geese, Canada</b>			6	
<b>Boat</b>	<b>Intentional</b>	<b>Geese, Canada</b>				321
<b>Car/Truck</b>	<b>Intentional</b>	<b>Geese, Canada</b>				3,637
		<b>Gulls, Herring</b>				2
<b>Dog</b>	<b>Intentional</b>	<b>Geese, Canada</b>				1,855
		<b>Geese, Snow, Greater</b>				1
<b>Effigy, Vulture</b>	<b>Intentional</b>	<b>Vultures, Black</b>				191
		<b>Vultures, Turkey</b>				181
<b>Electronic Harassment Devices (Other</b>	<b>Intentional</b>	<b>Ducks, Mallards</b>				14

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other</b>	<b>Intentional</b>	Gulls, Ring-billed				22
		Larks, Horned				10
	<b>Firearms</b>	<b>Intentional</b>	Blackbirds, Red-winged	29		
		Cormorants, Double-crested	2			3
		Cowbirds, Brown-headed	146			395
		Coyotes	2			
		Deer, White-tailed (Captive)	19			
		Deer, White-tailed (Wild)	33			
		Doves, Mourning	12			17
		Ducks, American Black	1			3
		Ducks, Bufflehead				2
		Ducks, Gadwall				8
		Ducks, Mallards	71			35
		Egrets, Great	12			9
		Geese, Brant, Atlantic	3			
		Geese, Canada	360			1,954

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Grackles, Common</b>	4			2
		<b>Gulls, Black-backed, Great</b>	1			
		<b>Gulls, Herring</b>	6			11
		<b>Gulls, Laughing</b>	116			225
		<b>Gulls, Ring-billed</b>	43			225
		<b>Hawks, Red-tailed</b>	3			1
		<b>Hérons, Great Blue</b>	11			6
		<b>Killdeers</b>	51			25
		<b>Larks, Horned</b>	9			16
		<b>Marmots/Woodchucks (All)</b>	15			
		<b>Martins, Purple</b>	4			10
		<b>Meadowlarks, Eastern</b>	24			52
		<b>Muskrats</b>	3			
		<b>Opossums, Virginia</b>	1			
		<b>Pigeons, Feral (Rock)</b>	26			19
		<b>Rabbits, Cottontail</b>	12			1
		<b>Robins, American</b>				4
		<b>Starlings, European</b>	197			940

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Swallows, Barn	8			50
		Swans, Mute	21			87
		Turkeys, Wild	5			
		Vultures, Turkey	5			4
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	Marmots/Woodchucks (All) (Burrow/De		2		
<b>Hand Tools</b>	<b>Intentional</b>	Geese, Canada				63
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Catbirds, Gray			1	
		Geese, Canada	44			
		Gulls, Black-backed, Great	1			
		Killdeers	4			
		Rabbits, Cottontail	1			
		Raccoons			1	
		Starlings, European	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	<b>Swallows, Barn</b>	4			
<b>Lasers (All) (Deterrent)</b>	<b>Intentional</b>	<b>Geese, Canada</b>				4,136
<b>Nets, Cannon/Rocket</b>	<b>Intentional</b>	<b>Geese, Canada</b>			38	
<b>Nets, Gun</b>	<b>Intentional</b>	<b>Geese, Canada</b>			1	
<b>Nets, Other</b>	<b>Intentional</b>	<b>Geese, Canada</b>			1	
<b>Paint Balls</b>	<b>Intentional</b>	<b>Ducks, Mallards</b>				15
		<b>Geese, Canada</b>				1,413
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Gulls, Herring				16
		Gulls, Laughing				94
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-winged				35
		Cormorants, Double-crested				4
		Cowbirds, Brown-headed				2,735
		Crows, American				197
		Crows, Fish				1
		Doves, Mourning				59
		Dowitchers, Short-billed				24
		Ducks, American Black				5
		Ducks, Bufflehead				1
		Ducks, Gadwall				10
		Ducks, Mallards				98
		Ducks, Merganser, Hooded				18
		Ducks, Wood				1
		Eagles, Bald				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Egrets, Great				16
		Egrets, Snowy				3
		Falcons, American Kestrels				32
		Falcons, Peregrine				3
		Geese, Canada				17,824
		Gulls, Black-backed, Great				41
		Gulls, Herring				12,016
		Gulls, Laughing				1,795
		Gulls, Ring-billed				2,205
		Hawks, Harrier, Northern (Marsh Hawks)				31
		Hawks, Red-tailed				58
		Hawks, Rough-legged				6
		Hawks, Sharp-shinned				1
		Hérons, Great Blue				1
		Killdeers				6
		Kingbirds, Eastern				1
		Larks, Horned				10
		Martins, Purple				16

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Meadowlarks, Eastern				120
		Pigeons, Feral (Rock)				25
		Plovers, Black-bellied				492
		Ravens, Common				4
		Sandpipers, Semipalmated				16
		Sandpipers, Upland				2
		Starlings, European				5,798
		Swallows, Barn				170
		Swallows, Tree				103
		Terns, Forster`s				1
		Terns, Least				36
		Vultures, Black				3
		Vultures, Turkey				54
		<b>Snares, Neck</b>	<b>Intentional</b>	Cats, Feral/Free Ranging		
Coyotes	3					
Foxes, Red	3					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Marmots/Woodchucks (All)</b>	13			
		<b>Muskrats</b>	7			
		<b>Rabbits, Cottontail</b>	2			
	<b>Unintentional</b>	<b>Raccoons</b>	5			
		<b>Otters, River</b>				1
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	<b>Falcons, American Kestrels</b>			40	
		<b>Hawks, Red-tailed</b>			2	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Muskrats</b>	1			
	<b>Unintentional</b>	<b>Fish (Other)</b>	1			
		<b>Turtles, Red-eared Slider</b>				1
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>			4	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Cage</b>						
	<b>Intentional</b>					
		Opossums, Virginia	6			
		Pigeons, Feral (Rock)	35			
		Raccoons	7			
		Skunks, Striped	2			
		Starlings, European	2			
<b>Traps, Decoy</b>						
	<b>Intentional</b>					
		Blackbirds, Red-winged	4			
		Cowbirds, Brown-headed	11			
		Starlings, European	315			
<b>Traps, Drive/Corral</b>						
	<b>Intentional</b>					
		Geese, Canada	1,652			
		Geese, Snow, Greater	1			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	81			
		Starlings, European	504			
<b>Traps, Raptor (Other)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Falcons, American Kestrels			2	
		Hawks, Red-tailed	9		39	
	<b>Unintentional</b>	Falcons, Peregrine			1	
	<b>Vehicles (All)</b>	<b>Intentional</b>	Crows, American			
Doves, Mourning						103
Ducks, Mallards						5
Ducks, Merganser, Hooded						6
Falcons, American Kestrels						3
Geese, Canada						1,066
Gulls, Laughing						1
Gulls, Ring-billed						67
Hawks, Harrier, Northern (Marsh Hawks						3
Hawks, Red-tailed						16
Killdeers						14
Larks, Horned						132

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New Jersey - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Meadowlarks, Eastern				17
		Plovers, Black-bellied				15
		Sandpipers, Upland				1
		Starlings, European				340
		Turkeys, Wild				1
		Vultures, Turkey				4
		<i>Total Take for NJ</i>	<b>3,974</b>	<b>2</b>	<b>139</b>	<b>62,006</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*