

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Boat</b>						
	<b>Intentional</b>					
		Geese, Canada				735
<b>Bombs/Bangers</b>						
	<b>Intentional</b>					
		Cormorants, Double-crested				15
		Crows, American				20,028
		Egrets, Great				4
		Geese, Brant, Atlantic				606
		Geese, Canada				2
		Gulls, Black-backed, Great				86
		Gulls, Herring				31,697
		Gulls, Ring-billed				114,622
		Ospreys				3
		Pigeons, Feral (Rock)				233
		Starlings, European				104,647
		Vultures, Turkey				1,288
<b>Capa Cartridges</b>						
	<b>Intentional</b>					
		Crows, American				320
		Gulls, Herring				1,705

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Capa Cartridges</b>						
	<b>Intentional</b>					
		<b>Gulls, Ring-billed</b>				6,315
<b>Car/Truck</b>						
	<b>Intentional</b>					
		<b>Blackbirds, (Mixed Species)</b>				478
		<b>Buntings, Snow</b>				60
		<b>Cats, Feral/Free Ranging</b>				8
		<b>Cormorants, Double-crested</b>				205
		<b>Cowbirds, Brown-headed</b>				825
		<b>Coyotes</b>				2
		<b>Crows, American</b>				12
		<b>Crows, Fish</b>				17
		<b>Doves, Mourning</b>				136
		<b>Ducks, American Black</b>				39
		<b>Ducks, Mallards</b>				51
		<b>Egrets, Cattle</b>				1
		<b>Egrets, Great</b>				2
		<b>Falcons, American Kestrels</b>				51
		<b>Falcons, Peregrine</b>				16
		<b>Foxes, Red</b>				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>					
		Geese, Brant, Atlantic				434
		Geese, Canada				293
		Grackles, Boat-tailed				50
		Gulls, Black-backed, Great				7
		Gulls, Herring				170
		Gulls, Laughing				25
		Gulls, Ring-billed				145
		Hawks, Harrier, Northern (Marsh Hawks				7
		Hawks, Red-tailed				64
		Hawks, Rough-legged				2
		Hérons, Great Blue				9
		Ibises, Glossy				6
		Killdeers				40
		Ospreys				108
		Owls, Snowy				3
		Oystercatchers, American				28
	Parakeets, Monk				1	
	Pigeons, Feral (Rock)				8	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	<b>Plovers, Semipalmated</b>				207
		<b>Sanderlings</b>				115
		<b>Starlings, European</b>				1,226
		<b>Swallows, Barn</b>				101
		<b>Swallows, Tree</b>				1,000
		<b>Turkeys, Wild</b>				9
		<b>Whimbrels</b>				3
		<b>Willetts</b>				2
		<b>Woodcock, American</b>				1
		<b>Catch Pole</b>	<b>Intentional</b>	<b>Swans, Mute</b>	114	
<b>Cracker Shells (12 Gauge )</b>	<b>Intentional</b>	<b>Crows, American</b>				620
		<b>Ducks, Ring-necked</b>				90
		<b>Geese, Canada</b>				30
		<b>Gulls, Black-backed, Great</b>				11
		<b>Gulls, Herring</b>				4,405

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Cracker Shells (12 Gauge )</b>						
	<b>Intentional</b>					
		Gulls, Ring-billed				47,125
		Hérons, Great Blue				1
		Starlings, European				1,940
		Vultures, Turkey				1,274
<b>Dog</b>						
	<b>Intentional</b>					
		Geese, Canada				1,170
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		Starlings, European	59,973			
<b>Electronic Harassment Devices (Other</b>						
	<b>Intentional</b>					
		Crows, American				25,700
		Geese, Canada				695
<b>Firearms</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				977
		Blackbirds, Red-winged	6			
		Cormorants, Double-crested	105			113
		Cowbirds, Brown-headed	186			550

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Coyotes	12			1
		Crows, American	252			293
		Crows, Fish	24			172
		Deer, White-tailed (Wild)	43			
		Doves, Mourning	502			1,261
		Ducks, American Black	22			53
		Ducks, Bufflehead	3			
		Ducks, Gadwall				12
		Ducks, Mallards	71			193
		Ducks, Ring-necked				30
		Ducks, Ruddy	32			
		Ducks, Scaup, Lesser	1			
		Ducks, Teal, Blue-winged	1			5
		Ducks, Wigeon, American	1			20
		Ducks, Wood	2			19
		Falcons, American Kestrels	3			2
		Falcons, Peregrine				2
		Foxes, Red	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Geese, Brant, Atlantic	405			1,834
		Geese, Canada	161			676
		Geese, Snow, Greater	3			3
		Grackles, Boat-tailed	7			
		Grackles, Common	3			
		Gulls, Black-backed, Great	112			109
		Gulls, Herring	1,013			5,407
		Gulls, Laughing	1,528			913
		Gulls, Ring-billed	1,377			25,523
		Hares, Jackrabbits, Black-tailed	4			
		Hawks, Red-tailed	5			1
		Hérons, Great Blue	1			2
		Killdeers	6			
		Marmots/Woodchucks (All)	49			
		Muskrats	4			
		Opossums, Virginia	1			
		Ospreys				3
		Oystercatchers, American	1			3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Pheasants, Ring-necked	3			
		Pigeons, Feral (Rock)	1,884			8
		Rabbits, Cottontail	4			3
		Raccoons	4			
		Sparrows, House/English	42			3
		Starlings, European	2,018			16,506
		Swans, Mute	80			14
		Swine, Feral	6			
		Turkeys, Wild	14			39
		Vultures, Turkey	1			
	<b>Unintentional</b>	Hérons, Night, Black-crowned	1			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Gulls, Black-backed, Great	7			
		Gulls, Herring	166			
		Killdeers	2			
		Pigeons, Feral (Rock)	9			
		Raccoons	2		4	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Skunks, Striped	1			
		Starlings, European	5			
		Swallows, Barn	62			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Crows, American				100
<b>Lights (All)</b>						
	<b>Intentional</b>					
		Crows, American				3,800
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Chickens, Feral/Free Ranging	1			
		Geese, Canada	13			
		Pigeons, Feral (Rock)	553			
		Turkeys, Wild	4		2	
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Chickens, Feral/Free Ranging	2			
		Turkeys, Wild	22		27	
<b>Physical Actions (Hand/Voice)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Ducks, American Black				1
		Ducks, Mallards				12
		Geese, Canada				5
		Hawks, Red-tailed				1
		Hérons, Great Blue				1
		Skunks, Striped				1
		Turkeys, Wild				1
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	4			
		Cats, Feral/Free Ranging			1	
		Coyotes	3			
		Foxes, Red	2			
		Raccoons	5			
		Skunks, Striped	1			
<b>Spotlight</b>						
	<b>Intentional</b>					
		Geese, Canada				25
<b>Traps, Body Grip</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	41				
		<b>Marmots/Woodchucks (All)</b>	36				
		<b>Muskrats</b>	13				
		<b>Opossums, Virginia</b>	1				
		<b>Skunks, Striped</b>	1				
	<b>Unintentional</b>	<b>Muskrats</b>	1				
	<b>Traps, Cage</b>	<b>Intentional</b>	<b>Fishers</b>	1		14	
			<b>Foxes, Gray</b>			5	
			<b>Hares, Snowshoe</b>			1	
			<b>Opossums, Virginia</b>	2		2	
<b>Pigeons, Feral (Rock)</b>			70				
<b>Rabbits, Cottontail</b>					1		
<b>Raccoons</b>			130		1,364		
<b>Skunks, Striped</b>			9		80		
<b>Sparrows, Savannah</b>					13		
<b>Squirrels, Red</b>					1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Unintentional</b>	Bitterns, American			1		
		Cats, Feral/Free Ranging			2		
		Hares, Snowshoe			1		
		Marmots/Woodchucks (All)			1		
		Muskrats			2		
		Opossums, Virginia			19		
		Otters, River			1		
		Porcupines			11		
		Rabbits, Cottontail			2		
		Squirrels, Eastern Gray		1		1	
		Squirrels, Red				3	
<b>Traps, Decoy</b>	<b>Intentional</b>	Blackbirds, Red-winged	33				
		Cowbirds, Brown-headed	5				
		Grackles, Common	1				
		Hawks, Cooper`s				1	
		Pigeons, Feral (Rock)	809				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Decoy</b>						
	<b>Intentional</b>					
		Sparrows, House/English	5			
		Starlings, European	2,131			
<b>Traps, Drive/Corral</b>						
	<b>Intentional</b>					
		Geese, Canada	3,249		22	
		Swine, Feral	18			
		Turkeys, Wild	18			
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Beavers	24			
		Coyotes	1			
		Opossums, Virginia	2			
		Raccoons	5			
	<b>Unintentional</b>					
		Raccoons	1			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Blackbirds, Red-winged	104			
		Catbirds, Gray			13	
		Cowbirds, Brown-headed	206			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Other</b>	<b>Intentional</b>	Doves, Mourning	2				
		Falcons, American Kestrels			1		
		Grackles, Common	1				
		Mice, Deer (All)			18		
		Mockingbirds, Northern			6		
		Pigeons, Feral (Rock)	43				
		Raccoons	10				
		Sparrows, House/English	1		14		
		Sparrows, Savannah			23		
		Starlings, European	162				
		Voles (All)			2		
		<b>Unintentional</b>	Catbirds, Gray			8	
	Mockingbirds, Northern				7		
	Robins, American				1		
	Sparrows, Savannah				16		
	Weasels (Other)		1				
	<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Mice, Deer (All)	8			
		Voles (All)	2			
<b>Whistlers/Screamers</b>	<b>Intentional</b>	Blackbirds, Red-winged				4,030
		Crows, American				318,553
		Deer, White-tailed (Wild)				5
		Doves, Mourning				15
		Ducks, American Black				5
		Ducks, Gadwall				40
		Ducks, Mallards				192
		Ducks, Merganser, Hooded				3
		Ducks, Ring-necked				249
		Ducks, Wigeon, American				14
		Ducks, Wood				7
		Egrets, Great				1
		Egrets, Snowy				3
		Falcons, American Kestrels				10
		Geese, Brant, Atlantic				477

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in New York - FY 2013*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Whistlers/Screamers</b>						
	<b>Intentional</b>					
		Geese, Canada				555
		Grackles, Common				1,000
		Gulls, Black-backed, Great				2,277
		Gulls, Herring				48,191
		Gulls, Laughing				65
		Gulls, Ring-billed				136,386
		Hawks, Red-tailed				15
		Hawks, Rough-legged				1
		Hérons, Great Blue				7
		Killdeers				27
		Ospreys				1
		Starlings, European				812,567
		Turkeys, Wild				4
		Vultures, Turkey				1,909
		<i>Total Take for NY</i>	<b>78,106</b>		<b>1,691</b>	<b>1,756,642</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*