

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Calling Device, Electronic	Intentional	Coyotes	256			
		Crows, American	41			
Calling Device, Manual(Hand,Blown)	Intentional	Coyotes	715			
		Crows, American	2			
Catch Pole	Intentional	Dogs, Feral, Free-ranging And Hybrids			1	
		Raccoons	1			
DRC-1339-OK SLN (Crows)	Intentional	Crows, American	940			
DRC-1339-Pigeons	Intentional	Pigeons, Feral (Rock)	175			
DRC-1339-Staging Areas	Intentional	Grackles, Great-tailed	100			
		Starlings, European	1,695			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Electronic Harassment Devices (Other)						
	Intentional					
		Falcons, American Kestrels				19
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				11
		Hawks, Red-tailed				56
		Hawks, Swainson`s				8
		Hérons, Great Blue				4
		Kites, Mississippi				3
Exploders, Gas (All)						
	Intentional					
		Deer, White-tailed (Wild)				20
		Doves, Collared, Eurasian				33
		Doves, Mourning				795
		Ducks, Gadwall				7
		Ducks, Mallards				155
		Ducks, Northern Shoveler				10
		Ducks, Teal, Blue-winged				10
		Ducks, Teal, Green-winged				33
		Ducks, Wigeon, American				12

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional					
		Falcons, American Kestrels				29
		Flycatchers, Scissor-tailed				125
		Geese, Canada				2,957
		Grackles, Common				1,628
		Grackles, Great-tailed				4,909
		Hawks, Harrier, Northern (Marsh Hawks)				14
		Hawks, Red-tailed				124
		Hawks, Swainson`s				96
		Killdeers				465
		Kingbirds, Western				504
		Kites, Mississippi				12
		Larks, Horned				159
		Meadowlarks, Eastern				2,020
		Pigeons, Feral (Rock)				4,509
		Sandpipers, Upland				845
		Starlings, European				697
		Swallows, Barn				355
		Turkeys, Wild				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)						
	Intentional	Vultures, Turkey				95
Fastrac Blox						
	Intentional	Rats, Norway	10			
Firearms						
	Intentional	Armadillos, Nine-banded	22			
		Badgers	2			
		Beavers	243			
		Blackbirds, Brewer`s	1			
		Blackbirds, Red-winged	131			
		Bobcats	1			
		Cowbirds, Brown-headed	17,049			860
		Coyotes	94			4
		Deer, White-tailed (Wild)	15			
		Dogs, Feral, Free-ranging And Hybrids	2			3
		Doves, Collared, Eurasian	22			
		Doves, Mourning	573			2,005
		Ducks, Canvasback	4			60

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Ducks, Feral	4			208
		Ducks, Gadwall	10			283
		Ducks, Mallards	14			3,750
		Ducks, Merganser, Hooded	2			
		Ducks, Redhead	1			20
		Ducks, Teal, Blue-winged	2			
		Ducks, Wigeon, American	4			
		Egrets, Cattle	35			210
		Falcons, American Kestrels	6			9
		Finches, House	3			
		Flycatchers, Scissor-tailed	45			
		Foxes, Red	1			
		Geese, Canada	58			4,241
		Grackles, Common	656			
		Grackles, Great-tailed	929			40
		Gulls, Bonaparte`s	1			100
		Gulls, Franklin`s	82			3,600
		Gulls, Herring	2			200

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Gulls, Ring-billed	140			1,255
		Hares, Jackrabbits, Black-tailed	156			
		Hawks, Cooper`s	2			
		Hawks, Harrier, Northern (Marsh Hawks	9			579
		Hawks, Red-tailed	14			10
		Hawks, Swainson`s	5			1,460
		Hérons, Great Blue	2			1
		Killdeers	103			
		Kingbirds, Western	116			
		Larks, Horned	62			
		Lions, Mountain (Cougar)	1			
		Meadowlarks, Eastern	489			210
		Meadowlarks, Western	20			107
		Nighthawks (All)	18			
		Opossums, Virginia	3			
		Owls, Great Horned	1			
		Pigeons, Feral (Rock)	1,918			613
		Rabbits, Cottontail	2			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms						
	Intentional					
		Raccoons	14			
		Robins, American	2			1
		Sandpipers, Upland	151			50
		Skunks, Striped	54			
		Sparrows, House/English	12			
		Squirrels, Fox	2			
		Starlings, European	24,912			21,330
		Swine, Feral	315			
		Vultures, Turkey	27			502
Fixed Wing						
	Intentional					
		Coyotes	642			
		Swine, Feral	215			
Handcaught/Gathered						
	Intentional					
		Doves, Collared, Eurasian	4			
		Geese, Canada			1	
		Pigeons, Feral (Rock)	2			
		Raccoons			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered						
	Intentional					
		Skunks, Striped	1			
		Starlings, European	4			
Helicopter						
	Intentional					
		Coyotes	715			
		Swine, Feral	2,092			
Lasers (All) (Deterrent)						
	Intentional					
		Geese, Canada				3,000
M-44 Cyanide Capsule						
	Intentional					
		Coyotes	3,400			
		Dogs, Feral, Free-ranging And Hybrids	1			
	Unintentional					
		Dogs, Feral, Free-ranging And Hybrids	12			
		Opossums, Virginia	9			
		Raccoons	5			
		Skunks, Striped	4			
Nets, Other						
	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Nets, Other	Intentional	Blackbirds, Red-winged	50			
		Cowbirds, Brown-headed	12			
		Doves, Collared, Eurasian	112			
		Doves, Mourning	312			
		Grackles, Common	157			
		Grackles, Great-tailed	246			
		Meadowlarks, Eastern	7			
		Pigeons, Feral (Rock)	7			
		Starlings, European	4			
		Pneumatics	Intentional	Doves, Mourning	16	
Ducks, Feral	18					8
Ducks, Gadwall	8					75
Falcons, American Kestrels	2					
Geese, Canada	1					
Hawks, Red-tailed	1					
Killdeers	38					
Meadowlarks, Eastern	72					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Pigeons, Feral (Rock)	21			19
		Rabbits, Cottontail	11			
		Starlings, European	298			275
		Swallows, Barn	3			
Pyrotechnics (All)						
	Intentional					
		Blackbirds, Red-winged				50
		Cormorants, Double-crested				56
		Cranes, Sandhill				5,900
		Dogs, Feral, Free-ranging And Hybrids				1
		Ducks, Mallards				1,121
		Egrets, Cattle				45
		Geese, Canada				1,747
		Grackles, Common				7,370
		Grackles, Great-tailed				25
		Gulls, Franklin`s				15,905
		Gulls, Ring-billed				3,297
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks)				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Hawks, Red-tailed				3
		Hawks, Swainson`s				20
		Killdeers				20
		Meadowlarks, Eastern				360
		Pigeons, Feral (Rock)				200
		Sandpipers, Least				55
		Sandpipers, Upland				72
		Starlings, European				34,225
		Swallows, Barn				20
		Vultures, Turkey				11
		Yellowlegs, Greater				5
Snares, Foot/Leg						
	Intentional					
		Swine, Feral	1			
Snares, Neck						
	Intentional					
		Badgers	2			
		Beavers	139			
		Bobcats	5			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Snares, Neck	Intentional	Coyotes	377				
		Deer, White-tailed (Wild)	1				
		Foxes, Gray	1				
		Opossums, Virginia	1				
		Porcupines	3				
		Raccoons	15				
		Skunks, Striped	5				
		Swine, Feral	1				
	Unintentional	Deer, White-tailed (Wild)	2				
		Dogs, Feral, Free-ranging And Hybrids	5			2	
		Raccoons	6				
		Skunks, Striped	1				
	Spotlight	Intentional	Armadillos, Nine-banded	8			
			Badgers	2			
Beavers			416				
Cowbirds, Brown-headed			20				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Spotlight	Intentional	Coyotes	40			
		Foxes, Gray	3			
		Grackles, Great-tailed	20			
		Opossums, Virginia	9			
		Raccoons	31			
		Skunks, Striped	94			
		Swine, Feral	21			
Traps, Body Grip	Intentional	Beavers	1,774			
		Muskrats	11			
		Otters, River	44			
	Unintentional	Ducks, Mallards	1			
		Otters, River	14			
		Turtles (Other)	3		5	
		Turtles, Common Snapping	5		19	
		Turtles, Red-eared Slider			1	
Traps, Cage						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Armadillos, Nine-banded	2			
		Cats, Feral/Free Ranging	6			
		Coyotes	1			
		Doves, Mourning	27			
		Foxes, Gray				4
		Opossums, Virginia	20			
		Pigeons, Feral (Rock)	421			
		Rabbits, Cottontail	4			
		Raccoons	123			5
		Skunks, Striped	52			
		Squirrels, Fox	10			
		Swine, Feral	862			
		Vultures, Black	1			
	Unintentional	Cats, Feral/Free Ranging				2
		Dogs, Feral, Free-ranging And Hybrids				1
		Opossums, Virginia				4
Raccoons					1	
Traps, Decoy						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional					
		Doves, Collared, Eurasian	90			
		Grackles, Common	3			
		Pigeons, Feral (Rock)	3,638			
	Unintentional					
		Hawks, Red-tailed			1	
Traps, Foothold						
	Intentional					
		Badgers	1			
		Beavers	14			
		Bobcats	3			
		Coyotes	340			
		Opossums, Virginia	1			
		Raccoons	5			
		Swine, Feral	1			
	Unintentional					
		Dogs, Feral, Free-ranging And Hybrids			1	
		Opossums, Virginia	3			
		Raccoons	3			
		Sheep, Feral, Free-ranging And Exotics			1	
Traps, Other						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Other	Intentional	Blackbirds, Red-winged	20			
		Cowbirds, Brown-headed	30			
		Coyotes	2			
Traps, Pole	Intentional	Falcons, American Kestrels			9	
		Hawks, Harrier, Northern (Marsh Hawks)			1	
		Hawks, Red-tailed			14	
		Meadowlarks, Eastern	14			
Traps, Raptor (Other)	Intentional	Hawks, Cooper`s			1	
Vehicles (All)	Intentional	Coyotes				8
		Dogs, Feral, Free-ranging And Hybrids				14
		Doves, Mourning				325
		Ducks, Canvasback				20
		Ducks, Feral				290

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2013

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All)						
	Intentional					
		Ducks, Gadwall				300
		Ducks, Mallards				40
		Geese, Canada				14,621
		Grackles, Common				30
		Hawks, Harrier, Northern (Marsh Hawks)				15
		Hawks, Red-tailed				30
		Kingbirds, Western				5
		Larks, Horned				80
		Meadowlarks, Eastern				313
		Meadowlarks, Western				113
		Nighthawks (All)				6
		Pigeons, Feral (Rock)				21
		Sandpipers, Upland				36
		Sparrows, House/English				30
		Starlings, European				180
		Vultures, Turkey				49
		<i>Total Take for OK</i>	69,779		75	152,848

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.