

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Avian Control</b>						
	<b>Intentional</b>					
		<b>Grackles, Common</b>				<b>4,000</b>
		<b>Starlings, European</b>				<b>6,000</b>
<b>Boat</b>						
	<b>Intentional</b>					
		<b>Ducks, Wood</b>				<b>1</b>
		<b>Geese, Canada</b>				<b>8</b>
<b>Calling Device, Electronic</b>						
	<b>Intentional</b>					
		<b>Foxes, Red</b>	<b>3</b>			
<b>Car/Truck</b>						
	<b>Intentional</b>					
		<b>Vultures, Black</b>				<b>30</b>
<b>Catch Pole</b>						
	<b>Intentional</b>					
		<b>Raccoons</b>	<b>1</b>			
<b>Dog</b>						
	<b>Intentional</b>					
		<b>Geese, Canada</b>				<b>2,196</b>
		<b>Starlings, European</b>				<b>35</b>
<b>DRC-1339-Feedlots</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	<b>32,206</b>			
<b>Effigy, Vulture</b>						
	<b>Intentional</b>					
		<b>Vultures, Black</b>				<b>100</b>
		<b>Vultures, Turkey</b>				<b>223</b>
<b>Electronic Harassment Devices (Other</b>						
	<b>Intentional</b>					
		<b>Ducks, Mallards</b>				<b>45</b>
		<b>Geese, Canada</b>				<b>3,643</b>
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>				<b>105</b>
		<b>Egrets, Great</b>				<b>10</b>
		<b>Geese, Canada</b>				<b>10</b>
		<b>Grackles, Common</b>				<b>14,000</b>
		<b>Starlings, European</b>				<b>64,000</b>
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Bears, Black</b>				<b>1</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Beavers	1			
		Blackbirds, Red-winged	46			228
		Cats, Feral/Free Ranging	43			
		Cormorants, Double-crested	39			250
		Cowbirds, Brown-headed	22			255
		Crows, American	84			1,968
		Crows, Fish	18			3,175
		Deer, White-tailed (Captive)	3			
		Deer, White-tailed (Wild)	69			
		Doves, Mourning	264			1,220
		Ducks, American Black	10			180
		Ducks, Feral	4			
		Ducks, Mallards	35			608
		Ducks, Northern Shoveler	3			35
		Ducks, Teal, Green-winged	2			37
		Dunlins	148			
		Falcons, American Kestrels	8			19
		Flickers, Northern	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>					
		Foxes, Red	23			1
		Geese, Canada	381			1,903
		Grackles, Common	27			30
		Gulls, Black-backed, Great	25			973
		Gulls, Herring	218			19,323
		Gulls, Laughing	145			1,643
		Gulls, Ring-billed	301			11,075
		Hawks, Cooper`s	4			
		Hawks, Harrier, Northern (Marsh Hawks				2
		Hawks, Red-tailed	36			31
		Hawks, Sharp-shinned	1			
		Hérons, Great Blue	19			5
		Killdeers	120			326
		Larks, Horned	8			16
		Marmots/Woodchucks (All)	216			
		Meadowlarks, Eastern	1			20
		Muskrats	2			
		Opossums, Virginia	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>						
	<b>Intentional</b>					
		Owls, Great Horned	1			
		Pigeons, Feral (Rock)	167			194
		Rabbits, Cottontail	109			
		Raccoons	10			
		Rats, Norway	14			
		Ravens, Common				3
		Robins, American	27			20
		Skunks, Striped	8			3
		Sparrows, House/English	2			18
		Starlings, European	1,465			143,420
		Swallows, Barn	48			387
		Swans, Mute	19			40
		Turkeys, Wild	45			126
		Vultures, Black	14			122
		Vultures, Turkey	24			165
<b>Gas Cartridge (Rodent)</b>						
	<b>Intentional</b>					
		Marmots/Woodchucks (All) (Burrow/De		298		
<b>Handcaught/Gathered</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging			8	
		Deer, White-tailed (Wild)			1	
		Ducks, Feral			1	
		Ducks, Mallards			9	
		Geese, Canada	362			
		Gulls, Ring-billed	2			
		Hawks, Red-tailed			2	
		Owls, Common Barn			5	
		Pigeons, Feral (Rock)	4			
		Raccoons	2			
		Robins, American	1			
		Snakes, Non-Venomous (Other)			1	
		Sparrows, House/English	11			
		Starlings, European	8			
		Swallows, Barn	31			
		Swans, Mute	2			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Ducks, Mallards				20
		Geese, Canada				2,448
		Grackles, Common				7,000
		Starlings, European				14,000
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Ducks, Mallards	1			
		Geese, Canada	2			
<b>Night Vision/Infrared Equipment</b>						
	<b>Intentional</b>					
		Cormorants, Double-crested	250			
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Geese, Canada				4,749
		Gulls, Ring-billed				950
		Pigeons, Feral (Rock)				140
		Starlings, European				5,525
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Geese, Canada				735

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)				6
		Starlings, European				50
		Vultures, Black				1
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, (Mixed Species)				20
		Blackbirds, Red-winged				3,785
		Coots, American				3
		Cormorants, Double-crested				83
		Cowbirds, Brown-headed				8,179
		Crows, American				3,393
		Crows, Fish				300
		Doves, Mourning				1,657
		Ducks, American Black				241
		Ducks, Bufflehead				2
		Ducks, Mallards				790
		Ducks, Merganser, Hooded				2
		Ducks, Northern Shoveler				179
		Ducks, Ring-necked				4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Ruddy				4
		Ducks, Teal, Green-winged				159
		Ducks, Wigeon, American				25
		Dunlins				2,100
		Eagles, Bald				12
		Egrets, Cattle				1
		Egrets, Great				19
		Falcons, American Kestrels				48
		Falcons, Peregrine				1
		Geese, Canada				16,196
		Grackles, Common				17,034
		Grebes, Pied-billed				1
		Gulls, Black-backed, Great				398
		Gulls, Herring				2,301
		Gulls, Laughing				3,231
		Gulls, Ring-billed				14,428
		Hawks, Cooper`s				3
		Hawks, Harrier, Northern (Marsh Hawks				36

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-tailed				511
		Hawks, Rough-legged				2
		Hérons, Great Blue				31
		Hérons, Green				2
		Killdeers				344
		Kingbirds, Eastern				2
		Larks, Horned				5
		Meadowlarks, Eastern				150
		Mockingbirds, Northern				10
		Ospreys				8
		Owls, Short-eared				1
		Pigeons, Feral (Rock)				151
		Ravens, Common				3
		Robins, American				70
		Sandpipers, Least				279
		Sandpipers, Semipalmated				10
		Sparrows, House/English				100
		Starlings, European				158,689

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Swallows, Bank				5,818
		Swallows, Barn				417
		Swallows, Tree				964
		Swans, Tundra				8
		Turkeys, Wild				15
		Vultures, Black				50
		Vultures, Turkey				140
		Yellowlegs, Greater				23
		Yellowlegs, Lesser				25
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers			4	
		Cats, Feral/Free Ranging	4		4	
		Coyotes	3			
		Foxes, Red	1			
		Marmots/Woodchucks (All)	3			
		Opossums, Virginia	2			
		Raccoons	11			
<b>Spotlight</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed / Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>
<b>Spotlight</b>						
	<b>Intentional</b>					
		Cats, Feral/Free Ranging	4			
		Deer, White-tailed (Wild)	1,147			
		Foxes, Red	9			
		Opossums, Virginia	3			
		Rabbits, Cottontail	43			
		Skunks, Striped	2			
<b>Traps, Body Grip</b>						
	<b>Intentional</b>					
		Beavers	1			
		Marmots/Woodchucks (All)	152			
		Skunks, Striped	5			
		Turkeys, Wild	1			
	<b>Unintentional</b>					
		Cats, Feral/Free Ranging	1			
		Opossums, Virginia	1			
		Otters, River	1			
		Skunks, Striped	2			
<b>Traps, Cage</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Beavers			2		
		Cats, Feral/Free Ranging	15		18		
		Marmots/Woodchucks (All)	28				
		Opossums, Virginia	12				
		Pigeons, Feral (Rock)	339		5		
		Rabbits, Cottontail	6				
		Raccoons	22		16		
		Skunks, Striped	20				
		Sparrows, House/English	126				
		Starlings, European	18				
		Vultures, Turkey	1				
	<b>Unintentional</b>	Cats, Feral/Free Ranging			2		
		Opossums, Virginia			13		
		Rabbits, Cottontail			2		
		Raccoons			2		
		Skunks, Striped			2		
	<b>Traps, Decoy</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<b>Capture / Restraint Method ^</b>	<b>Intentional / Unintentional</b>	<b>Species</b>	<b>Killed / Euthanized</b>	<b>Removed/ Destroyed</b>	<b>Freed / Released / Relocated</b>	<b>Dispersed</b>	
<b>Traps, Decoy</b>	<b>Intentional</b>	<b>Blackbirds, Red-winged</b>	<b>368</b>			<b>11</b>	
		<b>Cowbirds, Brown-headed</b>	<b>237</b>				
		<b>Doves, Mourning</b>				<b>26</b>	
		<b>Grackles, Common</b>	<b>59</b>				
	<b>Unintentional</b>	<b>Pigeons, Feral (Rock)</b>	<b>194</b>				
		<b>Starlings, European</b>	<b>2,169</b>				<b>75</b>
		<b>Falcons, American Kestrels</b>				<b>2</b>	
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	<b>Ducks, Feral</b>	<b>1</b>				
		<b>Geese, Canada</b>	<b>1,101</b>				
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Beavers</b>	<b>1</b>				
		<b>Coyotes</b>	<b>1</b>				
		<b>Foxes, Gray</b>	<b>2</b>				
		<b>Foxes, Red</b>	<b>14</b>				
		<b>Marmots/Woodchucks (All)</b>	<b>2</b>				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>						
	<b>Intentional</b>					
		Opossums, Virginia	2			
		Raccoons	6			
		Skunks, Striped	1			
<b>Traps, Other</b>						
	<b>Intentional</b>					
		Sparrows, House/English	7			
		Starlings, European	24			
		Vultures, Black	4			
		Vultures, Turkey	25			
<b>Traps, Pole</b>						
	<b>Intentional</b>					
		Falcons, American Kestrels	6			
		Hawks, Red-tailed	2			
<b>Traps, Raptor (Other)</b>						
	<b>Intentional</b>					
		Crows, American	1			
		Hawks, Red-tailed	7			
<b>Traps, Raptor (Swedish Goshawk)</b>						
	<b>Intentional</b>					
		Hawks, Red-tailed	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Suitcase</b>						
	<b>Intentional</b>					
		<b>Woodpeckers, Downy</b>	<b>2</b>			
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-winged</b>				<b>1,292</b>
		<b>Buntings, Snow</b>				<b>17</b>
		<b>Cats, Feral/Free Ranging</b>				<b>1</b>
		<b>Cormorants, Double-crested</b>				<b>8</b>
		<b>Cowbirds, Brown-headed</b>				<b>1,699</b>
		<b>Coyotes</b>				<b>1</b>
		<b>Crows, American</b>				<b>2,022</b>
		<b>Doves, Mourning</b>				<b>692</b>
		<b>Ducks, American Black</b>				<b>154</b>
		<b>Ducks, Bufflehead</b>				<b>10</b>
		<b>Ducks, Goldeneye, Common</b>				<b>19</b>
		<b>Ducks, Mallards</b>				<b>357</b>
		<b>Ducks, Merganser Common</b>				<b>3</b>
		<b>Ducks, Merganser, Hooded</b>				<b>1</b>
		<b>Ducks, Northern Shoveler</b>				<b>27</b>

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Ducks, Ruddy				4
		Ducks, Teal, Green-winged				72
		Dunlins				135
		Eagles, Bald				7
		Egrets, Cattle				1
		Egrets, Great				1
		Falcons, American Kestrels				34
		Foxes, Red				11
		Geese, Brant, Atlantic				1
		Geese, Canada				3,800
		Grackles, Common				44
		Grebes, Pied-billed				1
		Gulls, Bonaparte`s				7
		Gulls, Herring				30
		Gulls, Laughing				455
		Gulls, Ring-billed				196
		Hawks, Cooper`s				4
		Hawks, Harrier, Northern (Marsh Hawks				7

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Hawks, Red-tailed				163
		Hérons, Great Blue				116
		Hérons, Green				1
		Killdeers				380
		Kingbirds, Eastern				9
		Larks, Horned				7
		Meadowlarks, Eastern				110
		Mockingbirds, Northern				1
		Ospreys				6
		Owls, Great Horned				1
		Pigeons, Feral (Rock)				15
		Rabbits, Cottontail				1
		Ravens, Common				2
		Robins, American				229
		Sandpipers, Least				11
		Sandpipers, Pectoral				1
		Sandpipers, Upland				1
		Snipes, Wilson`s				19

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Pennsylvania - FY 2013**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All)</b>						
	<b>Intentional</b>					
		Sparrows, House/English				7
		Starlings, European				9,769
		Swallows, Barn				88
		Swallows, Tree				100
		Swans, Tundra				2
		Turkeys, Wild				26
		Vultures, Turkey				57
		Yellowlegs, Greater				1
		Yellowlegs, Lesser				8
		<i>Total Take for PA</i>	43,389	298	125	582,645

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*