

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| A/C Tablets: 60 Mg | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Muscovy | 8 | | | |
| | | Geese, Canada | 26 | | | |
| Calling Device, Electronic | | | | | | |
| | Intentional | | | | | |
| | | Bobcats | 21 | | | |
| | | Coyotes | 244 | | | |
| | | Foxes, Gray | 267 | | | |
| | | Foxes, Red | 8 | | | |
| | | Raccoons | 20 | | | |
| | | Swine, Feral | 2 | | | |
| Calling Device, Manual(Hand,Blown) | | | | | | |
| | Intentional | | | | | |
| | | Bobcats | 7 | | | |
| | | Coyotes | 346 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | 1 | | | |
| | | Foxes, Gray | 4 | | | |
| | | Foxes, Red | 1 | | | |
| | | Swine, Feral | 1 | | | |
| Car/Truck | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Car/Truck | Intentional | Caracaras | | | | 4 |
| | | Coyotes | | | | 8 |
| | | Cranes, Sandhill | | | | 86 |
| | | Deer, White-tailed (Wild) | | | | 32 |
| | | Dogs, Feral, Free-ranging And Hybrids | | | | 16 |
| | | Egrets, Cattle | | | | 30 |
| | | Hawks, Red-tailed | | | | 5 |
| | | Herons, Great Blue | | | | 38 |
| | | Peccaries, Collared (Javelina) | | | | 56 |
| | | Catch Pole | Intentional | Raccoons | 1 | |
| Coyotes | 6 | | | | | |
| Compound 1080 Lp Collar (Tx) | Intentional | Crows, American | 11 | | | |
| | | Ravens, Common | 159 | | | |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| DRC-1339-Pigeons | | | | | | |
| | Intentional | | | | | |
| | | Pigeons, Feral (Rock) | 39 | | | |
| DRC-1339-Staging Areas | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, Red-winged | 111,117 | | | |
| | | Cowbirds, Brown-headed | 479,785 | | | |
| | | Grackles, Common | 58,091 | | | |
| | | Grackles, Great-tailed | 25,688 | | | |
| | | Starlings, European | 96 | | | |
| DRC-1339-TX SLN (Feedlot) | | | | | | |
| | Intentional | | | | | |
| | | Starlings, European | 68,000 | | | |
| Electronic Harassment Devices (Other | | | | | | |
| | Intentional | | | | | |
| | | Caracaras | | | | 8 |
| | | Cormorants, Double-crested | | | | 3 |
| | | Dogs, Feral, Free-ranging And Hybrids | | | | 1 |
| | | Doves, Mourning | | | | 1 |
| | | Doves, White-winged | | | | 5,035 |
| | | Egrets, Cattle | | | | 32 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Electronic Harassment Devices (Other) | | | | | | |
| | Intentional | | | | | |
| | | Falcons, American Kestrels | | | | 7 |
| | | Grackles, Great-tailed | | | | 505 |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | | 1 |
| | | Hawks, Red-tailed | | | | 2 |
| | | Hawks, Swainson`s | | | | 1 |
| | | Killdeers | | | | 1 |
| | | Meadowlarks, Eastern | | | | 79 |
| | | Pigeons, Feral (Rock) | | | | 25 |
| | | Vultures, Black | | | | 33 |
| | | Vultures, Turkey | | | | 24 |
| Exploders, Gas (All) | | | | | | |
| | Intentional | | | | | |
| | | Cranes, Sandhill | | | | 5 |
| | | Crows, American | | | | 145 |
| | | Deer, White-tailed (Wild) | | | | 1 |
| | | Doves, Mourning | | | | 3,500 |
| | | Ducks, Northern Pintail | | | | 1,650 |
| | | Ducks, Northern Shoveler | | | | 40 |
| | | Ducks, Redhead | | | | 975 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Exploders, Gas (All) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Teal, Blue-winged | | | | 25 |
| | | Ducks, Wigeon, American | | | | 372 |
| | | Egrets, Cattle | | | | 6,315 |
| | | Falcons, American Kestrels | | | | 31 |
| | | Flycatchers, Scissor-tailed | | | | 176 |
| | | Grackles, Common | | | | 32,777 |
| | | Grackles, Great-tailed | | | | 8,400 |
| | | Gulls, Laughing | | | | 1,070 |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | | 1 |
| | | Hawks, Red-tailed | | | | 16 |
| | | Herons, Great Blue | | | | 149 |
| | | Killdeers | | | | 815 |
| | | Larks, Horned | | | | 776 |
| | | Meadowlarks, Eastern | | | | 112 |
| | | Meadowlarks, Western | | | | 549 |
| | | Ospreys | | | | 2 |
| | | Pigeons, Feral (Rock) | | | | 100 |
| | | Sandpipers, Upland | | | | 1,400 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Exploders, Gas (All) | | | | | | |
| | Intentional | | | | | |
| | | Swallows, Barn | | | | 11,725 |
| | | Swallows, Cliff | | | | 57,575 |
| | | Vultures, Turkey | | | | 7 |
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Anhingas | | | | 1 |
| | | Armadillos, Nine-banded | 1 | | | |
| | | Beavers | 118 | | | |
| | | Blackbirds, Red-winged | 374 | | | 160 |
| | | Bobcats | 25 | | | |
| | | Caracaras | 4 | | | 19 |
| | | Cats, Feral/Free Ranging | 1 | | | |
| | | Coots, American | 6 | | | |
| | | Cormorants, Double-crested | 48 | | | 5,500 |
| | | Cowbirds, Brown-headed | 125 | | | |
| | | Coyotes | 459 | | | 1 |
| | | Cranes, Sandhill | | | | 24 |
| | | Crows, American | 23 | | | |
| | | Curlews, Long-billed | | | | 15 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Deer, White-tailed (Wild) | 22 | | | 35 |
| | | Dogs, Feral, Free-ranging And Hybrids | 18 | | | |
| | | Doves, Collared, Eurasian | 5 | | | |
| | | Doves, Mourning | 479 | | | 1,063 |
| | | Doves, White-winged | 70 | | | 1,015 |
| | | Ducks, Gadwall | 1 | | | 70 |
| | | Ducks, Mallards | 3 | | | |
| | | Ducks, Mottled | 2 | | | 120 |
| | | Ducks, Northern Pintail | 11 | | | 1,512 |
| | | Ducks, Northern Shoveler | 20 | | | 590 |
| | | Ducks, Redhead | 4 | | | 514 |
| | | Ducks, Ring-necked | 5 | | | |
| | | Ducks, Ruddy | 13 | | | 155 |
| | | Ducks, Scaup, Lesser | 5 | | | 260 |
| | | Ducks, Teal, Blue-winged | | | | 100 |
| | | Ducks, Whistling, Black-bellied | 2 | | | |
| | | Ducks, Wigeon, American | | | | 50 |
| | | Egrets, Cattle | 359 | | | 813 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | |
|-------------------------------------|------------------------------------|---|----------------------------|---------------------------|-------------------------------------|------------------|--------|
| Firearms | Intentional | Egrets, Great | 1 | | | | |
| | | Falcons, American Kestrels | 5 | | | 20 | |
| | | Flycatchers, Scissor-tailed | 24 | | | | 54 |
| | | Foxes, Gray | 79 | | | | |
| | | Foxes, Red | 16 | | | | |
| | | Geese, Canada | 18 | | | | |
| | | Geese, White-fronted, Greater | 1 | | | | |
| | | Grackles, Common | 640 | | | | 13,950 |
| | | Grackles, Great-tailed | 138 | | | | 98 |
| | | Grebes, Pied-billed | | | | | 3 |
| | | Gulls, Laughing | 37 | | | | 700 |
| | | Hares, Jackrabbits, Black-tailed | 77 | | | | |
| | | Hawks, Cooper`s | | | | | 1 |
| | | Hawks, Ferruginous | | | | | 2 |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | | | 2 |
| | | Hawks, Red-tailed | 2 | | | | 24 |
| | | Hawks, Swainson`s | 8 | | | | 43 |
| | | Hérons, Great Blue | 6 | | | | 250 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Killdeers | 56 | | | |
| | | Kingbirds, Western | 14 | | | |
| | | Larks, Horned | 24 | | | |
| | | Lions, Mountain (Cougar) | 13 | | | |
| | | Meadowlarks, Eastern | 61 | | | 380 |
| | | Meadowlarks, Western | 107 | | | 478 |
| | | Nighthawks (All) | 18 | | | 35 |
| | | Nutrias | 62 | | | |
| | | Opossums, Virginia | 1 | | | |
| | | Ospreys | | | | 13 |
| | | Owls, Common Barn | 2 | | | |
| | | Owls, Great Horned | 1 | | | |
| | | Pigeons, Feral (Rock) | 1,651 | | | 1,035 |
| | | Raccoons | 204 | | | |
| | | Ravens, Common | 4 | | | |
| | | Robins, American | 15 | | | 200 |
| | | Sandpipers, Upland | 28 | | | 70 |
| | | Skunks, Striped | 49 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | | | | | | |
| | Intentional | | | | | |
| | | Squirrels, Ground (Other) | 19 | | | |
| | | Swallows, Barn | 8 | | | 100 |
| | | Swallows, Cliff | 98 | | | 170 |
| | | Swine, Feral | 1,770 | | | |
| | | Vultures, Black | 527 | | | 1,567 |
| | | Vultures, Turkey | 152 | | | 2,078 |
| | | Woodpeckers, Golden-fronted | 3 | | | |
| Fixed Wing | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 964 | | | |
| | | Swine, Feral | 1,547 | | | |
| Gas Cartridge (Rodent) | | | | | | |
| | Intentional | | | | | |
| | | Squirrels, Ground (Other) (Burrow/Den) | | 2 | | |
| Gas Cartridge, Large | | | | | | |
| | Intentional | | | | | |
| | | Coyotes (Burrow/Den) | | 11 | | |
| | | Foxes, Red (Burrow/Den) | | 6 | | |
| Hand Tools | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Hand Tools | | | | | | |
| | Intentional | | | | | |
| | | Egrets, Cattle | | | | 521 |
| | | Hérons, Little Blue | | | | 60 |
| | | Vultures, Black | | | | 140 |
| Handcaught/Gathered | | | | | | |
| | Intentional | | | | | |
| | | Cats, Feral/Free Ranging | 2 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | | | 5 | |
| | | Ducks, Feral | 2 | | 87 | |
| | | Egrets, Cattle | 950 | | | |
| | | Foxes, Gray | 2 | | | |
| | | Geese, Canada | 81 | | | |
| | | Geese, Feral | | | 7 | |
| | | Peccaries, Collared (Javelina) | 2 | | | |
| | | Raccoons | 1 | | | |
| | | Skunks, Striped | 5 | | | |
| | | Swine, Feral | 1 | | 1 | |
| Helicopter | | | | | | |
| | Intentional | | | | | |
| | | Bobcats | 50 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Helicopter | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 729 | | | |
| | | Foxes, Gray | 4 | | | |
| | | Foxes, Red | 5 | | | |
| | | Raccoons | 2 | | | |
| | | Swine, Feral | 7,543 | | | |
| Lasers (All) (Deterrent) | | | | | | |
| | Intentional | | | | | |
| | | Grackles, Great-tailed | | | | 52,500 |
| | | Vultures, Black | | | | 20 |
| Lights (All) | | | | | | |
| | Intentional | | | | | |
| | | Nighthawks (All) | | | | 30 |
| M-44 Cyanide Capsule | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 4,179 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | 3 | | | |
| | | Foxes, Gray | 415 | | | |
| | | Foxes, Red | 33 | | | |
| | Unintentional | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| M-44 Cyanide Capsule | Unintentional | Dogs, Feral, Free-ranging And Hybrids | 16 | | | |
| | | Foxes, Gray | 4 | | | |
| | | Foxes, Red | 1 | | | |
| | | Opossums, Virginia | 7 | | | |
| | | Peccaries, Collared (Javelina) | 1 | | | |
| | | Raccoons | 54 | | | |
| | | Skunks, Striped | 1 | | | |
| Nets, Cannon/Rocket | Intentional | Doves, Mourning | 88 | | | |
| Nets, Other | Intentional | Doves, Collared, Eurasian | 5 | | | |
| | | Doves, Mourning | 84 | | | |
| | | Grackles, Common | 23 | | | |
| | | Grackles, Great-tailed | 45 | | | |
| | | Pigeons, Feral (Rock) | 23 | | | |
| | | Swine, Feral | 8 | | | |
| Night Vision/Infrared Equipment | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|-----------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Night Vision/Infrared Equipment | | | | | | |
| | Intentional | | | | | |
| | | Beavers | 173 | | | |
| | | Bobcats | 1 | | | |
| | | Coyotes | 93 | | | |
| | | Raccoons | 7 | | | |
| | | Swine, Feral | 1,152 | | | |
| Prebait | | | | | | |
| | Intentional | | | | | |
| | | Rats, Black (Roof) | 612 | | | |
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Caracaras | | | | 12 |
| | | Cormorants, Double-crested | | | | 802 |
| | | Cranes, Sandhill | | | | 225 |
| | | Curlews, Long-billed | | | | 14 |
| | | Doves, Mourning | | | | 207 |
| | | Doves, White-winged | | | | 26,836 |
| | | Ducks, Mottled | | | | 14 |
| | | Ducks, Northern Pintail | | | | 350 |
| | | Ducks, Northern Shoveler | | | | 150 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Redhead | | | | 351 |
| | | Ducks, Ring-necked | | | | 160 |
| | | Ducks, Scaup, Lesser | | | | 295 |
| | | Ducks, Teal, Blue-winged | | | | 327 |
| | | Ducks, Whistling, Black-bellied | | | | 13 |
| | | Ducks, Wigeon, American | | | | 108 |
| | | Egrets, Cattle | | | | 2,402 |
| | | Falcons, American Kestrels | | | | 2 |
| | | Flycatchers, Scissor-tailed | | | | 4 |
| | | Grackles, Common | | | | 1,200 |
| | | Grackles, Great-tailed | | | | 13,010 |
| | | Gulls, Franklin`s | | | | 71 |
| | | Gulls, Laughing | | | | 1,850 |
| | | Gulls, Ring-billed | | | | 25 |
| | | Hawks, Cooper`s | | | | 1 |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | | 2 |
| | | Hawks, Red-tailed | | | | 16 |
| | | Hawks, Swainson`s | | | | 330 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Herons, Great Blue | | | | 309 |
| | | Herons, Little Blue | | | | 1 |
| | | Killdeers | | | | 100 |
| | | Meadowlarks, Eastern | | | | 30 |
| | | Meadowlarks, Western | | | | 150 |
| | | Ospreys | | | | 8 |
| | | Pelicans, American White | | | | 23 |
| | | Pigeons, Feral (Rock) | | | | 408 |
| | | Sandpipers, Least | | | | 45 |
| | | Sandpipers, Solitary | | | | 100 |
| | | Swallows, Barn | | | | 12,160 |
| | | Swallows, Cliff | | | | 16,400 |
| | | Vultures, Black | | | | 3,324 |
| | | Vultures, Turkey | | | | 858 |
| Snares, Foot/Leg | | | | | | |
| | Intentional | | | | | |
| | | Lions, Mountain (Cougar) | 2 | | | |
| | | Peccaries, Collared (Javelina) | 1 | | | |
| Snares, Neck | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Snares, Neck | Intentional | Badgers | 5 | | | |
| | | Beavers | 119 | | | |
| | | Bobcats | 315 | | | |
| | | Coyotes | 8,990 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | 83 | | | |
| | | Foxes, Gray | 398 | | | |
| | | Foxes, Red | 68 | | | |
| | | Lions, Mountain (Cougar) | 6 | | | |
| | | Nutrias | 51 | | | |
| | | Opossums, Virginia | 3 | | | |
| | | Porcupines | 17 | | | |
| | | Raccoons | 456 | | | |
| | | Skunks, Striped | 22 | | | |
| | Swine, Feral | 4,174 | | | | |
| | Unintentional | Alligators, American | 1 | | | |
| | | Armadillos, Nine-banded | 7 | | 4 | |
| | | Badgers | 21 | | 3 | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Snares, Neck | Unintentional | | | | | |
| | | Bobcats | 3 | | | |
| | | Caracaras | 1 | | 1 | |
| | | Deer, White-tailed (Wild) | 29 | | 7 | |
| | | Dogs, Feral, Free-ranging And Hybrids | 9 | | 6 | |
| | | Domestic Animal (Pet Or Livestock) | 1 | | 4 | |
| | | Foxes, Gray | 5 | | | |
| | | Foxes, Kit | 1 | | | |
| | | Hares, Jackrabbits, Black-tailed | 8 | | | |
| | | Opossums, Virginia | 2 | | | |
| | | Otters, River | 1 | | | |
| | | Peccaries, Collared (Javelina) | 119 | | 4 | |
| | | Porcupines | 72 | | 5 | |
| | | Rabbits, Cottontail | | | 1 | |
| | | Raccoons | 34 | | 1 | |
| | | Skunks, Striped | 2 | | | |
| | | Swine, Feral | 8 | | | |
| | Turkeys, Wild | 4 | | | | |
| | Turtles, Common Snapping | 1 | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | |
|-------------------------------------|------------------------------------|--------------------|----------------------------|---------------------------|-------------------------------------|------------------|----|
| Snares, Neck | Unintentional | Vultures, Black | 1 | | | | |
| | | Vultures, Turkey | | | 1 | | |
| | Spotlight | Intentional | Beavers | 362 | | | |
| Bobcats | | | 1 | | | | |
| Cats, Feral/Free Ranging | | | 4 | | | | |
| Coyotes | | | 5 | | | | |
| Foxes, Gray | | | 1 | | | | |
| Nighthawks (All) | | | | | | 40 | |
| Nutrias | | | 8 | | | | |
| Opossums, Virginia | | | 6 | | | | |
| Pigeons, Feral (Rock) | | | 4 | | | | |
| Raccoons | | | 14 | | | | |
| Skunks, Striped | | | 31 | | | | |
| Swine, Feral | | | 34 | | | | |
| Vultures, Black | | | | | | | 25 |
| Traps, Bal-Chatrri | | | Intentional | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> | |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|--|
| Traps, Bal-Chatri | Intentional | Falcons, American Kestrels | | | 1 | | |
| | | Falcons, Prairie | | | 1 | | |
| | | Hawks, Ferruginous | | | 1 | | |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | 1 | | |
| | | Hawks, Red-tailed | 1 | | 3 | | |
| | | | | | | | |
| Traps, Body Grip | Intentional | Beavers | 808 | | | | |
| | | Nutrias | 41 | | | | |
| | | Otters, River | 21 | | | | |
| | | Raccoons | 5 | | | | |
| | | | | | | | |
| | Unintentional | Herons, Great Blue | 1 | | | | |
| | | Nutrias | 2 | | | | |
| | | Opossums, Virginia | 1 | | | | |
| | | Otters, River | 14 | | | | |
| | | Raccoons | 2 | | | | |
| | | Turtles (Other) | 12 | | | 1 | |
| | | | | | | | |
| | | Turtles, Common Snapping | 19 | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Body Grip | Unintentional | Turtles, Red-eared Slider | | | 1 | |
| | | | | | | |
| Traps, Cage | Intentional | Armadillos, Nine-banded | 2 | | | |
| | | Beavers | 11 | | | |
| | | Bobcats | 5 | | | |
| | | Cats, Feral/Free Ranging | 9 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | | | | 1 |
| | | Foxes, Gray | 12 | | | |
| | | Grackles, Great-tailed | 44 | | | |
| | | Nutrias | 10 | | | |
| | | Opossums, Virginia | 33 | | | |
| | | Pigeons, Feral (Rock) | 522 | | | |
| | | Raccoons | 252 | | | |
| | | Skunks, Striped | 81 | | | |
| | | Squirrels, Eastern Gray | | | | 2 |
| | | Squirrels, Fox | | | | 12 |
| | | Swine, Feral | 4,260 | | | |
| | | Vultures, Black | 2,592 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Cage | Intentional | | | | | |
| | | Vultures, Turkey | 93 | | | |
| | Unintentional | | | | | |
| | | Cats, Feral/Free Ranging | 2 | | | |
| | | Deer, White-tailed (Wild) | | | 1 | |
| | | Dogs, Feral, Free-ranging And Hybrids | | | 4 | |
| | | Doves, Collared, Eurasian | | | 26 | |
| | | Doves, Ground | | | 8 | |
| | | Doves, Mourning | | | 188 | |
| | | Ducks, Whistling, Black-bellied | | | 1 | |
| | | Grackles, Great-tailed | 2 | | | |
| | | Opossums, Virginia | 1 | | 1 | |
| | | Porcupines | 1 | | | |
| | | Rabbits, Cottontail | | | 1 | |
| | | Raccoons | 2 | | 1 | |
| | | Skunks, Striped | 2 | | 1 | |
| | | Vultures, Turkey | | | 4 | |
| Traps, Foothold | Intentional | | | | | |
| | | Beavers | 30 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Foothold | Intentional | Bobcats | 216 | | | |
| | | Coyotes | 979 | | | |
| | | Dogs, Feral, Free-ranging And Hybrids | 13 | | | |
| | | Foxes, Gray | 426 | | | |
| | | Foxes, Red | 18 | | | |
| | | Lions, Mountain (Cougar) | 9 | | | |
| | | Nutrias | 14 | | | |
| | | Opossums, Virginia | 1 | | | |
| | | Otters, River | 1 | | | |
| | | Raccoons | 490 | | | |
| | | Skunks, Striped | 31 | | | |
| | | Swine, Feral | 43 | | | |
| | | Unintentional | Badgers | 9 | | |
| | Bobcats | | 2 | | | |
| | Cats, Feral/Free Ranging | | 2 | | | |
| | Deer, Axis | | | | | 1 |
| | Deer, Mule | | | | | 1 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Foothold | | | | | | |
| | Unintentional | | | | | |
| | | Deer, White-tailed (Wild) | | | 6 | |
| | | Dogs, Feral, Free-ranging And Hybrids | 1 | | | |
| | | Domestic Animal (Pet Or Livestock) | | | 1 | |
| | | Foxes, Gray | 3 | | | |
| | | Opossums, Virginia | 3 | | | |
| | | Peccaries, Collared (Javelina) | 1 | | | |
| | | Porcupines | 3 | | | |
| | | Raccoons | 93 | | 1 | |
| | | Skunks, Gulf Coast Hog-nosed | 2 | | | |
| | | Skunks, Striped | 16 | | | |
| | | Vultures, Turkey | 2 | | | |
| Traps, Foothold (Padded) | | | | | | |
| | Intentional | | | | | |
| | | Coyotes | 16 | | | |
| | Unintentional | | | | | |
| | | Raccoons | 1 | | | |
| Traps, Gopher | | | | | | |
| | Intentional | | | | | |
| | | Gophers, Pocket (All) | 257 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Other | Intentional | Geese, Canada | | | 8 | |
| | | Raccoons | 78 | | | |
| | | | | | | |
| Traps, Pole | Intentional | Falcons, American Kestrels | 1 | | 3 | |
| | | | | | | |
| Traps, Raptor (Other) | Intentional | Falcons, American Kestrels | 1 | | | |
| | | Hawks, Red-tailed | | | 1 | |
| | | | | | | |
| Vehicles (All) | Intentional | Coyotes | | | | 3 |
| | | Deer, White-tailed (Wild) | | | | 32 |
| | | Dogs, Feral, Free-ranging And Hybrids | | | | 2 |
| | | Ducks, Bufflehead | | | | 12 |
| | | Ducks, Gadwall | | | | 176 |
| | | Ducks, Northern Pintail | | | | 12 |
| | | Ducks, Northern Shoveler | | | | 585 |
| | | Ducks, Ring-necked | | | | 25 |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Vehicles (All) | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Ruddy | | | | 75 |
| | | Ducks, Scaup, Lesser | | | | 40 |
| | | Ducks, Teal, Blue-winged | | | | 154 |
| | | Ducks, Wigeon, American | | | | 20 |
| | | Egrets, Great | | | | 1 |
| | | Egrets, Snowy | | | | 10 |
| | | Falcons, American Kestrels | | | | 104 |
| | | Flycatchers, Scissor-tailed | | | | 179 |
| | | Foxes, Gray | | | | 1 |
| | | Grackles, Common | | | | 15 |
| | | Hawks, Cooper`s | | | | 2 |
| | | Hawks, Ferruginous | | | | 1 |
| | | Hawks, Harrier, Northern (Marsh Hawks) | | | | 2 |
| | | Hawks, Red-tailed | | | | 1 |
| | | Hawks, Swainson`s | | | | 17 |
| | | Hérons, Great Blue | | | | 5 |
| | | Killdeers | | | | 5 |
| | | Meadowlarks, Eastern | | | | 150 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2013

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|---|------------------------------------|--------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Vehicles (All) | | | | | | |
| | Intentional | | | | | |
| | | Meadowlarks, Western | | | | 498 |
| | | Nighthawks (All) | | | | 10 |
| | | Ravens, Common | | | | 1 |
| | | Swallows, Barn | | | | 75 |
| | | Turkeys, Wild | | | | 1 |
| | | Vultures, Black | | | | 2 |
| | | Vultures, Turkey | | | | 123 |
| Zinc Phosphide Conc. (Rodents/Lago.) | | | | | | |
| | Intentional | | | | | |
| | | Nutrias | 25 | | | |
| | | Rats, Black (Roof) | 248 | | | |
| | | Total Take for TX | 798,417 | 19 | 420 | 306,400 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.